Agent Manual for Ameyo Server 4.81

GA

Table of Contents

| 1. | Do | cument Versioning | .9 |
|----|------|--|----|
| 2. | Log | gin at Ameyo | 10 |
| 3. | Set | Agent Availability | 18 |
| 4. | Das | shboard | 22 |
| | 4.1 | Agent Login at First Time | 22 |
| | 4.2 | Login Dashboard another Time | 23 |
| | 4.3 | Smart Mode | 23 |
| | 4.4 | Filter | 23 |
| | 4.4 | 4.1 Advanced Filter | 24 |
| | 4.5 | Ticket Assignment Notification | 25 |
| | 4.6 | Chat Delivery Notifications | 25 |
| | 4.7 | Search Tickets | 26 |
| | 4.8 | Refresh | 27 |
| | 4.9 | Create Ticket | 27 |
| | 4.10 | Row Filters | 27 |
| | 4.11 | Attach Call Tickets | 32 |
| | 4.12 | View Closed Tickets | 32 |
| | 4.13 | Ticket Assignment Notification | 33 |
| | 4.1 | 13.1 Toast Notification on the same tab | 33 |
| | 4.1 | 13.2 Browser Notification on a different tab | 34 |
| | 4.1 | 13.3 Clickable Notifications to show tickets in Filtered View | 34 |
| | 4.1 | 13.4 Consolidation of Notifications | 35 |
| | 4.14 | Smart Mode | 36 |

| 4 | .14.1 | Features of Smart Mode |
|-------|--------|---------------------------------------|
| 4 | .14.2 | Disable Smart Mode |
| 4.15 | 5 C | losed Tickets |
| 4 | .15.1 | Operations on Closed Tickets |
| 4 | .15.2 | Filter |
| 4 | .15.3 | Advanced Filter |
| 5. Ti | cket C | reation41 |
| 5.1 | Cus | tomer Information41 |
| 5 | .1.1 | Customer's information on CRM43 |
| 5.2 | Nev | v Ticket for Interaction Campaign43 |
| 5 | .2.1 | Character Limit for various Tickets48 |
| 5 | .2.2 | Custom Fields Selection48 |
| 6. Ti | cket P | age50 |
| 6.1 | Bas | ic operations51 |
| 6.2 | Cus | tomer Information53 |
| 6.3 | Viev | v Customer Cards54 |
| 6.4 | Tick | et Information55 |
| 6.5 | Link | Tickets |
| 6.6 | Mes | sages |
| | 6.6.1 | 1 Add Note58 |
| | 6.6.1 | 2 Attach a File |
| | 6.6.1 | 3 Multiple Tickets Filter60 |
| | 6.6.1 | 4 Access a Note60 |
| | 6.6.1 | 5 Update and Delete a Note61 |
| | 6.6.1 | 6 Reply63 |

| 6.6.1.7 Send Options6 |
|--|
| 6.6.1.8 Acronyms |
| 6.6.1.9 Update Tickets of Deleted Customers64 |
| 6.6.1.10 Attach Tickets64 |
| 6.7 Link Tickets |
| 6.7.1 Example |
| 6.7.2 Link Ticket Option |
| 6.7.3 Capabilities of Linking Tickets through Parent-Child Relationship6 |
| 7. Ticket Operations |
| 7.1 (Licensable) Reassign Ticket to the same agent7 |
| 7.2 Basic Operations7 |
| 7.3 Information on Mouse Hover7 |
| 7.4 Information on Ticket Bar70 |
| 8. Manage Customers |
| 8.1 Operations |
| 9. Customer Communication8 |
| 9.1 Email Communication with Customer84 |
| 9.1.1 Send New Email to Customer84 |
| 9.1.1.1 For Registered Customers |
| 9.1.1.2 For non-Registered Customers8 |
| 9.1.2 Receiving Email |
| 9.1.3 Reply on Email Ticket8 |
| 9.1.4 Identification of Email Tickets10 |
| 9.1.5 Attachments10 |
| 9.1.6 Acronyms10 |

Ameyo 4.81 GA

| 9.1.7 | Handling the Email Server Error Messages and Retry Sending Policies in Ameyo 102 |
|---------|---|
| 9.1.8 | Working of Policies with Default Configuration103 |
| 9.2 Cha | at Communication |
| 9.2.1 | Displaying Name of Agent to the Customer106 |
| 9.2.2 | Customer Name is Clickable106 |
| 9.2.3 | Identifying and Linking Customers during Chat108 |
| 9.2.4 | Chat Transcript109 |
| 9.2.5 | Disposing the chat111 |
| 9.2.6 | Resizable Text-field of Chat Modal112 |
| 9.2.7 | Facebook Communication with Customer116 |
| 9.2.7 | .1 Receiving Ticket |
| 9.2.7 | .2 Identification of Facebook Tickets |
| 9.2.7 | .3 Reply on Facebook Post Ticket117 |
| 9.2.7 | .4 Reply on Facebook Messenger Ticket128 |
| 9.2.7 | .5 Attachment |
| 9.2.7 | .6 Acronyms |
| 9.2.8 | Twitter Communication with Customer132 |
| 9.2.8 | .1 Receiving Ticket |
| 9.2.8 | .2 Identification of Twitter Tickets132 |
| 9.2.8 | .3 Reply on Twitter Post Ticket |
| 9.2.8 | .4 Reply on Twitter DM Ticket145 |
| 9.2.8 | .5 Attachment |
| 9.2.8 | .6 Acronyms147 |
| 9.2.9 | WhatsApp Communication with Customer148 |

| 9.2.9.1 Send New WhatsApp Message to Customer148 |
|---|
| 9.2.9.2 Receiving WhatsApp Message148 |
| 9.2.9.3 Identification of WhatsApp Tickets148 |
| 9.2.9.4 Reply on WhatsApp Ticket148 |
| 9.2.9.5 Reply via WhatsApp Feature161 |
| 9.2.9.6 Process |
| 9.2.9.7 If Not Configured162 |
| 9.2.9.8 Normal Behavior163 |
| 9.2.9.9 FAQs164 |
| 9.2.9.9.1 Can I send any message to any user at any time?164 |
| 9.2.9.9.2 How do I handle cases where I need to send customer care response |
| after 24h?165 |
| 9.2.10 Missed Chats166 |
| 9.3 Voice Communication |
| 9.3.1 Voice Telephony Panel |
| 9.3.1.1 Voice Telephony Panel for Soft-Phone |
| 9.3.1.2 Voice WebRTC Telephony Panel170 |
| 9.3.1.2.1 Functions on Telephony Panel171 |
| 9.3.2 Inbound Call175 |
| 9.3.3 Outbound Call177 |
| 9.3.3.1 View Customer Information and Click to Call |
| 9.3.3.2 Make a Manual Dial Call181 |
| 9.3.3.3 Preview Manual Dialing186 |
| 9.3.3.4 Auto Dial |
| 9.3.4 CTI Display, Functions, and Operations193 |

| 9.3.4.1 Allowed Strings to be dialed193 |
|--|
| 9.3.4.2 Call to Unregistered Number193 |
| 9.3.4.3 Unknown Customer on Telephony Panel196 |
| 9.3.4.4 Call from the Phone Number of a Registered Customer196 |
| 9.3.4.5 Call from Unregistered Number197 |
| 9.3.4.6 CTI Display for Multiple Customers with Same Number |
| 9.3.4.7 Call Failure |
| 9.3.4.8 Number Masking199 |
| 9.3.5 Call Control Functions |
| 9.3.5.1 Attach Tickets to Call201 |
| 9.3.5.2 Call Hold/Talk201 |
| 9.3.5.3 Call Mute202 |
| 9.3.5.4 Conference |
| 9.3.5.4.1 (Licensable) Confer a Call to a User or Supervisor |
| 9.3.5.4.2 Confer a Call to an External Number203 |
| 9.3.5.4.3 Confer a Call to IVR204 |
| 9.3.5.5 Call Transfer205 |
| 9.3.5.5.1 (Licensable) Transfer a call to User or Supervisor (Warm Transfer)205 |
| 9.3.5.5.2 Transfer a call to external number (Warm Transfer)207 |
| 9.3.5.5.3 Transfer a Call to IVR208 |
| 9.3.5.5.4 Transfer a call to Campaign209 |
| 9.3.5.5.5 Transfer a call to another Queue (of same campaign)209 |
| 9.3.5.5.6 Add Notes209 |
| 9.3.5.5.7 Call Disposition210 |

| 9.3.5.5.8 Restrict the Users to dispose the call from Telephony Panel and Allow |
|---|
| them to dispose it from CRM only213 |
| 9.3.5.6 Create and Attach Tickets during Call216 |
| 9.3.5.6.1 Attach Tickets to Call216 |
| 9.3.5.6.2 Create and Attach New Ticket to the Call |
| 9.3.5.6.3 Case of Attaching Lite Tickets with Calls |
| 9.3.5.6.4 Detach the Tickets220 |
| 9.3.5.6.5 Call Transfer or Call Conference Case in the same Queue of same Interaction and same Voice Campaigns |
| 9.3.5.6.6 Call Transfer or Call Conference in the different Queues of the same |
| Interaction Campaigns and same or different Voice Campaigns |
| 9.3.5.6.7 Call Transfer or Call Conference in the different Interaction Campaigns |
| and same or different Voice Campaigns221 |
| 9.3.6 Schedule Callback222 |
| 9.3.7 Callback Notification225 |
| 9.3.8 Call Details226 |
| 9.3.8.1 Callbacks226 |
| 9.3.8.1.1 Click to Dial Callback |
| 9.3.8.1.2 Reschedule Callback |
| 9.3.8.1.3 Delete Callback230 |
| 9.3.8.2 Call History231 |
| 9.3.8.2.1 Call Notes233 |
| 9.3.9 Filter |
| 10. Agent Account Menu237 |
| 11. Logout from Ameyo243 |

1. Document Versioning

| Version | Date | Purpose | Author |
|------------|-------------|-------------|---------------|
| 4.81.1-AgM | 06-Aug-2020 | First Draft | Saurabh Goyal |

2. Login at Ameyo

The Agent has an access to web based interface with telephony controls through which the agent can make or receive calls. When the agent receives a call, a CTI pop-up will appear containing the information of customers.

Perform the following steps.

1. To login into Agent screen, the user needs to open following URL.

<PORT>://<HostName_OR_IP>:<PORT>/app/#

VariableRequired Value<protocol>HTTP or HTTPS<HostName_OR_IP>IP Address or Domain Name of the Site where Ameyo
Application is running.<PORT_NUMBER>8888 for HTTP or 8443 for HTTPScomparing

Replace the following variables.

Figure: Login Screen

- 2. Use any of the following methods to login.
 - A. **Normal Login:** The agent needs to enter the "User ID" and "Password" which is provided by the administrator in the login screen and click **"Login"**.
 - B. Login with SAML (Licensable): Click "SAML" to login with your SAML Account hosted at your IDP (Identity Provider).

Security Assertion Markup Language(SAML) is an XML-based framework for user authentication. Using it, the user authentication can be done with a third-party Identity Provider (IDP) such as Active Directory.

C. <u>Google (Licensable)</u>: User can also login using its Google account. User don't have to use Ameyo user credentials to login, instead users can login using Single-Sing-On by just logging into its Google account.

Click "Google" to login with your Google account.

Both SAML and Google Authentications are licensable features and has to be configured from the backend. In the absence of both license and configuration, these options will not be visible on the logon screen.

 After user logins at the Portal using any of the above methods, a "Campaign Selection" pop-up is displayed on the screen.

| Campaign Selection | | | | | |
|----------------------------|--|-------------------------|--|----------------------|------|
| Ticket Campaign | | Voice Campaign | | Chat Campaign | |
| Select Ticket Campaign 🔹 👻 | | Select Voice Campaign 🔹 | | Select Chat Campaign | * |
| | | | | | Next |

Figure: Select the Campaign

- 4. Here, the agent has to select any of the following campaign types in which it wants to login. The list will contain only those campaigns in which the agent has been assigned by the Administrator.
 - Ticket (Interaction) Campaign

Ameyo 4.81 GA

- Voice Campaign
 - Inbound Voice Campaign
 - Outbound Voice Campaign
 - Parallel Predictive Voice Campaign
- Chat Campaign

The Agent can login to multiple voice campaigns, but the agent can select only one interaction campaign and one chat campaign. The agent can not select multiple interaction campaigns and chat campaigns at a time.

If Administrator have configured the default working for an agent in any campaign, then that agent will be logged in directly to that campaign. Professional Agent can be set to logon to one voice, one chat, and one interaction campaigns. Whereas, Executive can set to work in two voice, one chat, and one interaction campaign.

- 4. Selection of Campaign: The agent can select either voice campaign or interaction campaign but the agents who are assigned in both type of campaigns can select both campaigns at a time and can work in either campaign. Following are the cases for campaign selection for the agent.
 - A. <u>Blended Campaign / Voice Campaign</u>: The Administrator can configure blended campaign for voice, which allow an agent with Executive Role to logon to more than one voice campaigns (such as in both Inbound and Outbound campaigns) simultaneously. If this option is configured, a checkbox named "Blended Campaign" appears in the campaign selection.

The agent with "Professional Agent" will not get the option of Blended Campaign as the Professional Agent can login to only one voice campaign at a time.

When "Blended Campaign" option is unchecked, the voice campaign dropdown menu shows only those campaigns, which are not blended by the Administrator.

| Welcome D | | | | | | じ Logout |
|-----------------------------|---|----------------------|---|-----------------------|----------------------------|----------|
| Campaign Selection | | | | | | |
| Interaction Campaign | | Chat Campaign | | Voice Campaign Blende | ed Video Chat Campaign | |
| Select Interaction Campaign | ~ | Select Chat Campaign | ~ | Select Voice Campaign | Select Video Chat Campaign | ~ |
| | | | | Inbound | | |
| | | | | Outbound | | Next |

Figure: Voice Campaign Selection

When "Blended Campaign" option is checked, the voice campaign dropdown menu shows only blended campaigns, in which the agent is assigned.

| Campaign Selection | | | | | | | |
|-----------------------------|---|----------------------|---|-------------------------|-----------|----------------------------|------|
| Interaction Campaign | | Chat Campaign | | Voice Campaign | V Blended | Video Chat Campaign | |
| Select Interaction Campaign | ~ | Select Chat Campaign | ~ | - 🗌 Select Voice Campai | gn | Select Video Chat Campaign | ~ |
| | | | | 🗌 Inbound Campaign | | | |
| | | | | Outbound Campaign | n | | Next |
| | | | | Parallel Predictive | | | |

Figure: Selecting Blended Campaigns

An agent with "Executive" role can select multiple non-Blended Campaigns. However, Blended Campaigns are preferred because it gives important to the inbound calls that helps in reducing the call drops.

The agent (with Executive Role) can select more than one voice campaigns, a Ticket (Interaction) Campaign, and a Chat Campaign, in which it want to login simultaneously.

B. **Interaction Campaign:** The agent can select the interaction campaign in which the agent is assigned. In interaction campaign both interaction and chat campaigns are included. The agent can select any one from interaction campaign or chat campaign or if the agent is assigned in both campaigns then, the agent can select both interaction and chat campaigns at a time.

| Campaign Selection | | | |
|--------------------------|------------------------|--------------------------------|--------------------------------|
| Ticket Campaign | Voice Campaign Blended | Chat Campaign | Video Chat Campaign |
| Select Ticket Campaign V | Select Voice Campaign | Select Chat Campaign V | Select Video Chat Campaign 🗸 🗸 |
| Select Ticket Campaign | | Select Chat Campaign | Next |
| IC | | Chat Campaign | |

Figure: Select Interaction Campaigns

The agent can select only one interaction campaign and chat campaign. If the agent is assigned in multiple interaction campaigns, even then, agent is cannot select multiple campaigns.

C. <u>Selection of both Voice and Interaction Campaigns</u>: The agent who is assigned in both voice and interaction campaigns can select both at a time.

| Campaign Selection | | | |
|----------------------------|------------------------|--------------------------|--------------------------------|
| Ticket Campaign | Voice Campaign Blended | Chat Campaign | Video Chat Campaign |
| Select Ticket Campaign 🗸 🗸 | Select Voice Campaign | Select Chat Campaign 🗸 🗸 | Select Video Chat Campaign 🗸 🗸 |
| | | | |
| | Inbound Campaign | | Next |
| Select Ticket Campaign | Outbound Campaign | Select Chat Campaign | Next |
| IC | Parallel Predictive | Chat Campaign | |

Figure: Voice and Interaction Campaign Selection

D. <u>Selection of Video Chat Campaign</u>: The agent can select the video chat campaign in which the agent is assigned into.

| nteraction Campaign | | Chat Campaign | | Voice Campaign | Blended | Video Chat Campaign |
|-----------------------------|---|----------------------|---|-----------------------|---------|----------------------------|
| Select Interaction Campaign | ~ | Select Chat Campaign | ~ | Select Voice Campaign | ~ | Select Video Chat Campaign |
| | | | | | | Video MVP4 |

Figure: Video Chat Campaign Selection

5. The agent can also select the video chat campaign with voice and interaction campaign to work simultaneously with those campaigns.

6. Click "Next" to proceed.

<u>Case 1: Extension Selection by Agents</u>: Now, if the extensions are configured for the agents in softphone or hardware-phone and if the Administrator has set the agents to select the extensions, then following pop-up is displayed on the screen.

| Extension Selection | | |
|---------------------|---|-----------------|
| Select Extension | ~ | |
| Select Extension | | Cancel Done |
| 1001 | | |
| 1111 | | |
| softphone1 | | |

Figure: Extension Selection

Click the drop-down menu and select the extension. If you are selecting a phone, then a new field appears that asks to provide the phone number.

| Extension Selection | | | |
|---------------------|---|-------------------------------|------|
| softphone1 | ~ | Phone 9876543241 Cancel | Next |

Figure: Entering Number after selecting Extension

Click "Next" to proceed.

<u>Case 2: No Extension Selection</u>: The Extension Selection pop-up will not appear after the user logon, if WebRTC is being used in the system or if the Administrator had selected to use "User ID Mapped Call Leg Details Provider" Mapping Policy in the System Settings.

WebRTC: In case of WebRTC, the agents will be logged on just after the campaign selection. Once the agent is logged in to Ameyo System, the agent needs to ensure that WebRTC status indicator turns "Green" (WebRTC is registered) after a few seconds. If the WebRTC status indicator remains "Red", then it shows that WebRTC

Ameyo 4.81 GA

is not registered and the agent will not be able to make or receive calls. It is suggested to contact your Administrator immediately if WebRTC remains "RED" for a longer duration.

Now this, WebRTC indicator can be seen by clicking on icon to access a small telephony pop-up, that will slide from right. Here, an agent can see if the WebRTC indicator is "red" or "green".

Auto-Extension Selection Settings: In case the Administrator had selected "User ID Mapped Call Leg Details Provider" mapping policy, the already selected extensions (by the Administrator) will be assigned to the agents.

If you does not choose the extension from the above bar, then after login, the Ameyo starts showing a cautionary error to select the extension.

| | YO | Home | Knowled | lge Base | Call Details | | | | InteactionC | a+2 🗸 | 4 | | Ƴ ● Just Logged | ∽ a1 ~ |
|-----------------|------------|---------------|--------------|----------------|---------------|---------------|---|-----------|-------------|--------------|---------------------------|-----|------------------------------|-----------------------------------|
| A Please | e selec | t an exten | nsion to c | ontinue to | receive or r | nake calls! | | | | | | | | |
| < Dashbo | bard | Custo | omers | | | | | | | | | | > | Create Ticket |
| Q ⊽ Filt | ter | | | | | | | | | | | | Search Q | . |
| | All Me | dia | ~ | All Tickets | | ✓ 🗰 Date From | × | 🗰 Date To | × D | ate Modified | l, Desc | - | 1 - 3 | v of 3 <> Clos |
| | ×- | a1 new mai | I | | | NEW | | - | 2 | | - 3d 23h R Resolution | Low | InteactionCampaign Queue1 | Today 13:29 Modified |
| | <u>}</u> → | a1 test | | | | NEW | | = | 1 | [| - 22h 48m R Resolution | Low | InteactionCampaign Queue1 | Yesterday 18:26 Modified |
| | × | a2 Help us | protect you: | Security advic | e from Google | NEW | | - | 1 | F | - 3d 4h FR | Low | InteactionCampaign Queue1 | 04 Jan, 2020 12:20 Modified |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Figure: Dashboard with Cautionary sign

If you missed to select the extension in the above step, then you can select it from here by clicking onto this cautionary sign. The extension selection bar again pops up and you can select the extension from here.

7. Enter the phone number and click "Next" to proceed. After the user logged-in, it shows the Home Screen.

| Dashboa | rd Cust | omers | | | | | | | > | Create Ticke |
|-----------------|-----------|-------|------------|----------|----------|-----------|--------------------|--------|-------------|---------------|
| ♀ ▼ Filt | er | | | | | | | | Search | ٩ ٥ |
| | All Media | ~ A | II Tickets | ✓ 🗰 Date | From × [| Date To > | Date Modified, Des | ic • 0 | -0 of 0 < > | Closed Ticket |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Figure: Home Screen




Figure: Home Screen of Agent in Voice Only

The licensable word is added for the licensable features in this user manual. If the appropriate license is not available then that feature will not be visible in the user interface to the user.

3. Set Agent Availability

- Once the agent is logged into Ameyo System, the agent needs to ensure that WebRTC status indicator turns "Green" (WebRTC is registered) after a few seconds. If the WebRTC status indicator remains "Red" then it shows that WebRTC is not registered, and the agent will not be able to make or receive calls. It is suggested to contact your Administrator immediately if WebRTC remains "RED," for a longer duration.
- 2. Click Lo access the WebRTC pop-up in the top-right corner.

| | 🔹 👻 😐 Just L | ogged 🗸 | test1 | 24 🗸 |
|---|-------------------|---------|-------|------|
| | Wei | 6 RTC | | ٦. |
| [| Insert Phone Numb | ber 🧧 | ×] ₩ | |
| Ť | View | Ca | 11 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Figure: WebRTC Pop-up

Here, the agent can see whether WebRTC indicator is green or red.

3. The Agent Status is a helpful way to monitor the agent login status for the supervisor or administrator. After the login, the agent has to change his current status from "Just Logged In (Unavailable)" to "Available".




Figure: Agent Status Options

This menu shows the current status of whether the agent is available to make or receive calls else the calls should be routed to other available agents by the system. These are custom default breaks that have been set by the Administrator. These breaks will help the Supervisor to identify which Agents are available for work and which are not. Some of the basic breaks which are used here are:

- **Lunch**: If an Agent is on the Lunch and will not be available for the next couple of minutes, then he can set his status to Lunch.
- **Snacks:** It's kind of a short break, which refers that the Agent on break and will be available in a short time.
- Training: When the Agent has been in the Training and will not be available for some time, it may be of a couple of hours, then he can set his status on Training.
- **Un-Available**: When the Agent will not be available for next some time due to any of the reason, then he can set his status to unavailable.
- 4. Agents can change their status at any time using the first drop-down menu on the top right corner. The supervisor will get to know the agent status from the monitoring tab if any agent changes the status.
- 5. The Administrator can modify to add more status options (such as Short Break, Team Meeting, and others) so there can be more options apart from the default ones that are already available.
- 6. Here, you will also notice the following campaign icons.

Ameyo 4.81 GA

- Voice Campaign Icon
- Chat Campaign Icon
- Interaction (Ticket) Campaign Icon
- 7. The agent can click the campaign icons to turn on or off the campaign mode.




Figure: Turn on or off Auto-mode for Chat and Voice Campaigns



Figure: Turn on or off Auto-mode for Voice Campaign

If the agent is logged in to multiple voice campaigns, then turning on auto-mode on will make it available in all voice campaigns.

8. Click the toggle switch to turn on or off the auto-mode for campaigns. After turning off, the campaign icon and its toggle switch are displayed in grey color.

If the Administrator had configured that the agent cannot set the Interaction Campaign to auto-off, then the toggle switch of Interaction Campaign is displayed in the blue color. The agent will always remain available in the Interaction Campaign with this always-on toggle and cannot turn it off.




Figure: Force Auto-on for Interaction Campaign

9. With the campaign icons, the list of campaigns in which the agent is logged in can be accessed.

| TestInteraction+3 🗸 |
|---------------------|
| Ticket |
| TestInteraction |
| Voice |
| TestInbound |
| TestOutbound |
| Chat |
| TestChat |

Figure: List of Campaigns

10. Click icon on the right bar and a small telephony pop-up slide from the left. Here, the agent can see if the WebRTC indicator is "red" or "green".

4. Dashboard

The working and features of Dashboard page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the Dashboard, as the group manager is not allowed to work in interaction and chat campaigns.

4.1 Agent Login at First Time

In the agent interface, if the Agent is logged in for the first time with the Interaction Campaign then the Dashboard shows all tickets created while interacting with the customers through any medium.

In Agent's Dashboard, if the applied filter and conducted search do not have any result, then the screen comes as blank.

The following message will be displayed (marked in the green box) when the applied filter or conducted search do not have any resultant ticket to show on the screen.

This filter/search has no result. Please try a different criteria.

| | Home | Knowledge Base | | | | IC+1 | | ۵ | | | 🗡 🧧 Available | | a1 🗸 |
|-------------------|--|----------------|-----|-----------|----------|--------|------|-------------|------|---|---------------|--------------|------------|
| < Dashboard | Custo | omers | | | | | | | | | > | Cre | ate Ticket |
| ♀ ⊽ Filter | | | | | | | | | | | Search | ٩ | Ø 🛛 |
| | ledia | ✓ All Tickets | ~ [| Date From | × 🗰 Date | e To X | Date | Modified, I | Desc | - | | 0-0 🗸 of 0 < | Clos |
| | This filter/search has no result. Please try a different criteria. | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Figure: First-time Dashboard

If the agent is logging the dashboard another time and the tickets have already been created or raised by the customers, then this screen and message will not appear.

4.2 Login Dashboard another Time

If the Agent is logged in for the second time with the IC Campaign, then the Dashboard shows all tickets created while interacting with the customers through any medium.

| | Home Knowledge Base | Call Details | | | 🗊 IC+3 | × 🌲 | See 10 (19) | 🗡 🔹 Available | ✓ a1 |
|------------------------|--|---------------------|-----------|-------------|----------------|-------------------------|-------------|--------------------|--------------------------------|
| Dashboard | Customers | | | | | | | > | Create Ticket |
| ♀ <mark>▼Filter</mark> | | | | | | | | Search Q | \$ |
| All N | ledia 🗸 All Ti | ickets 🗸 | Date From | × 🛗 Date To | × Date Modifie | ed, Desc | * | 0 - 0 🗸 of 0 | < > Closed Tickets |
| | Alonzo, prabhuli 2 | | Open | 22 | 10 | Os A Assigned | Low | IC_(25 | Yesterday 20:59 Modified |
| ∞→ | Coleman, prabhuli 121212 | | Open | = | 1 | Os A Assigned | Low | 2_05 | Yesterday 20:59 Modified |
| ∞→ | Coleman, prabhuli vdfgfdgf | | Open | - | 1 | Os A Assigned | Low | IC 2_Queue_cass | Yesterday 20:59 Modified |
| ∞→ | Coleman, prabhuli sdfsdfddfsdfsdfds | | New | = | 1 | Os A Assigned | Medium | IC 2_Queue_cass | Yesterday 20:46 Modified |
| ∞→ | Alonzo,Abhishek Manav gwgwgw | | Open | = | 1 | Os A Assigned | Low | IC 2_Queue_cass | Yesterday 20:24 Modified |
| ×- | Coleman, 2342343 | | New | = | 2 | 0s FR First Response | Low | IC IC_Queue_dev | Yesterday 20:18 Modified |
| ų. | Bart, Ticket corresponding to call: d | 900-5c73d7dd-vce-14 | New | 23 | 1 | 0: A Assigned | Low | IC 2_Queue_cass | Yesterday 18:42 Modified |
| U. | Bart, Ticket corresponding to call: d | 900-5c73d7dd-vce-13 | New | 23 | 1 | Os A Assigned | Low | IC 2_Queue_cass | Yesterday 18:41 Modified |
| Ľ, | Bart, Ticket corresponding to call: d | 900-5c73d7dd-vce-12 | New | 27 | 1 | Os A Assigned | Low | IC 2_Queue_cass | Yesterday 18:34 Modified |

Figure: Dashboard

Here, the agent can perform the following operations.

The key difference between the supervisor and agent is that the supervisor can see all the tickets present in the campaign whereas, the agent is allowed to see the tickets present in that queue on Dashboard.

4.3 Smart Mode

Click icon to turn on the smart mode. In smart mode, the agent can see what tickets have to be dealt with first. Agent can click "Smart Mode" icon again to turn it off. Know more...

4.4 Filter

Click **Filter** icon to filter the tickets on the dashboard using the following pop-up.

| Queue Search | ٩ | Priority Low Hedium High State Brand New New Open | |
|-----------------|---|---|----------------|
| | | | Advance Filter |

Figure: Filter Box

You can filter the tickets from the following list of available filters.

- Queue: Enable the checkbox of the queue for which you want to search the tickets. The agent can select multiple queues at the same time. You can search the queue name, enter the queue name in the search box and press "Enter" key.
- 2. **Priority:** Agent can filter the tickets based on their priorities. Enable the checkbox of the specific priority.
- 3. <u>State</u>: Agent can apply the filter on the ticket states as well. Ticket state defines the current state of the ticket in which it lies at present.

After the selection of the filters, click "Apply" button.

4.4.1 Advanced Filter

You can click "Advance Filter" to create an advanced filter.

For the advanced filters, click "Advance Filter" button present at the bottom of the filter section.

| Advance Filter | × |
|-------------------------|-------|
| Custom Fields DATE Add | |
| Select an option DATE | |
| DATE | |
| | |
| | |
| | |
| | |
| Cancel | Apply |

Figure: Advance Filter Box

On the new pop-up page, select the custom filters from the drop-down list, based upon your criteria and the usage and click "Apply" button. It filters the tickets based upon the custom fields.

The Advance Filter can be enabled or disable from back-end, hence if it is disabled it will not be visible on the filter tab.

4.5 Ticket Assignment Notification

In a case when some of the tickets have been assigned to the agents, then it is important to notify the agents about the tickets and the total count of tickets. To solve this problem, a notification comprises of the total count of the tickets will be sent to the agent. <u>Know more...</u>

4.6 Chat Delivery Notifications

In case when the agent is assigned in a Chat Campaign, but the agent is on another secondary tab in the Web browsers, there were chances that the agent will miss the incoming chat. To avoid such cases, Desktop Notification App has been improved further. Now if the agent is browsing other tabs (instead of Primary Tab) in Web browsers, then a desktop notification is displayed informing about a new incoming chat. The agent can click the notification to reach the Primary Tab to attend the Incoming Chat.




Figure: Desktop Notification for New Incoming Chat

If the agent does not click it, this notification will continue to show the incoming messages from the customer. In an operating system like Windows 10, the notifications will be displayed in Windows' native Message Center. Refer to the following screenshot.




Figure: Desktop Notification for New Message in the Incoming Chat

This feature of "Desktop Notification" App helps the agent to attend the chat within SLA and decreases the chances of not connected chats.

4.7 Search Tickets

The agent can use the search box, located on the right corner to search for the tickets.

The agent can use the Custom ID also to search for the tickets. Enter the custom id of the ticket to search the ticket associated with that custom id. Tickets can only be searched with the help of Custom ID, if custom id is enabled by the administrator.

<u>Computation of Tickets</u>: While searching large number of tickets, the computation of ticket searching is performed on the server-side. Therefore, there will be no effect on the clientside. It has optimized the performance of Ameyo to handle the large number of tickets. And hence, the time consumption for fetching these tickets is reduced.

4.8 Refresh

Click con to refresh the view of the dashboard.

4.9 Create Ticket

Click "Create Ticket" button to create a new ticket manually.<u>Know more...</u>

4.10 Row Filters

There are some filters that can be used to sort the tickets. It helps the user to see the tickets according to the usage and need. Following are the types of filters.

All Media V All Tickets V III Date From X III Date To X Date Modified, Desc T 1-10 v of 230 <>

Figure: Filter Row

 Media Type Filter: The media type filter helps the agent to filter tickets according to different media created in the system. Click on the type of media for which you want to see the tickets. Some of the following media are:

| All Media | |
|----------------|--|
| Voice | |
| Manual Message | |
| Email | |
| Twitter | |
| Facebook | |
| SMS | |

Figure: Media Type Filter

- A. <u>All Media</u>: It shows all the types of tickets irrespective of the media type.
- B. **Voice:** It shows the tickets which are created from the voice calls.

Voice tickets can only be shown if the setup is based on IC+Voice setup.

- C. **Email:** It shows all those tickets which are created through the email media profile.
- D. **Facebook:** It shows all those tickets which are created through the Facebook media profile. It includes the messages sent as the post on Facebook page of the customer.
- E. **<u>Twitter</u>**: It shows all those tickets which are created through the twitter media profile.
- F. **Manual Message:** It shows those tickets which are created manually, which means those tickets which are created by the user.
- G. **<u>SMS</u>**: It shows those tickets which are created through the SMS medial profile.
- H. **WhatsApp:** It shows those tickets which are created through the message sent on the configured WhatsApp number.
- I. <u>**Fb Messenger:**</u> It shows those tickets which are created through Facebook messenger. It includes the messages sent over the Facebook messenger.

Here, the media profile means the type of source from which the ticket is received in Ameyo.

2. <u>Ticket Status Filter</u>: Agent can filter the tickets according to the various following ticket status.

| All Tickets | |
|-------------|--|
| My Tickets | |
| Unassigned | |
| , Escalated | |
| Failed | |
| Missed | |

Figure: Filter Based on Ticket Status

- A. <u>All Tickets</u>: It shows all those tickets which are assigned in the particular queue in which the user is assigned.
- B. **<u>My Tickets</u>**: It shows only those tickets which are assigned to the user.
- C. **<u>Unassigned</u>**: It shows those tickets which are unassigned and are still waiting for their response.
- D. **Escalated:** It shows those tickets which have been escalated from any of the users in that queue.
- E. **Failed:** It filters those tickets which are failed and not yet delivered to the customer. This case may arise when either the customer's destination id is incorrect, or the message delivery fails due to some external effects like network failure, provider issue and so on.
- F. **Missed:** It filters those tickets for which the customer left the message for the agent, but the agent was not available to attend the ticket while the customer was available, and the message or chat has been missed.
- 3. **Date Filter:** The date filter helps you to filter the tickets based on the provided time duration. It shows all the tickets which are created in the provided time duration.

| | Ē | Dat | e Fror | n | × | | | Date 1 | ō | > | < | | |
|----|----|-----|--------|----|----|----|----|--------|----|--------|----|----|----|
| < | | 20 | 019 Au | ıg | | > | < | | 20 | 019 Au | ıg | | > |
| м | т | w | т | F | S | s | м | т | w | т | F | S | s |
| 29 | 30 | 31 | 1 | 2 | 3 | 4 | 29 | 30 | 31 | 1 | 2 | 3 | 4 |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | 30 | 31 | 1 | 26 | 27 | 28 | 29 | 30 | 31 | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

Figure: Date Filter

Select the initial date from "Date From" column and last date from "Date To" column.

4. <u>Ticket Sorting Filters</u>: The sorting filter helps the agent to filter the tickets in the following sorting orders.

| Date Created |
|-------------------|
| Date Modified |
| Queue |
| Campaign |
| Priority |
| User |
| State |
| Heat Value |
| Sort by Direction |
| Ascending |
| Descending |

Figure: Sorting Filter

A. **Date Modified:** It sorts the tickets according to the modification date of tickets. If there is any task performed over the ticket, then the time and date are known as modification date and time.

Ameyo 4.81 GA

- B. **Date Created:** It sorts the tickets according to the creation date of tickets.
- C. **Queue:** It sorts the tickets according to the queue names.
- D. **Campaign:** It sorts the tickets according to the campaign names.
- E. **<u>Priority</u>**: It sorts the tickets according to the priority of the tickets.
- F. **User:** It sorts the tickets according to the name of the users.
- G. **<u>State</u>**: It sorts the tickets according to the states of tickets.
- H. **<u>Heat Value</u>**: It sorts the tickets according to the heat value of tickets.
- Sort by direction: All the above sorting filters are based on the order of the tickets in which they can be shown on the page. The sorting parameters are compulsory to apply with all the above sorting parameters. There are two types of sorting directions.
 - **Ascending:** It sorts the tickets in the ascending order, that is, the oldest ticket (according to the above-applied filter) comes first, and the new ticket comes at the end of the tickets list.
 - **Descending:** It sorts the tickets in the descending order, that is, the newest ticket (according to the above-applied filter) comes first, and the oldest ticket comes at the end of the tickets list.
- Number of Tickets per Page: It shows the total number of tickets to be shown per page. Click is icon to select the number of tickets to be shown on a single page. By default, 10 tickets show on a single page.
- 6. Click conto move to the next page of tickets or conto move to the previous page of tickets.

| 1 - 10 🗸 of 230 | < |
|-----------------|---|
| 10 | |
| 25 | |
| 50 | |

Figure: Tickets on Single Page Filter

4.11 Attach Call Tickets

The agent is able to attach the call Tickets with existing tickets or can create a new ticket. Know more...

4.12 View Closed Tickets

The agent can now see the closed tickets at the Customer Details page. Click "Closed Tickets" button to see the closed tickets. <u>Know more...</u>

| ∧ Tickets | | | |
|---|---------------------------|--------------------------|--|
| Q ∀ Filter | | | Search Q Q |
| All Media v All Tickets | ✓ 🗰 Date From 🗙 🗰 Date To | imes Date Modified, Desc | ▼ 1-6 ♥ of 6 < > Closed Tickets |
| jon, Ticket for chat: d986-5c4c664d-dccf-4 | close1 | 1 Os R Resolution | Low InteractionForCX Today QueueForIC 12:20 Modified |
| | | | |
| | | | |
| | | | |
| | | | |

Figure: Showing Closed Tickets

The currently opened tickets will not be visible while viewing the closed tickets. The user has to close the dashboard of the closed tickets to see other tickets.

4.13 Ticket Assignment Notification

Whenever a ticket is assigned to the agent, then it is very important to notify the agent about the ticket assignment and the count of the tickets that have been assigned to the agent. Suppose the agent is on another tab browsing through the Knowledge Base or CRM, then the agent will not notice such notifications. Also, if the agent is on the same tab that displays the Agent Console, but the agent is receiving multiple notifications of different purposes, then the agent might not notice the ticket assignment notifications.

To help in such cases, the Ticket Assignment notifications through Browser Notification at desktop and Toast Messages will be sent. Both of these notifications are displayed along with the notification in the Bell icon.

4.13.1 **Toast Notification on the same tab**

| <u>ہ</u> | AMEYO | Home | Knowledge Base | 9 | | | | • | InteractionF 🗸 | .0 😳 |
|----------|-------------------------|-------------------------|---------------------|-----------------|-----------|--------|---------------------------------|-----|--------------------------------|-----------------------------------|
| < Da | shboard | Cust | tomers | | | | | | > Cr | eate Ticket |
| Q | Filter | | | | | | | Se | earch Q | \$ |
| | All Me | edia | ✓ My Tickets | ✓ 🗰 Date From 🗙 | 🗰 Date To | × Date | Modified, Desc | • | 1-10 🗸 of 74 < 🗲 | Closed Tickets |
| | | mary H5 | | NEW | - | 1 | - 3m 15s FR First Response | Low | InteractionForCX QueueForIC | Today 10:57 Modified |
| | | <mark>mary</mark> H4 | | NEW | - | 1 | - 3m 20s FR First Response | Low | InteractionForCX QueueForIC | Today 10:57 Modified |
| | ⋈ | <mark>mary</mark> H3 | | NEW | - | 1 | - 3m 40s FR First Response | Low | InteractionForCX QueueForIC | Today 10:56 Modified |
| | | mary H2 | | NEW | - | 1 | - 3m 44s FR First Response | Low | InteractionForCX QueueForIC | Today 10:56 Modified |
| | | mary H1 | | NEW | - | 1 | - 4m 5s FR First Response | Low | InteractionForCX QueueForIC | Today 10:56 Modified |
| | $\boxtimes \rightarrow$ | mary eeeeeee | | open1 | = | 4 | - 178d 22h R Resolution | Low | InteractionForCX QueueForIC | 23 Jun, 2020 18:53 Modified |
| | | mary teesra | | OPEN | 23 | 1 | - 174d 21h FR First Response | Low | InteractionForCX QueueForIC | 15 Jan, 2020 13:52 Modified |
| | 2 | mary phela | | NEW | 23 | 1 | - 174d 21h FR First Response | Low | InteractionForCX Nayi Queue | 15 Jan, 2020 13:51 Modified |
| | 6 | A Ticket has I | been assigned to yo | ou. X | 2 | 1 | - 179d 17h FR First Response | Low | InteractionForCX QueueForIC | 10 Jan, 2020 17:59 Modified |

If the agent is on the same that displays the Agent Console, then "Toast Message" is displayed.

Figure: Toast Notification for ticket assignment

Toast Notification for ticket assignment is not clickable.

4.13.2 **Browser Notification on a different tab**

If the agent is on another tab, then the system displays a browser notification.

| | 🔶 Wed Jul 8, 10:52:48 AM 🎅 🕸 |) 🛃 100% |
|-----------------|--------------------------------------|----------|
| Ticket Assignme | Ticket Assigned localhost:8888 | × |
| | 5 Tickets have been assigned to you. | |
| | Settings | |

Figure: Browser Notification for ticket assignment

4.13.3 **Clickable Notifications to show tickets in Filtered View**

The Browser Notification and the Bell notification for ticket assignment has been made clickable. The agent can click on any of these notifications to refresh the listing of tickets on Dashboard. During this refresh, the filters already applied on the Dashboard will remain preserved and applied. A toast notification is also displayed that the filtered view has been applied.

| ہ م | MEYO | Home | Knowle | dge Base | | | | | | | 6 | InteractionF 🗸 | A 🗧 | 🗸 🔹 Available |
|------------|-------------------|---------------------------------|--------------|-----------------|----------------|-------------|-----|---------|------|--|----------|--------------------------------|------------------------------------|-----------------------------------|
| | shboard Filter | Cust | omers | = N | ot 4 | × | | | | | 3 | | et Assigned have been assigne | 08/07/2020, 12:10:27 d to you. |
| | All Med | lia mary u5 | √ Му Т | ïckets | ~ | Date Fro | m x | Date To | × Da | te Modified, Desc 1m 51s FR First Response | • Low | Intera | et Assigned s have been assigne | 08/07/2020, 12:04:59 d to you. |
| | | mary u4 | | | | NEW | | - | 1 | Im 46s FR First Response | Low | InteractionForCX QueueForIC | Today 12:10 Modified | Input Code: |
| | ∞ | mary u3 | | | | NEW | | - | 1 | Im 26s FR First Response | Low | InteractionForCX QueueForIC | Today 12:10 Modified | var client = AmeyoClie |
| | ∞ ← | mary u2 | | | | NEW | | - | 1 | 1m 21s FR First Response | Low | InteractionForCX QueueForIC | Today 12:09 Modified | |
| | | mary u1 | | | | NEW | | - | 1 | 1m 1s FR First Response | Low | InteractionForCX QueueForIC | Today 12:09 Modified | ί. |
| | | mary teesra | | | | OPEN | | 200 | 1 | - 174d 22h FR First Response | Low | InteractionForCX QueueForIC | 15 Jan, 2020 13:52 Modified | |
| | Z | mary phela | | | | NEW | | 23 | 1 | - 174d 22h FR First Response | Low | InteractionForCX Nayi Queue | 15 Jan, 2020 13:51 Modified | |
| | 2 | <mark>mary</mark> Two Two cu | stom | | | OPEN | | 23 | 1 | - 179d 18h FR First Response | Low | InteractionForCX QueueForIC | 10 Jan, 2020 17:59 Modified | |
| | | mary Ticket for ch | at: d833-5e0 | 05eec-dccf- | 0 | OPEN | | - | 1 | - 197d 23h R Resolution | Low | InteractionForCX Nayi Queue | 23 Dec, 2019 12:24 Modified | |
| | | iltered View ickets assigne | | e visible if th | nere are filte | rs applied. | × | - | 1 | Pending | Low | InteractionForCX QueueForIC | 25 Nov, 2019 19:51 Modified | |

Figure: Toast Notification for the filtered view

The newly assigned tickets will be displayed as per the already applied filter. Consider the following use cases.

- **Use Case 1:** If the agent has applied the filter to view the tickets for the last two months, then the new tickets may not be displayed.
- **Use Case 2:** If the agent has applied the filter to view only WhatsApp based tickets, then only those newly assigned tickets will be visible that are created for WhatsApp Chat. Other newly assigned tickets that do not meet the filter will not be displayed.

4.13.4 **Consolidation of Notifications**

Bell, Toast, or Browser notifications of ticket assignments are now consolidated for either a threshold of 5 minutes or a minimum of 5 tickets. It means that an agent will receive the notification when

- less than or equal to 5 tickets are assigned in 5 minutes or
- up to 5 tickets are assigned within 5 minutes.

Consider the following use cases.

- **Use Case 1:** If 5 tickets have been assigned to an agent between 12:00 PM to 12:03 PM, then the agent will receive the assignment notifications of 5 tickets at 12:03 PM.
- **Use Case 2:** If one ticket is assigned to an agent at 12:01 PM, the second ticket is assigned at 12:04 PM, and no other ticket is assigned in the last one minute, then the agent will receive the assignment notification of 2 tickets at 12:05 PM itself.

4.14 Smart Mode

The working and feature of smart mode page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the smart mode, as the group manager is not allowed to work in interaction and chat campaigns.

Click icon to turn on the Smart Mode. In Smart Mode, the agent can see what tickets have to be dealt with first. Agent can click "Smart Mode" icon again to turn it off.

| | Home Know | ledge Base | | | ic+1 | ~ 🌲 | | 🔪 🔹 Available 🛛 🗸 | a2 🗸 |
|--------------|------------------------------------|-------------------|-----------------|-----------|------|-----------------------|---|---------------------|--------------------|
| < Dashboard | Customers | | | | | | | > | Create Ticket |
| 🥊 Smart Mode | ∇Filter | | | | | | | Search | ٩ ٥ |
| All Med | ia ~ | My Tickets \sim | 🗰 Date From 🛛 🗙 | 🗰 Date To | × | Heat Value, Desc | - | 1 - 5 v of 5 | < > Closed Tickets |
| | a2, The test mail | | New | - | 1 | - 1h 5i First Resp | | ic Queue | |
| | a2, The test mail | | New | - | 1 | - 1h 5r First Resp | | , Queue | |
| | a2, The test mail | | New | - | 1 | - 1h 4 First Resp | | v ic Queue | |
| | a2, The test mail | | New | - | 1 | - 1h 4 First Resp | | v ic Queue | |
| | <mark>a2</mark> , The test mail | | New | - | 1 | - 1h 4 First Resp | | v ic Queue | |
| | | | | | | | | | |
| | | | | | | | | | |

Figure: Smart Mode Enabled

Smart Mode disables all filters of the dashboard, which means all filters should be disabled and only "My Tickets" filter is applied.

4.14.1 Features of Smart Mode

Following are the features offered by the Smart Mode.

- <u>Ticket Sorting</u>: After enabling the Smart Mode, all the tickets are sorted according to the heat value of the ticket.
- 2. <u>Media Selection</u>: The media selection filter in the smart is disabled. It means that all the tickets created from any of the sources,(that is, either from voice, chat, email, web or from any source medium of the chats) starts appearing on the dashboard. The

agent is not able to select any tickets from the particular media sources. It shows all the tickets from all the media sources on the dashboard.

- 3. <u>Ticket Selection</u>: In Smart Mode, only the tickets assigned to the agent is shown to him. The agent is not able to view other tickets that are not assigned to him.
- 4. **<u>Ticket Ordering</u>**: In Smart Mode, the order of the tickets is set in the descending order according to the heat value of the tickets.

Smart Mode helps the agent to identify the tickets whose priority is high and needs the attention of the agent urgently, through Smart Mode the agent can easily recognize those tickets.

It helps the agent to identify those tickets which are pending and needs the action on them.

4.14.2 Disable Smart Mode

Click "Smart Mode" icon again to disable the Smart Mode feature.

After disabling the Smart Mode, all filters are set again to default.

4.15 Closed Tickets

The working and feature of closed tickets page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the closed tickets, as the group manager is not allowed to work in interaction and chat campaigns.

Tickets that are closed are present on the agent dashboard. Agent can see these tickets, click "Closed Tickets" button present on the dashboard.

| Dashboard | Customers Closed Ti | × | | | | | > | Create Ticket |
|---------------------|---|-----------------|-----------|--------|---------------------------------|--------|---------------------|-----------------------------------|
| Filter Closed Ticke | ets Only | | | | | Sear | ch Q | \$ |
| All Media | ✓ All Tickets | ✓ I Date From × | 🗰 Date To | × Date | e Modified, Desc | - | 1 - 10 ∽ of 371 < > | Closed Tickets |
| | Unassigned Re: CaselD-88:feedback | Closed | - | 1 | - 26d 20h A Assigned | Low | Abhi_IC Tom_IC | 10 Jul, 2019 14:25 Modified |
| | <mark>Super3,kunwar</mark> jbkjbkj | Closed | - | 3 | - 30d 22h R Resolution | Low | Abhi_IC Tom_IC | 19 Mar, 2019 18:34 Modifier |
| | Super3 Ticket for chat: d485-5c66c853-dccf-15 | Closed | - | 1 | - 31d 21h R Resolution | Low | Abhi_IC Tom_IC | 19 Mar, 2019 18:30 Modifier |
| | Super3,KS Ticket for chat: d162-5c6578fc-dccf-10 | Closed | - | 1 | - 32d 21h R Resolution | Low | Abhi_IC Tom_IC | 19 Mar, 201 18:3 Modifie |
| | Super3 Top suggestions for Prashant | Closed | - | 3 | - 125d 47m FR First Response | Low | Abhi_IC Studio | 19 Mar, 201 18:3 Modifie |
| | Super3,KS Ticket for chat: d420-5c667077-dccf-0 | Closed | - | 1 | - 32d Sh R Resolution | Low | Abhi_IC Tom_IC | 19 Mar, 201 18:3 Modifie |
| | Super3,KS Ticket for chat: d626-5c629ae8-dccf-3 | Closed | = | 1 | - 139d 8h FR First Response | Low | Abhi_IC Studio | 19 Mar, 201 18:3 Modifie |
| | Super3,KS Ticket for chat: d420-5c667077-dccf-2 | Closed | - | 1 | - 137d 14h FR First Response | Low | Abhi_IC Tom_IC | 19 Mar, 201 18:3 Modifie |
| | Super3,KS Ticket for chat: d162-5c6578fc-dccf-7 | Closed | - | 1 | - 138d 2h FR First Response | Low | Abhi_IC Tom_IC | 19 Mar, 201 18:3 Modifie |
| | Super3 Top suggestions for Prashant | Closed | = | 3 | - 127d 17h FR First Response | Medium | Abhi_IC Studio | 19 Mar, 201 18:3 Modifie |

Figure: Closed Tickets

4.15.1 **Operations on Closed Tickets**

All operations are the same as that of operations on the Dashboard. Know more...

Basic operations that can be performed on live tickets can not be performed on closed tickets.4.15.2 Filter

Click **Filter** icon to filter the closed tickets list.

| Queue Search Queue Queue_2 | ٩ | State | Ticket Type Image: Closed Tickets Only Image: Lite Tickets Only Closed and Lite Tickets |
|-------------------------------------|---|-------|---|
| | | | Advance Filter |

Figure: Filter

You can filter the tickets from the following list of available filters.

- Queue: Enable the checkbox of the queue for which you want to search the tickets. The agent can select multiple queues at the same time. You can search the queue name, enter the queue name in the search box and press "Enter" key.
- 2. **State:** Agent can apply the filter on the ticket states as well. Ticket state defines the current state of the ticket in which it lies at present.
- 3. <u>Ticket Type</u>: Agent can filter the closed tickets according to the ticket types. There are three types of filters present in ticket types.
 - **Closed Tickets Only:** Click it to filter only the closed tickets.
 - Lite Tickets Only: Click it to filter only the lite tickets. Lite tickets are those which gets closed at the same time of communication with the customer, means those queries which do not need to be created as a ticket and the solution has been provided to the customer.
 - **Closed and Lite Tickets:** Click it to filter both the lite tickets and the closed tickets on the same screen.

After the selection of the filters, click "Apply" button.

4.15.3 Advanced Filter

You can click "Advance Filter" to create an advanced filter.

For the advance filters, click "Advance Filter" button present at the bottom of the filter section.

| Advance Filter | × |
|--------------------|--------------|
| Custom Fields DATE | Add |
| Select an option | |
| DATE | |
| | |
| | |
| | |
| | |
| | |
| | Cancel Apply |

Figure: Advance Filter Box

On the new pop-up page, select the custom filters from the drop down list, based upon your criteria and the usage and click "Apply" button. It filters the tickets based upon the custom fields.

The Advance Filter can be enable or disable from back-end, hence if it is disable it will not be visible on filter tab.

5. Ticket Creation

The working and feature of ticket creation page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the ticket creation, as the group manager is not allowed to work in interaction and chat campaigns.

Tickets get created only in the Interaction Campaign. No ticket will be created if the agent is logged on to only a voice campaign. However, if the customer is logged on to both Voice and Interaction the tickets will be created for every customer communication.

It is the default configuration of Ameyo that agents can login to Chat Campaign only with an Interaction Campaign. So tickets will be created automatically in the Chat and Interaction Campaign.

To create Tickets for the first time, customer information has to be provided. After that, the tickets for the same customer information will be aligned with the same customer ID.

You will get an option to create a ticket only in Interaction Campaign, whereas the ticket will be automatically created while making or receiving a voice or chat communication with the customer.

Click "Create Ticket" button present on the top of the page and perform the following steps to create a new ticket.

5.1 Customer Information

Whenever a ticket is being created for the first time for a new customer, all customer information fields will remain blank. Click "Create Ticket" button present on the right top corner of the page.

| Customer Information | | | CRM |
|--|----------|--------|---------------|
| | | | Cancel Create |
| | | | |
| name | phone1* | phone2 | phone3 |
| phone4 | phone5 | email | facebook |
| twitter | timezone | | |

Figure: Customer Information

Provide the inputs for the following fields.

- 1. **Name:** Provide the name of the customer in the name field of the CRM.
- 2. **<u>Email</u>**: Provide the email-id of the customer.
- 3. **<u>Twitter</u>**: Enter the twitter handle name of the customer, if any.
- 4. **<u>Timezone</u>**: Enter the time zone of the customer in case if the customer is from a different time-zoned country.
- 5. **Facebook:** Enter the Facebook id of the customer, if any.
- 6. **(Mandatory) Phone 1:** Enter the phone number of the customer. It is mandatory to provide the phone number in the "phone 1" field of the customer.
- 7. **Phone 2:** Enter another phone number of the customer, if any.
- 8. **Phone 3:** Enter another phone number of the customer, if any.
- 9. **Phone 4:** Enter another phone number of the customer, if any.
- 10. **Phone 5:** Enter another phone number of the customer, if any.

You can provide multiple phone numbers of the customer using phone* fields. Only "Phone 1" field is mandatory, rest all the fields depend on the availability of the customer's phone numbers.

After providing the above information, click "Create" button to create the customer.

5.1.1 Customer's information on CRM

The agent can store the information of the customer on the CRM. Click "CRM" button present on the top of the customer's information bar to see the customer's information on the CRM(if integrated on Ameyo). The complete information of the customer is available on the CRM page. Agent can change view or change the information according to the usage.

| | Basic Info C 7000390005 | | | | | | | |
|-----------------------------|-------------------------|--------------|----------------|--|--|--|--|--|
| Quick Disposition | Personal Information | n | | | | | | |
| Set Disposition | First Name | : mohan2 | Last Name | | | | | |
| Abrupt disconnection 🔻 | Middle Name | : | Salutation | | | | | |
| Set Callback | DOB | : | Company | | | | | |
| Self Callback Local TZ | Address | | | | | | | |
| Select CBK Time Customer TZ | House No. | : | Street : | | | | | |
| Select CBK Time | Landmarks | : | City | | | | | |
| After Days Hrs Min | Zip | : | State | | | | | |
| 01 V 01 V 01 V | Country | : | | | | | | |
| Save & Dispose | Contact Details | | | | | | | |
| | Home Phone | : | Office Phone : | | | | | |
| | Mobile | : 7002564102 | Alternate No. | | | | | |
| | Fax | : | Email : | | | | | |
| | Comments: | | | | | | | |

Figure: Customer Information on CRM

Click "Create" to create the customer with the provided information. After entering the information once, whenever a communication is received that matches any of the provided values, the ticket will be created for this customer.

If you are using CRM mode to store the customer's information then do not store the same information on the dashboard. The complete information will be fetched through the CRM only.

5.2 New Ticket for Interaction Campaign

Following is a screenshot for the new ticket of Interaction Campaign.

| ∧ Create Ticket | | | |
|-----------------|------------------|----------|-----------------|
| Media | | | |
| Manual Message | × | | |
| Campaign | Queue | Priority | Status |
| IC | Y Select a queue | Y Low | Select a status |
| | | | |
| Subject | | | |
| Subject | | | |
| | | | |
| Message | | | |
| Message | | | |
| | | | |
| | | | |
| Attach a file | | | |
| | | | Cancel Save 🗸 |

Figure: New Ticket Creation

Here, you can create both Manual Message and Email. Manual Messages are saved offline and are not delivered to the customer automatically until an agent communicates them manually through any medium. Email is sent to the customers with the creation of a new ticket.

Perform the following steps to create a ticket with a manual message.

- 1. **Media:** From the drop-down of the Media section, select the type of the media profile from which you want to send the message to the customer. There are by default three media profiles present in the drop-down list:
 - Manual Message
 - <u>Email</u>
 - <u>SMS</u>
 - <u>Facebook</u>
 - <u>Twitter</u>
 - <u>WhatsApp</u>
 - Google Play

If any other Media is added in the Ameyo Server through Smooch.io or Channel Addition Framework, then it will be displayed here also.

- 2. **<u>Campaign</u>**: Select the campaign from the drop-down list of available campaigns.
- 3. **Queue:** Select the queue from the drop-down list of available queues.

- 4. **Priority:** Select the priority type of the ticket from the following priorities from the drop-down list.
 - **Low:** It means that the ticket is on the low priority and is not urgent.
 - **Medium:** It means that the ticket is on the medium priority and is less urgent.
 - **<u>High</u>**: It means that the ticket is on the high priority and is urgent to resolve.
- 5. **<u>Status</u>**: Select the status of the ticket from the drop-down list. The status in the dropdown list depends upon the statuses created by the administrator.
- 6. **<u>Subject</u>**: Provide the subject of the message.
- 7. <u>Message</u>: Enter the message which you want to convey to the customer in the textbox.

| Create Ticket | | | | |
|--------------------------------------|-------|----------|--------------|---------------|
| Media | | | | |
| Manual Message Y | | | | |
| Campaign | Queue | Priority | Status | |
| IC Y | | | V NEW TICKET | ~ |
| | | | | |
| Subject Customer Sign-up | | | | |
| Message | | | | |
| A new customer has signed up with us | | | | |
| | | | | ۲ |
| | | | | |
| 🔋 Attach a file | | | | |
| | | | | Cancel Save V |

Figure: New Ticket with Manual Message as Media Profile

8. <u>Attach a file:</u> Click "Attach a file" button to attach a file with your email. A pop-up opens after clicking on the button.

| 💿 Open | | | | | × |
|---|------------------|---|--|-----------------------------------|---|
| \leftarrow \rightarrow \checkmark \uparrow \square \ll manual | ✓ Ö Search 4_5 | ş | 0 | | |
| Organise 👻 New folder | | | | ⊾ - □ | ? |
| Documents * ^ Pictures * 4_6 4_6 | | | Carstrogard to - a Railado o Russión Subsión Sub-subsión Sub-subsión | Voice & Chat | ^ |
| Agent | 4_5.fpj | agent-monitorin g-fields | agent-status | automode-intera ction-set-on | |
| | Voice & Chat | Barge | 1990 | | |
| 💻 This PC | automode-on | Barge-icon | call-back-manag ement-add | call-back-manag ement-settings | |
| 3D Objects Desktop Desktop | | Feedwarandows5 W Robert Tealt-samaction Kinker Tealt-staama | | | Ŷ |
| File <u>n</u> ame: | agent-monitoring | -fields | ✓ All Files <u>Open</u> | Cancel | - |

Figure: Attach File

Supported File Types

Following file types are supported for attachments with Manual Message.

```
.doc, .docx, .xls, .xlsx, .ppt, .pptx, .xps, .pdf, .dxf, .ai,
.psd, .psd, .eps, .ps, .svg, .ttf, .zip, .rar, .tar, .gzip,
.mp3, .mpeg, .wav, .ogg, .jpeg, .jpg, .png, .gif, .bmp, .tif,
.webm, .mpeg4, .3gpp, .mov, .avi, .mpegps, .wmv, .flv, .txt
```

One file can be attached at once. The maximum file size for all attachments in one Manual Message is 25 MB.

Select the file which you want to attach, and click "Open" button. If the file successfully uploaded, then "Done" sign appears, else failure will occur if the file does not uploaded successfully. You can attach multiple files as well.

| ∧ Create 1 | licket | | | | | | |
|-------------|-------------------------|-------|---|----------|---|--------|-----------------|
| Media | sage V | | | | | | |
| Manual Mes | isage | | | | | | |
| Campaign | | Queue | | Priority | | Status | |
| ic_camp | ~ | q3 | ~ | Low | ~ | new | ~ |
| Custom In | formation | | | | | | |
| FIRST | | | | | | | |
| district* | | | | | | | |
| Subject | | | | | | | |
| Testing Man | ual Ticket | | | | | | |
| Message | | | | | | | |
| Creating M | lanual Ticket | | | | | | |
| | | | | | | | G |
| × | centralvoiceprompts.rar | | | | | | |
| ĩ | agent-monitoring-fields | | | | | | Done |
| × | html.rar | | | | | | Submitting form |
| 🛛 Attach a | file | | | | | | |
| | | | | | | | Cancel Save V |

Figure: Sample Ticket with Attachment

- 9. Click "Save" button. A new ticket with the new customer is created and displayed in the customer information and the Ticket will display on the Agent's screen dashboard.
- 10. Save and Change Status: The agent can save and change the status of the tickets

simultaneously with one click. Click icon to access the available ticket states. Select any state to save and change the ticket state.

| Save | naya new |
|------|---------------------------|
| | open |
| | Pending_UnSuccessful |
| | Pending |
| | close2 |
| | close |
| | Send and Change State to: |

Figure: Save and Change Status of Ticket

After clicking save button, a new ticket with the new customer is created and displayed in the customer information and the Ticket will display on the Agent's screen dashboard.

5.2.1 Character Limit for various Tickets

The limit to the number of characters in the various forms of Messages has been implemented.

- In Twitter messages, the Agent can type up to 280 characters.
- In Facebook Messages, the Agent can type up to 8,000 characters in Facebook post replies

The character limit will be displayed at the bottom of the textbox in the format: "<Available_limit>/<Total_limit>".

5.2.2 Custom Fields Selection

The custom fields are the fields that are created by the administrator. The agent can use the created custom fields in the customer tickets to save the information of the customer.

| | Monitor | Manage | Workbench | Reports | Voicelogs | More 🗸 | kavi_test 🎽 🐥 |
|---|---------|--------|--|---------|-----------|---|---------------|
| < Dashboard | Custome | rs 📮 | Create Tic × | | | | Create Ticket |
| Tickets > Create singlelinefield stringcheckbox test verfief value ss Select an option date time Subject Subject | | ~ | multi Select an 7 89 7 89 78 | option | ~ | 9 7.6 multi single Select an option | multisingle |
| Message Message | | | | | | | Cancel Save ~ |

Figure: Search option for Custom Fields

The Ameyo User can type the value in the text area given on top, and it starts searching in the box. In the case of a single selection list box, the search icon with a search text field is displayed, whereas it will be hidden in case of multiple selection list box.

6. Ticket Page

The working and features of ticket page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the ticket page, as the group manager is not allowed to work in interaction and chat campaigns.

Following is a screenshot of a new ticket created with a manual message in the Interaction Campaign.

| | Home | Knowledge E | lase | А | bhi_IC+1 🍾 | <u>_</u> © | | | ~ | Avai | lable | ~ | АМЗ 🗸 |
|--------------------------|-----------------|--------------------|----------------------------|-----------------------------------|-----------------|-------------------|----------|------------------|---|------------------|----------|------------|---------------|
| < Dashboard | Custo | omers | ■ Gurgaon, H. | × =Critica | l Se 🗙 🗖 | NewDev | × | | | | > | Cre | eate Ticket |
| Ticket ld:156932168 | 3566 N | ewDev-3:Co | mment | | | | | | | Escalate | ኘ" Split | → Transfer | ⊗Close Ticket |
| ✓ Prashant S | Sinha Q | 83 | | | | | | | | | | | CRM |
| ∧ Ticket Infor | mation | | | | | | | | | | | | Pending |
| Campaign Abhi_IC | | | Queue Abhi_IC | | | Status Pending | | | * | Priority High | | | v |
| Subject Re: NewDev-3: | :Comment | | | | | | | | | | | | |
| | | | | | Show M | ore Info 🗸 |)— | | | | | | |
| | | | | | | | | | | | | Refresh | Save |
| ∧ Link Tickets | (2) | | | | | | | | | | | | ⊖ Link |
| Child Of | 15595522416 | 519 Test 3 OYou | } Isuf Sarfaraz | 03 Jun 14:32 | | | | a1 | | test | | PENDING | 55 |
| Parent Of | 15559392661 | 14 Casel ONo | d-155593474937 Customer | 4:regarding refun 22 Apr 18:53 | d of failed ord | er | | a1 | Q | ueueForIC | | NEW | 52 |
| Messages 5 | Notes | 0 Activi | ities 3 | | | | | | | | Add Not | te 🔦 Reply | Via 🖓 🖸 |
| 🖵 System: Outb | ound notificati | on via whatsapp | | | | | | | | | | 24 Sep, 2 | 2019, 17:25 |
| From | System | | | | | | | | | | | | |
| То | Prashant Si | nha | | | | | | | | | | | |
| Hello 1569321 | 683566!,You | r ticket ID Re: N | √ewDev-3:Comm | ent has been close | ed by our Cus | tomer Service | represer | ntative Pending. | | | | | |
| 🖵 System: Outb | ound notificati | on via whatsapp | | | | | | | | | | 24 Sep, 2 | 2019, 17:25 |
| Re: NewDev-3:0 | | | | | | | | | | | | | 2019, 16:52 🚦 |
| System: Outb | | on via whatsapp | | | | | | | | | | | 2019, 16:51 |
| Re: NewDev-3:0 | Comment | | | | | | | | | | | 24 Sep, 2 | 2019, 16:51 🚺 |

Figure: New Ticket with Manual Message

Following operations can be performed on the received ticket.

6.1 Basic operations

There are four basic operations which the agent can perform on the tickets received from the customer.

- 1. **Escalate:** Enable the "Escalate" checkbox to escalate the ticket to the higher authority like a supervisor.
- 2. **Split:** It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | > | (|
|--------------------------|-------------|---|
| | | |
| Subject of the ticket 1* | | |
| | | |
| Subject of the ticket 2* | | |
| Reason* | | |
| | | |
| | | |
| | | |
| | Cancel Save |) |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".
- Provide the reason for the splitting of Tickets.
- 3. **Transfer:** The transfer option lets the agent to transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 | × |
|-------------------------------------|----------------------|----|
| Select Queue to Transfer* Studio | | / |
| Available Users | rs | |
| Transfer to None | ~ | / |
| Reason* | | |
| pescription | | |
| (| Cancel Transfe | er |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click → Transfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues. You can search for the queue names by typing the queue name in the search box displayed after clicking the drop-down list.

| Select Queue to | Transfer* | |
|-----------------|-----------|---|
| q1 | | ~ |
| | | |
| q1 | | |
| q2 | | |

Figure: Transfer Ticket Search Option

• Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.

- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Provide the agent's name, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for transferring the Ticket.
- Click "Transfer" button to transfer the ticket.
- 4. **Close Ticket:** Click "Close" ticket button to close the ticket. After clicking on the close ticket option, a pop-up comes up.

| Close Ticket | × |
|------------------|--------------|
| Select State | |
| Closed | ~ |
| Closure Reason * | |
| Closure Reason | |
| | |
| | |
| | Cancel Apply |

Figure: Closing Ticket

- Select the state of the ticket from the drop-down menu of the state. Agent can select one of the states which is created under the closed state by the administrator.
- Provide the "Closure Reason" for which you are trying to close the ticket.
- Click "Apply" button.

6.2 Customer Information

The first section of the page contains the information about the customer. Agent can view or modify the information. <u>Know more...</u>

6.3 View Customer Cards

If more than one customer is created with the same information, then the number of such customers with the same information will be displayed with 🕙 icon. You can click this to view the customer cards.




Figure: Customer Cards

- Here, the agent can click 🖾 to view the Customer Information in a new tab. You can also click 🖉 icon to link this customer with other customer having the same information.
- You can search for the customer, if more than one customer is created using the same information.
- If the customer is new and needs to create a new customer with the provided information, then click "Create New Customer" icon. After clicking the icon all the details will be automatically filled into the customer information tab. Fill all the information and click "Create" button to create a new customer.

6.4 Ticket Information

It contains the information about the ticket which involves the following fields.

| Ticket Information | | | | | - 59d 22h FR First Response |
|--|----------------|----------------|---|----------|---------------------------------------|
| Campaign | Queue | Status | | Priority | |
| Abhi_IC | Tom_IC | New | • | Low | · · · · · · · · · · · · · · · · · · · |
| nokiazesis@gmail.com | | Show More Info | | | |
| | | | | | Refresh Save |
| ✓ Messages 4 Notes | 0 Activities 5 | | | | Refresh |

Figure: Ticket Information

- 1. **First Response:** It shows the first response on the ticket. The First Response is the time when the first response has been delivered to the customer. It shows on the right side of the ticket information bar.
- 2. **Campaign:** It contains the name of the campaign in which the ticket has arrived.
- 3. **Queue:** It shows the queue name in which the ticket has arrived.
- <u>Status</u>: It shows the status of the ticket. You can change the ticket status from here.
 Select the status which you want to set.
- 5. **Priority:** It shows the priority of the ticket. Agent can change the priority of the ticket from here as well. Select the priority of the ticket from the drop-down menu.
- 6. **<u>Subject</u>**: It contains the subject of the ticket.
- Show More Info: Click "Show More Info" button to view more information about the ticket. It contains the custom fields created by the administrator. If there are no custom fields then there will not be any fields.

You can hide this custom information from the customer. Click "Show Less Information" button to hide this section of the information.

6.5 Link Tickets

The link ticket section allows the agent to link multiple tickets with each other. In this, a parent ticket is linked with its subordinates tickets which treat like child tickets for the parent tickets. Know more...

6.6 Messages

It contains the complete list of messages sent by the customer through any particular media like chat, voice, social media, or emails.

Here we used, email media profile to show the operations here.

| Messages 5 | Notes 0 Activities 3 | 🖹 Add Note 🔸 Reply Via 🛛 🏹 💋 |
|----------------|--|------------------------------|
| 🖵 System: Ou | bound notification via whatsapp | 24 Sep, 2019, 17:25 |
| From | System | |
| То | Prashant Sinha | |
| Hello 156932 | 1683566!,Your ticket ID Re: NewDev-3:Comment has been closed by our Customer Service representative Pending. | |
| 🖵 System: ou | bound notification via whatsapp | 24 Sep, 2019, 17:25 |
| 🖾 Re: NewDev-3 | Comment | 24 Sep, 2019, 16:52 🚯 |
| 🖵 System: ou | bound notification via whatsapp | 24 Sep, 2019, 16:51 |
| 🖾 Re: NewDev-3 | Comment | 24 Sep, 2019, 16:51 🚺 |

Figure: Message of Customer in Email Profile

Agent can perform the following operation on the message section.

- 1. **<u>Read Message</u>**: Agent can simply read the message sent by the customer.
- 2. <u>Message count</u>: The message count <u>Messages 1</u> represents the total number of the tickets sent by the customer through any particular media profile.
- 3. **Notes:** The notes count **Notes 0** shows the total number of the notes which have been given on the ticket of the customer.
- 4. <u>Activities</u>: The activities count shows the total number of activities performed on the ticket.

- 5. **Export Tickets:** Export tickets option provides the feature to save all the tickets in CSV format to the agent's system. Perform the following steps to export tickets.
 - Click icon to export all the tickets of the customer.
 - A pop-up opens up, which allows the agent to download folder on the specific location.

| Save As | | | | | | | | | × |
|-----------------------|--------|---------------------|---|----------------|------|--------------|------|--------|--------|
| ← → ~ ↑ 📕 | > T | his PC > Download | s | ~ | Ū | Search Downl | oads | | Q |
| Organise 🔻 New | w fold | der | | | | | | • | ? |
| 💻 This PC | ^ | Name | ^ | | Da | te modified | Туре | | |
| 🗊 3D Objects | | | | No items match | your | search. | | | |
| E. Desktop | | | | | | | | | |
| Documents | | | | | | | | | |
| 👆 Downloads | | | | | | | | | |
| b Music | | | | | | | | | |
| Pictures | | | | | | | | | |
| 📑 Videos | | | | | | | | | |
| 🏪 Local Disk (C:) | | | | | | | | | |
| 👝 Local Disk (D:) | | < | | | | | | | > |
| | _ | | | | | | | | |
| File <u>n</u> ame: | | 3347802214_9_7_2109 | | | | | | | ~ |
| Save as <u>t</u> ype: | Winf | RAR ZIP archive | | | | | | | \sim |
| ∧ Hide Folders | | | | | | <u>S</u> ave | | Cancel | |

Figure: Export Tickets

- On the opened pop-up, provide the name of the file, if you want to change, it contains the default name of the file contains the date and time of the ticket arrived at the system.
- Click "Save" button.

The downloading option depends upon the downloading settings of the browser. Here, we are using Google Crome as our browser.

6.6.1.1 <u>Add Note</u>

Click Add Note icon to provide the note on the ticket. After clicking on the icon, following wizard opens up.

| Messages 1 Notes 0 Activities 0 | 🖹 Add Note i 🔦 Reg | oly Via 🛛 🖓 🖸 |
|--|--------------------|---------------|
| Subject Test Subject Description | | - |
| Test Description of Note | | Cancel Save |
| () Attach a file | | |

Figure: Enter Note

There are two type of notes which can be given.

Public Note: When the agent wants to show the note to all the viewers of tickets, whether the users or the customer, then public note can be provided. The public note is visible to all the agents, supervisors assigned in that campaign and also to the customer.

However, currently there is no mechanism for customer to see the public note.

Toggle the Mark as public switch to provide the public note. After toggling the switch enter the subject and description of the note and click "save" button.

• **Private Note**: When the agent wants to provide the note only for the personal use, then a private note can be applied. The private note is visible to all the agents and supervisors who are assigned in that campaign.

By default, a note is marked as private, until the status of the toggle button is not changed. For private note, enter the subject and description of the note and click "save" button.

6.6.1.2 Attach a File

The agent can attach the files with the notes as well. Click "Attach a file" button to attach a file with your email. A pop-up opens after clicking on the button.




Figure: Upload File

Select the file which you want to attach and click "Open" button. If the file successfully uploaded, then "Done" sign appears, else failure will occur if the file does not upload successfully. You can attach multiple files as well.

| a1: Test Subject | 👌 Private | Today, 18:25 |
|--|-----------|---------------|
| Test Description of Note | | |
| step by step license deployment.txt (9 KB) | | |
| × step by step license deployme | Queued | Cancel Update |

Figure: Attach File

Following file types are supported for attachments with Notes.

.doc, .docx, .xls, .xlsx, .ppt, .pptx, .xps, .pdf, .dxf, .ai, .psd, .psd, .eps, .ps, .svg, .ttf, .zip, .rar, .tar, .gzip, .mp3, .mpeg, .wav, .ogg, .jpeg, .jpg, .png, .gif, .bmp, .tif, .webm, .mpeg4, .3gpp, .mov, .avi, .mpegps, .wmv, .flv, .txt

One file can be attached at once. The maximum file size for all attachments in one Public or Private Note is 25 MB.

6.6.1.3 Multiple Tickets Filter

If there are more than one message send by the customer, then agent can filter the messages according to the need.




Figure: Filters the Messages

Following filters are available. By default, "Only Tickets" filter will remain selected that will show only ticket messages and no notes will be displayed.

- <u>All</u>: It shows all the tickets and notes send by the customer.
- (Default) Only Tickets: It filter those messages which are considered as tickets.
- **With Notes:** It shows all the tickets with all notes provided. If the note is provided on any ticket, then agent has to apply this filter to view the note on the ticket. After the
- **With Activity:** It filter those messages on which some activity has been performed.

You have to select "All" or "With Notes" filter to show the notes.

6.6.1.4 Access a Note

Select "All" or "With Note" filter to access the notes. All the tickets and notes are visible as the collapsible sections.

| Messages 5 Notes 1 Activities 3 | | 🖹 Add Note i 🔨 Keply Via 🛛 🏹 🖸 |
|--|---------|--------------------------------|
| AM3: Test Subject | Private | Today, 15:02 🚦 |
| Test Description of Note | | |
| System: Outbound notification via whatsapp | | 24 Sep, 2019, 17:25 |
| AM3: Status Changed | | 24 Sep, 2019, 17:25 |
| System: Outbound notification via whatsapp | | 24 Sep, 2019, 17:25 |
| ☑ Re: NewDev-3:Comment | | 24 Sep, 2019, 16:52 🚦 |

Figure: Ticket with the Note

Click the note to access it. On the collapsible bar, Public label is displayed for a public note, whereas Private is displayed for a private note.

6.6.1.5 Update and Delete a Note

Click icon to update or delete the note.

All the agents and supervisor assigned in the same Interaction Campaign, can update and delete both public and private notes on the assigned ticket.



Figure: Options to Update or Delete the Note

It shows the following two options.

• **Update:** Click "Update" button to edit the note inline.

| Messages 5 Notes 1 Activities 3 | | 🖹 Add Note 🐟 Reply Via 🛛 🏹 🖸 |
|---|-----------|------------------------------|
| AM3: Test Subject | C Private | Today, 15:02 🕴 |
| Editing the existing note. This is a public note. | | Cancel |
| System: Outbound notification via whatsapp | | 24 Sep, 2019, 17:25 |
| AM3: Status Changed | | 24 Sep, 2019, 17:25 |
| System: Outbound notification via whatsapp | | 24 Sep, 2019, 17:25 |
| Re: NewDev-3:Comment | | 24 Sep, 2019, 16:52 🚯 |

Figure: Update Note

"Update" button only be visible once the agent changes the note. Click "Update" button to save the changes.

• **Delete:** Click it to delete the note. A confirmation pop-up is displayed.

If the note is deleted, then it cannot be retrieved in any manner. It will be deleted permanently.

The following screenshot shows the confirmation message before deleting a public note.

| Confirmation | |
|---|---------------|
| Are you sure you want to delete this public note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

The following screenshot shows the confirmation message before deleting a private note.

| Confirmation | |
|--|---------------|
| Are you sure you want to delete this private note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

Click "Delete" button to delete the note permanently, else click "Cancel" button.

6.6.1.6 Reply

Click icon to reply to the customer on the ticket. The actions on this icon depends upon the media profile type. Click "Reply via Email" to send the reply to the customer through email.

| Reply Via: |
|------------|
| 🔛 Email |
| 🖵 SMS |

Figure: Reply on Email Ticket

Provide all the necessary details used while creating the ticket.

6.6.1.7 Send Options

Agent is now able to send and change the state of the ticket simultaneously, by just clicking on "Send" button and selecting the state of the ticket.

Click clicon present adjacent to the send button. It shows the complete list of the state which has been configured by the administrator.




Figure: Send and change State of Ticket

Select the state and click the send button. It changes the state and sends the reply to the customer simultaneously.

Click "Send & Close" button to send the reply and close the ticket simultaneously.

6.6.1.8 Acronyms

The acronyms are the set of the short words through which the agent can insert more words, just by typing the short letters or few words. The agent can use the acronyms in the tickets. The acronyms help the user to reply fast as compared to write the complete reply.

The acronyms can be used in the tickets receiving from the following medium.

- Tickets of Facebook Comments
- Tickets from Twitter Reply
- In the Note Descriptions
- In the Email Replies (only in the body section of the email)
- In the chatting from the agent
- Closure reasons of the tickets like Split, Merge, Close, and Transfer

6.6.1.9 Update Tickets of Deleted Customers

There are several cases when customer information is deleted from the system, but the ticket raised by that customer is not updated or it is needed to provide some additional information in the ticket. In such cases, the agent can update the tickets these tickets also by performing the above steps.

6.6.1.10 Attach Tickets

The agent is able to attach tickets with calls or can create a new ticket for the existing call. Know more...

6.7 Link Tickets

The working and features of link ticket page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the link ticket, as the group manager is not allowed to work in interaction and chat campaigns.

In many business, the multiple tickets have to be created on a customer communication (such as call, chat, or email) where one ticket will act as a Master and other tickets are considered as Subordinates.

6.7.1 Example

If you take an example of account creation in a Membership-based Organization then a single ticket "Membership to be created" can have the following operations and each operation have to be mentioned in a ticket.

- Main Task: Account Creation
 - 1. Create Account and Update its records
 - 2. Generate Membership Number and share it with the new Member
 - 3. Create the Account on Website using a Temporary Password and send an email to the customer
 - 4. Ask the Publishing Team to create the Membership ID Card and Provide its ticket Number to the New Member
 - 5. Inform the Offers to the new Member and send the Voucher Codes

Now, in such case, the organization wants its Agent to create 6 tickets (1 for Main Task and 5 for sub-tasks) and close them as "Resolved". These six tickets should be linked with each other and the main ticket should not close without closing all of the sub-tickets.

In Ameyo, the Departments can be reflected as Queues in the Campaigns. The above tickets can be shared in the different Departments.

To meet these requirements, link these tickets through Parent-Child Relationship in Ameyo. The Agent can create a Parent Ticket and its Children Tickets.

6.7.2 Link Ticket Option

In the ticket page, a "Link Tickets" section will be enabled if the configuration is done for it by the administrator. In the Link ticket section, a "Link" option is present at the right side of the section which allows the agent to link the tickets.

| 🗢 AMEYO H | ome | Knowledge | Base | | | | | | Interactio | nF 🗸 | | ۵ | • |
|-------------------------------------|----------|----------------------|--------------------------------|---------------------------------|-----------------|-------|----|--------|------------|---------|------------------------|------------------------------|------|
| < Dashboard | Custo | omers | = CaseId-1555 | × | | | | | | > | Cro | eate Ticke | t |
| Ticket Id:1555939266135 | 5 Case | ld-1555934 | 749403:regarding | refund of fail | ed order | | | Escala | nte ⊜Link | ∿ Split | \rightarrow Transfer | ⊗Close Ti | cket |
| ✓ Customer Info | rmatior | n (Q) <mark>8</mark> | 2 | | | | | | | | | CR | M |
| ∧ Ticket Informatio | on | | | | | | | | | | NEW | - 212d 16h F First Respon | |
| Campaign | | | Queue | | St | atus | | | Priority | | | | |
| InteractionForCX | | | QueueForIC | | N | IEW | | ٣ | Low | | | | • |
| Subject Caseld-155593474 | 9403:re | garding refund | d of failed order | | | | | | | | | | |
| | | | | (| Show More I | nfo ~ | | | | | | | |
| | | | | | | | | | | | Refresh | Save | |
| Link Tickets(2) | | | | | | | | | | | | ΘL | .ink |
| Child Of 1559 | 95522416 | ing Test OYo | 3 usuf Sarfaraz | 03 Jun 14:32 | | | a1 | | test | | PENDING | | 25 |
| Parent Of 1555 | 59392661 | 14 Case ONo | ld-1555934749374:r Customer | egarding refund 22 Apr 18:53 | of failed order | | а1 | | QueueForIC | ; [| NEW | | 62 |
| Messages 1 | Notes | 0 Activ | vities 2 | | | | | | 🖹 Add No | ote 🐟 F | Reply Via | 7 | Ø |
| | | | | | | | | | | | | | |

Figure: New "Link" option in Customer Detail Page

The user can click "Link" option to access "Link Ticket" pop-up.

| Link Tickets | | | × |
|--|---------------------|-------------------|---------------|
| Define the Relationship* Child Of | Reason for Linking* | | |
| My Tickets Customers Tickets Search for Tickets | | Q Search in close | d tickets 🔵 |
| 1555939266135 CaseId-1555934749403:regarding refund No Cust 22 Apr 18:53 | of failed o a1 | QueueForIC | NEW |
| CaseId-1555939266114 CaseId-1555934749374:regarding refund Image: Constraint of the state of the s | of failed o a1 | QueueForIC | NEW |
| L 1555939266106 CaseId-1555934749361:regarding refund Image: Object of the state | of failed o a1 | QueueForIC | NEW |
| L CaseId-1555934749369:regarding refund I 1555939266143 CaseId-1555934749369:regarding refund I No Cust 22 Apr 18:53 | of failed o a1 | QueueForIC | NEW |
| | | < | 1-10 of 292 ゝ |
| | | | Link |

Figure: "Link Tickets" pop-up

This pop-up contains the following options.

- **Define the Relationship**: You can select any of the following options in this dropdown menu.
 - **Parent of:** Select it to view the children ticket of the selected parent ticket.
 - **Child of:** Select it to view the parent ticket of the selected child ticket.
- **<u>Reason for Linking</u>**: Here, the user can mention the reason to link the tickets.
- **<u>My Tickets</u>**: My Tickets option shows those tickets which are assigned to that agent.
- **<u>Customer Tickets</u>**: Click it to view the customer tickets.
- **Search Bar:** The user can enter the keyword to search in the linked tickets (Parent and Children tickets).
- <u>Search in Closed Tickets</u>: Click this toggle switch to enable the search in the closed tickets.

"Link Tickets" section shows "Child Of" and "Parent Of" labels. After linking the ticket, "Unlink" option is displayed. A user can click it to access the following pop-up.

| Unlink Ticket | × |
|--|---------------|
| Are you sure you want to unlink this ticket? | |
| Reason for unlinking | |
| | |
| | |
| | |
| 0 | Cancel Unlink |



The user has to enter the reason to unlink the ticket and click "Unlink".

6.7.3 Capabilities of Linking Tickets through Parent-Child Relationship

• A child ticket can be linked to only one Parent Ticket. If you try to link the ticket with another parent, then the system throws an error. Refer to the following screenshot.

| Link Ticket Confirmation | × |
|--|-----------------------------------|
| The ticket you are trying to link alre choose another relationship. | eady has a parent ticket. You may |
| | Cancel Link Another |

Figure: Error if the user tries to link a Children Ticket to another Parent Ticket

• The Parent Ticket can have maximum of 10 children tickets. If you try to create more child ticket in a Parent Ticket, then the system throws an error. Refer to the following screenshot.



Figure: Error if the user tries to create more than 10 children tickets

- **Hierarchical Structure:** A Child Ticket can be a Parent Ticket of its Children Tickets. It provides a Hierarchical Structure of the linked tickets. In such a structure, you can have maximum 30 tickets.
- No Split or Merging of Linked Tickets: The Linked Tickets can be neither split nor merged.
- If a ticket has been linked as a Child in one Parent-Child Relationship, then it cannot be added as the Child in another Parent-Child Relationship. However, it can be the Parent of the children tickets.
- No Linking with Lite Tickets: Lite Tickets cannot be linked. Any parent or child ticket cannot be linked with Lite Ticket. This is because the Lite Tickets are considered to contain no information and are used to create and disposed of automatically with the calls.
- **Closure of Tickets:** If all children tickets are not closed, then the Parent Ticket cannot be closed.
- Reopening the Linked Tickets: If all children and parent tickets are closed, but the agent has opened a child ticket, then that child ticket and its parent ticket will re-open.
 However, other child tickets will remain closed.

In this case (when the Parent ticket is being re-opened automatically as any or multiple children tickets are opened, no activity will be dumped in the Parent Ticket. Therefore, it is not possible for the agent to know why the parent ticket is re-opened.

- Unchanged SLA: SLA Calculation has not been changed to introduce the linking of tickets through Parent-Children Relationship. Each ticket either parent or child will have its own SLA. If the SLA of parent ticket can be impacted because the Child Tickets are not closed, then the Administrator have to manage the SLA of parent tickets on its own.
- No Display of Grouping of Tickets in Agent Dashboard and Closed Tickets: There will not be displayed as a "Group" in the Agent Dashboard and in the Closed Tickets.
- **No Impact in Reports:** The Parent and Child Relationship of the tickets will not be displayed in the Reports.
- **Search:** Both Normal and Elastic Search will display the results in both Parent and Child tickets. If the search keyword is found in both parent and any child ticket, then they will be displayed in the search results.

If some closed children tickets are being displayed in the search results and the user is clicking that closed ticket, then that closed ticket will open up, however, when the user comes back to the search page then the selection in the search results will not be maintained.

 Parent-Child Relationship of Tickets across Multiple Queues: If an agent is not staffed to a queue, then that agent could not access the parent or child ticket assigned to that queue.

7. Ticket Operations

The working and features of Dashboard page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the Dashboard, as the group manager is not allowed to work in interaction and chat campaigns.

On the Dashboard Tickets page, the user can perform some operations, which are described hereinbelow.

7.1 (Licensable) Reassign Ticket to the same agent

Reassign Ticket to Me" feature can be used by an agent to assign a ticket to itself which is assigned to some other agent. It is useful in the case when another agent has to work on a ticket when the assignee is absent.

Example: Consider another example, a customer reached out on a call and the customer's ticket needs to be updated by the Voice Agent handling the call who does not happen to be the ticket assignee (maybe an Email Agent). The Voice Agent can now click "Reassign Ticket To Me" to assign this ticket to itself.

| Dashboard | Customers | | | | | > Cr | eate Ticket |
|-------------------|--|----|---|--------------------------|--------|----------------------------------|-----------------------------------|
| ♀ ▼ Filter | | | | | Searcl | n Q | Φ |
| →Tra | nsfer Ĵt Merge Š [*] Split [↑] Reassign to Me | | | | | 1 - 10 🗸 of 58 < 🕻 | Closed Tickets |
| ÷ | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-821 | 22 | 1 | 3d 7h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 10 May, 2019 18:57 Modified |
| €⇒ | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-619 | - | 1 | - 4d 18h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 10 May, 2019 16:40 Modified |
| V | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-606 | - | 1 | - 4d 20h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 02 May, 2019 15:21 Modified |
| □ t _a | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-605 | - | 1 | - 4d 20h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 02 May, 2019 15:16 Modified |
| ₹ | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-595 | - | 1 | - 4d 20h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 02 May, 2019 14:37 Modified |
| ₹ | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-594 | - | 1 | - 4d 20h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 02 May, 2019 14:37 Modified |
| € | ux_agent, New Ticket corresponding to call: d255-5cb08cc9-vce-365 | - | 1 | - 13d 3h R Resolution | Low | Multimedia_Supp BLR_ExpoQueue | 24 Apr, 2019 08:16 Modified |

Figure: Option to "Reassign to me" on the Agent's Console

The agent can select the tickets and click "Reassign to me" to reassign these tickets to itself, even if they are assigned to other agents. The activities of ticket reassignment will be maintained in "Activities" section of the ticket. and the backend database. This new feature is independent of "Pick" and "Assign Tickets" feature.

The "Reassign to me" feature is a licensable feature. Hence, to use it ask your administrator to buy the license for it.

7.2 Basic Operations

There are four basic operations which the agent can perform from the dashboard.

1. **Split:** It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | | × |
|--------------------------|------------|---|
| | | |
| Subject of the ticket 1* | | |
| | | |
| Subject of the ticket 2* | | |
| Reason* | | |
| | | |
| | | |
| | | |
| | Cancel Sav | e |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".

Ameyo 4.81 GA

- Provide the reason for the splitting of a Ticket.
- 2. <u>**Transfer**</u>: The transfer option lets the agent transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 |
|---------------------------------------|----------------------|
| Select Queue to Transfer* Studio | ~ |
| Available Users Auto Assign On Use | ers |
| Transfer to None | ~ |
| Reason* | |
| Description | |
| | Cancel Transfer |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click → Transfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues. You can search for the queue names by typing the queue name in the search box displayed after clicking the drop-down list.

| Select Queue to Transfer* | |
|---------------------------|---|
| q1 | ~ |
| | |
| q1 | |
| q2 | |

Figure: Transfer Ticket Search Option

- Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.
- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Provide the agent's name, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for transferring the Ticket.
- Click "Transfer" button to transfer the ticket.

The voice-based customer communication will not be transferred with the transfer of the ticket. So, make sure to transfer the ongoing call to transfer to the same agent to which you are transferring the ticket.

3. <u>Merge</u>: There are several cases when a customer raises a query for multiple times with either different subject or from different numbers or media profiles, but the ticket belongs to the same customer and hence increases the number of the tickets. In such cases, the same tickets can be merged to single tickets. This can be done with the help of "Merge" option. It helps to merge the same type of tickets to the single tickets and hence helps to reduce the number of tickets.

| Merge Tickets | × |
|--|---|
| Which ticket you want to make the primary so new ticket will sustain all of its features? * | v |
| Test Test Ticket corresponding to call: d464-5d4a5b Reason* | |
| Reason | |
| Cancel | |

Figure: Merge Ticket pop-up

Perform the following steps to merge multiple tickets to a single ticket.

• Select the tickets which can be merged into single tickets.

The "Merge" icon will only enable after selection of multiple tickets. If you select only one ticket, then the icon will not be available.

- Click I icon to merge tickets. A confirmation pop-up comes up.
- Select the main ticket in which you want to merge all tickets into one.
- Provide the reason for which you are trying to merge the tickets.
- Click Save button.
- Pick: The "Pick" option lets you pick any ticket manually which is not assigned to you.
 If the ticket is not assigned to the agent then the agent cannot perform any operation on the ticket.

The key difference between an agent and the supervisor is that the agent can pick ticket but can not assign the ticket to another agent, whereas the supervisor is able to pick the ticket and is also able to assign the ticket to the agents.

Perform the following steps to pick any ticket.

- Select the ticket which you want to pick.
- Click ^{^ Pick} icon.
- The ticket is now picked and you can perform all the operations of the ticket on it.

Pick Ticket" feature can only be used only for tickets that are not assigned to any agent. If the ticket is assigned to any other agent, then pick option will remain disabled.

7.3 Information on Mouse Hover

Agent can see the ticket information on the mouse hovering. The agent has to take his mouse cursor on the red box named "Resolution".

| - 20d 17h FR | SLA | Progress | Expiry |
|----------------|-------------------|--|---------------------|
| First Response | Assignment | Achieved | 2019 Jun 5 20:21 |
| | First Response | - 20d 17h Office Hour Was due 23d 21h ago | 2019 Jun 5 20:21 |
| | Resolution | - 20d 17h Office Hour Was due 23d 21h ago | 2019 Jun 5 20:22 |

Figure: Mouse Hover Information

The agent can see the following information on the mouse hovering tab.

| SLA | Progress | Expiry |
|----------------------|--|--|
| Assignment of the | It shows whether the assignment | It shows when the assignment time will over. |
| Response time of the | is delivered on the ticket to the | It shows when the first response time will expire for the same ticket. |
| | It shows from when the ticket is lying in the same state. | It shows when the resolution time will expire for the same ticket, it means the agent has to change the state of the ticket from the given time. |

7.4 Information on Ticket Bar

On the dashboard, all the tickets show in the list format, in which every ticket has a separate bar. On this ticket bar, some information is listed, through which the agent can identify some information about the ticket without opening to it. Agent can see the following information on the ticket bar.

| AM3 | New | 4 | - 14d 7h FR | Low | Abhi_IC | 26 Jul, 2019 |
|-----|-----|---|-------------|-----|---------|--------------|

Agent Manual

Figure: Ticket bar of one Ticket

- 1. <u>Ticket icons</u>: There are different icons for the different types of tickets received or send to the customer. Some of the icons which used most frequently are:
 - **Email:** When the ticket received through "Email" then E icon shows and, if an email is sent then icon shows in front of ticket bar.
 - **FB Messenger:** When the ticket received or sent through "Facebook Messenger" then icon shows in front of the ticket bar.
 - **Facebook Post:** When the ticket received or sent through "Facebook Post" then feel icon shows in front of the ticket bar.
 - **Manual Message:** When any ticket is created manually then icon shows in front of the ticket bar.
 - WhatsApp: When the ticket received or sent through "WhatsApp" then Sicon shows in front of the ticket bar.
 - **Viber Chat:** When the ticket received or sent through "Viber" then icon shows in front of the ticket bar.
- 2. <u>Agent and Customer Name</u>: It shows the agent name who has been assigned for the ticket and the customer name who sends the ticket to the organization.



meyo 4 81 GA

- 3. **Ticket State:** It shows the state of the ticket in which the ticket is currently present.
- 4. <u>Heat Value icon</u>: It shows the icons of heat value, the heat value which calculates at every instant of time.
- 5. **<u>Ticket Number</u>**: It contains the total number of messages sent and received from the same customer.

It is a clickable icon. Click on the ticket number icon to list all the messages append on the same ticket. After clicking, it shows the following screen.

| ⊠→ | Jerry3,hello banny G | Naya | - | 4 | - 21d 18h FR First Response | Low | Abhi_IC 16 Jul, 2019 Studio 13:04 Created |
|----|-------------------------------|----------------|---|---|--------------------------------|-----|---|
| | System: Outbound notification | n via whatsapp | | | | | 16 Jul, 2019, 13:04 |
| | System: Outbound notification | n via whatsapp | | | | | 16 Jul, 2019, 13:03 |
| | System: Outbound notification | n via whatsapp | | | | | 15 Jul, 2019, 16:49 |
| | 🖾 seyian: dkmclkmd | | | | | | 15 Jul, 2019, 16:49 |

Figure: All Message List after clicking Ticket Numbers

After the message list, you can click any message to check it completely.

6. **<u>First Response Time</u>**: It contains the date and time of the first response on the ticket.



- 7. <u>Ticket Priority</u>: It shows the priority of the ticket.
- 8. Interaction Campaign Name and Queue Name: It shows the campaign name and

the queue name in which the ticket arrived first.

9. **Date and Time of Last Action:** It shows the date and time of the last action which has been performed on the ticket along with the action performed on the ticket like

modification, creation, and so on.

8. Manage Customers

The working and features of manage customers page is similar for both Supervisor and Agent. However, the Group Manager does not have the privileges to access the manage customers from workbench, as the group manager is not allowed to work in interaction and chat campaigns.

Customer Tab in the Agent Interface shows the list of customers. It allows the agent to manage the customer's information and access them. Click "Customers" icon present adjacent to the Dashboard icon, to access the customer's page.

| | Home | Knowledge Base | Call Details | TestInteraction+3 🗸 🛕 💶 | 🔹 🗸 💿 Available | ✓ test124 | | | | | |
|-------------|---------|----------------|-------------------|-------------------------|----------------------|---------------|--|--|--|--|--|
| < Dashboard | Custo | mers | | | > | Create Ticket | | | | | |
| Search | | ٩ | | | | 1 - 4 of 4 <> | | | | | |
| Θ | Custome | er4 | 1234567891 | ĭtest1@gmail.com | | | | | | | |
| Θ | Custome | er1 | 9876543211 | ≌cusomter1@gmail.com | ≅cusomter1@gmail.com | | | | | | |
| Θ | Custome | er1 | 4545457575 | ≌customer1@gmail.com | | | | | | | |
| Θ | Custome | er3 | C 11111111 | ≌customer1@gmail.com | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Figure: List of Customers

Each customer is listed in an individual row. Following information of customer is available on this page.

- 1. <u>**Customer Name:**</u> The first column of the customer information contains the name of the customer's name.
- 2. **Phone Number:** This column of the customer information contains the phone number of the customer.
- 3. **Email ID:** The last column of the customer information page contains the email-id of the customers.

8.1 <u>Operations</u>

Agent can perform the following two operations on the customers page.

1. <u>**Customer's Information:**</u> Click on the customer's name, a page opens up with the complete customer's information.

| Home Knowledge Base C | all Details | IC+2 💙 📮 🔍 🗖 | Available Y a1 Y |
|--|-----------------------------|--------------------------------|---------------------------------------|
| Customers OMohan | 2 × | | > Create Ticket |
| mohan2 | | | ССКМ |
| name | | | * |
| mohan2 | email | twitter | timezone |
| | | | |
| facebook | phone2 | phone3 | phone4 |
| phone5 | phone1* 7000390002 | m* | |
| | | This field should not be empty | |
| | | | Cancel Refresh Update |
| Tickets | | | |
| ♀ ▼ Filter | | | Search Q 💠 + 🖸 |
| All Media V All Tickets | ✓ 🗰 Date From 🛛 🗙 🗰 Date To | × Date Modified, Desc - | 1 - 1 • of 1 < > Clos |
| Carter a 1,mohan2 Ticket corresponding to call: d464-5d4 | New 🔳 | 1 - 20h 2± R Lo Resolution | w IC Today Queue 11:21 Modified |
| | | | |
| | | | |
| | | | |

Figure: Information of Customer

<u>Error Messages</u>: If the agent does not fill a mandatory field, then an inline error message will be shown in red color just below that field. As a result thereof, the agent will not be able to save the details of the customer.

Agent can perform the following operation on the customer's information section.

 View Customer's information: The first column of this page shows the customer's personal information. Agent can view the details or modify them if needed.

The Agent Table Definition allows the Administrator define the order of appearance of the customer information fields and mark the fields in which the agent can change the values or not.

The Administrator can create multiple Agent Table Definitions using a single Data Table Definition for a process. It means there can be multiple Agent Table Definitions for a Campaign. The Administrator can assign the agent to a particular Agent Table Definition for a Campaign, and that agent will view the Customer Information Fields as per the selected Agent Table Definition and can modify the customer information in the editable fields only.

Important Points

- An agent can be assigned to one Agent Table Definition in one campaign and to another Agent Table Definition in another campaign.
 For example, agent1 can be assigned to "ATD1" in Voice1 and "ATD2" in Voice2.
- If the agent is staffed to the multiple campaigns, including an Interaction Campaign, then the Agent Table Definition of the Interaction Campaign will be used on top of other Agent Table Definitions.
- If the agent is staffed to only Voice Campaigns, then the Agent Table
 Definition of that Voice Campaign will be applicable in which the call has been made or received.
- Edit Customer's information: Click "Edit" button to modify the customer's information. The customer's information is now editable. Change or add the information which you want to change.

| mohan1 | | | CRM 🔤 🙂 🖼 🗃 |
|----------------|-----------------------|--------|-----------------------|
| | | | Cancel Refresh Update |
| name mohan1 | phone1* 7000390004 | phone2 | phone3 |
| phone4 | phoneS | email | facebook |
| bwitter | timezone | | |

Figure: Edit Customer Information

Click "Update" button to save the changes made, else, click "Cancel" button to cancel the changes. Click "Refresh" button to refresh the customer's information.

• **Customer's Information on CRM:** Click "CRM" button present on the top of the customer's information bar to see the customer's information on the

CRM(if integrated on Ameyo). The complete information of the customer is available on the CRM page. Agent can change view or change the information according to the usage.

| | Basic Info | | C 7000390005 | 🔏 a1 |
|---|---------------------|--------------|---------------------|------|
| Quick Disposition | Personal Informatio | | | |
| Set Disposition | First Name | : mohan2 | Last Name | : |
| Abrupt disconnection | Middle Name | : | Salutation | : |
| Set Callback | DOB | : | Company | : |
| Self Callback | Address | | | |
| Select CBK Time Customer TZ | House No. | : | Street | : |
| Select CBK Time After | Landmarks | : | City | : |
| After Days Hrs Min | Zip | : | State | : |
| 01 V 01 V 01 V | Country | : | | |
| Save & Dispose | Contact Details | | | |
| | Home Phone | : | Office Phone | : |
| | Mobile | : 7002564102 | Alternate No. | : |
| | Fax | : | Email | : |
| | Comments: | | | |

Figure: Customer Information on CRM

Ticket Dashboard: In the "Tickets" section, all the tickets raised by the same customer visible only. It contains the same ticket dashboard but contains only the tickets of the specific customer. Agent can perform the same operations here like ticket dashboard. Know more...

| ^ ¹ | Fickets | | | | | | | | | | | | | | |
|----------------|-----------------|-----------|-----------------------------------|------------------------------|-----|-----------|---|-----------|---|------------------|--------------------------|-----|--------|-----------------------------|----------------------------|
| Q | ▼ Filter | | | | | | | | | | | | Search | ٩ | \$ + Ø |
| | A | All Media | ~ | All Tickets | ~ Ē | Date From | × | 🗰 Date To | × | Date Modified, D | esc | - | | 1-1 \checkmark of 1 $<$ > | Closed Tickets |
| | Ľ | -→ a | a1,mohan2 Ticket corresponding | to call: d464-5d4a5b99-vce-9 | | New | | - | 1 | | - 21h 3m R Resolution | Low | | IC Queue | Today 11:21 Modified |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Figure: All tickets of the opened customer

Agent can perform the same operations on the present tickets raised by the customer. Know more...

The agent is able to manage the customer information for the tickets attached with calls. Know more...

9. Customer Communication

The agent can manage following types of communications with the customers. Click the links to know more about them.

- <u>Email</u>
- <u>Chat</u>
- <u>Voice</u>

9.1 Email Communication with Customer

The supervisor can communicate with customer using Email chat, and the working and features are similar for Supervisor as that of the agent. However, the Group Manager does not have the privileges to communicate with Email mode with customer, as the group manager is not allowed to work in interaction and chat campaigns.

Whenever an email is sent or received from the registered email address of a customer, a new ticket is created. All the operations can be performed on the email ticket which can be performed on the normal ticket.

9.1.1 Send New Email to Customer

Perform the following steps to send an email. There are some initial steps that are different for registered customers and non-registered customers.

9.1.1.1 For Registered Customers

- 1. Go to "Customers" tab.
- 2. Search the customer and click on the name of the customer, to whom you want to send the email.
- 3. Click "+" icon present in the section of the ticket. A new page opens up.




Figure: Create Email Ticket

- 4. **Media:** From the drop-down of the Media section, select E-mail as the Media Profile.
- 5. **<u>Campaign</u>**: Select the campaign from the drop-down list of available campaigns.
- 6. **Queue:** Select the queue from the drop-down list of available queues.
- 7. **Priority:** Select the priority type of the ticket from the following priorities from the drop-down list.
 - **Low:** It means that the ticket is on the low priority and is not urgent.
 - **Medium:** It means that the ticket is on the medium priority and is less urgent.
 - **<u>High</u>**: It means that the ticket is on the high priority and is urgent to resolve.
- 8. <u>Status</u>: Select the status of the ticket from the drop-down list. The status in the dropdown list depends upon the statuses created by the administrator.
- 9. **Media Profile:** Select the media profile from which you want to send the email to the customer.

Ameyo 4.81 GA

- 10. **Insert Canned Response:** Select the Canned Response type which you want to insert in the e-mail.
- 11. **To:** Enter the email address of the customer. You can enter multiple email addresses separated by comma(,).
- 12. <u>**CC**</u>: Click "CC" icon to insert the email address of the recipients to whom you want to send the email.
- 13. **<u>BCC</u>**: Click "BCC" icon to insert the email address of those recipients as BCC.
- 14. **<u>Subject</u>**: Provide the subject of the message.
- 15. <u>Main Content</u>: Enter the text of your email in the text box.
- 16. <u>Attach a file</u>: Click "Attach a file" button to attach a file with your email. A pop-up opens after clicking on the button.

| 📀 Open | | | | × |
|--|--------------------|-----------------------------|--|-----------------------------------|
| \leftarrow \rightarrow \checkmark \uparrow \square \ll manua | I > supervisor > 4 | 4_5 | ✓ ひ Search 4_5 | م |
| Organise 👻 New folder | | | | ⊾ - □ ? |
| Documents * ^ Pictures * 4_6 4_6 Agent Supervisor | 4_5.fpj | agent-monitorin g-fields | agent-status | Voice & Out |
| Oreative Cloud Fil OneDrive This PC 3D Objects Desktop | Voice & Chat | Barge Barge | call-back-manag ement-add | call-back-manag ement-settings |
| M 0 | agent-monitoring | -fields | ✓ All Files <u>Open</u> | Cancel |

Figure: Attach File

Select the file which you want to attach, and click "Open" button. If the file successfully uploaded, then "Done" sign appears, else failure will occur if the file does not uploaded successfully. You can attach multiple files as well.

Following file types are supported for attachments with Notes.

```
.doc, .docx, .xls, .xlsx, .ppt, .pptx, .xps, .pdf, .dxf, .ai,
.psd, .psd, .eps, .ps, .svg, .ttf, .zip, .rar, .tar, .gzip,
.mp3, .mpeg, .wav, .ogg, .jpeg, .jpg, .png, .gif, .bmp, .tif,
.webm, .mpeg4, .3gpp, .mov, .avi, .mpegps, .wmv, .flv, .txt
```

One file can be attached at once. The maximum file size for all attachments in one Public or Private Note is 25 MB.

17. Send and change state of the ticket: Click the Send button to create the ticket in open state. If you want to change the state then, click icon and select the state which you want to select. The states appearing in this option are similar to the above states defined in the point number 8.

| ∧ Crea | te Ticket | | | |
|---------------------|--|-------------------------|------------------------|------------------|
| Media | | | | |
| E-mail | ~ | | | |
| | | | | |
| Campaig | n 🗸 | Queue | Priority Low | Status Naya 🔻 |
| Abhi_IC | • | Select a queue 🗸 | LOW | Ndýd , |
| Email | | | | Cancel Send V |
| Media | Profile | | Insert Canned Response | |
| Ameyo | 0 | ~ | All | None Y |
| CC testcc BCC | | x | 2 2 E C C V V | |
| - | | | | |
| | * 13 Roboto | <u>→ A</u> ⊕ <u>→</u> + | E | |
| | This is the test mail. {{agent.extd:departmen {{agent.extd:phone_nun | ti) nber} | | |
| × | centralvoiceprompts.rar | | | |
| Î | agent-monitoring-fields | | | Done |
| × | html.rar | | | Submitting form |
| () Atta | ach a file | | | |
| | | | | Cancel Send V |

Figure: Sample Email Ticket

The user can click "X" icon to cancel the uploading of the attachments during the uploading process. Even after attachment, the user can delete the attachment be clicking the delete icon.

Agent can insert the numbered list in the email.

9.1.1.2 For non-Registered Customers

1. Click on "Create Ticket" button present on the right-hand corner of the page.

2. On the new opened page, provide the customer's information in customers tab and perform the rest steps as shown above.

A ticket corresponding to the email is created on the dashboard.

9.1.2 Receiving Email

Whenever a customer sends the email to the organization, a new ticket corresponding to the campaign and the queue will create. The agent can view the email tickets on the dashboard and can reply on them as well.

9.1.3 Reply on Email Ticket

Click on the email ticket received from the customer. Following page opens up.

| | Home | Knowledge Base | Abhi_IC+1 🍾 | - © | | ~ | Available | ~ | АМЗ 🗸 |
|---------------------|----------------|--------------------------------------|---|---------------------|-------------------|---|------------------|----------------|---------------|
| < Dashboard | Cust | omers 🔳 Gurgaon, | H × = Critical Se × = N | lewDev × | | | > | G | reate Ticket |
| Ticket ld:156932168 | 33566 N | lewDev-3:Comment | | | | | Escalate 🕈 Spi | lit → Transfer | ⊗Close Ticket |
| ✓ Prashant : | Sinha C | 03 | | | | | | | CRM |
| ∧ Ticket Infor | mation | | | | | | | | Pending |
| Campaign Abhi_IC | | Queue Abhi_IC | | Status Pending | | • | Priority High | | Ŧ |
| Subject | | | | | | | | | |
| Re: NewDev-3 | :Comment | | | | | | | | |
| | | | Show More | Info v | | | | | |
| | | | | | | | | Refresh | Save |
| ∧ Link Tickets | s(2) | | | | | | | | 😔 Link |
| Child Of | 1559552241 | 619 Test 3 OYousuf Sarfaraz | 03 Jun 14:32 | | a1 | | test | PENDING | 55 |
| Parent Of | 1555939266 | 114 Caseld-155593474 ONo Customer | 9374:regarding refund of failed order 22 Apr 18:53 | | a1 | Q | ueueForIC | NEW | 55 |
| Messages 5 | Notes | 0 Activities 3 | | | | | Add 1 | Note 🔦 Repl | ly Via 🛛 🔽 |
| System: Outb | ound notificat | ion via whatsapp | | | | | | 24 Sep, | 2019, 17:25 |
| From | System | | | | | | | | |
| То | Prashant S | inha | | | | | | | |
| Hello 1569321 | 683566!,You | ır ticket ID Re: NewDev-3:Cor | nment has been closed by our Custon | ner Service represe | entative Pending. | | | | |
| System: Outb | ound notificat | ion via whatsapp | | | | | | 24 Sep, | 2019, 17:25 |
| Re: NewDev-3:0 | Comment | | | | | | | 24 Sep, | 2019, 16:52 🕃 |
| System: Outb | ound notificat | ion via whatsapp | | | | | | 24 Sep, | 2019, 16:51 |
| Re: NewDev-3:0 | Comment | | | | | | | 24 Sep, | 2019, 16:51 🕕 |

Figure: Customer's Email Ticket

Following operations can be performed on the received email ticket.

- 1. **<u>Basic operations</u>**: There are four basic operations which agent can perform on the tickets received from the customer.
 - A. **Escalate:** Enable the "Escalate" checkbox to escalate the ticket to the higher authority like the supervisor.
 - B. **Split:** It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | × |
|--------------------------|------|
| | |
| Subject of the ticket 1* | |
| | |
| Subject of the ticket 2* | |
| Reason* | |
| | |
| | |
| | |
| Cancel | Save |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".
- Provide the reason for the splitting of Ticket.
- C. **Transfer:** The transfer option lets the agent to transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 |
|-------------------------------------|----------------------|
| Select Queue to Transfer* Studio | ~ |
| Available Users | rs |
| Transfer to None | ~ |
| Reason* | |
| Description | |
| (| Cancel Transfer |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click ransfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues.
- Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.
- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Provide the agent's name, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for the transferring the Ticket.
- Click "Transfer" button to transfer the ticket.
- D. **<u>Close Ticket</u>**: Click "Close" ticket button to close the ticket. After clicking on the close ticket option, a pop-up comes up.

| Close Ticket | × |
|------------------------|--------------|
| Select State Closed | ~ |
| Closure Reason * | |
| Closure Reason | |
| | Cancel Apply |

Figure: Closing Ticket

- Select the status of the ticket from the drop-down menu of the state. Agent can select one of the states which are created under the closed state by the administrator.
- Provide the "Closure Reason" for which you are trying to close the ticket.
- Click "Apply" button.
- 2. <u>**Customer Information**</u>: The first section of the page contains the information of the customer. Agent can view or modify the information. <u>Know more...</u>
- View Customer Cards: If more than one customer is created with the same information, then number of such customers with same information will be displayed with icon. You can click this to view the customer cards.




Figure: Customer Cards

Here, the agent can click 🖾 to view the Customer Information in a new tab. You can also click 🖗 icon to link this customer with other customer having same information. You can search for the customers, if more than one customer is created using the same information.

If the customer is new and needs to create a new customer with the provided information, then click "Create New Customer" icon. After clicking the icon all the details will be automatically filled into the customer information tab. Fill all the information and click "Create" button to create new customer.

4. **<u>Ticket Information</u>**: It contains the information of the ticket which involves the following fields.

| Ticket Information | | | | | - 59d 22h FR First Response |
|--|-----------------|------------------|---|-----------------|--------------------------------|
| Campaign Abhi_IC | Queue Tom_IC | Status New | Ŧ | Priority Low | Ŧ |
| Subject nokiazesis@gmail.com | | | | | |
| | | Show More Info v | | | |
| | | | | | Refresh Save |
| Messages 4 Notes 0 | Activities 5 | | | | |

Figure: Ticket Information

- A. First Response: It shows the first response on the ticket. First response is the time is the time when the first response has been delivered to the customer. It shows on the right side of the ticket information bar.
- B. **Campaign:** It contains the name of the campaign in which the ticket has been arrived.
- C. **Queue:** It shows the queue name in which the ticket has been arrived.
- D. **Status:** It shows the status of the ticket. You can change the ticket status from here. Select the status which you want to set.
- E. **Priority:** It shows the priority of the ticket. Agent can change the priority of the ticket from here as well. Select the priority of the ticket from the drop-down menu.
- F. **Subject:** It contains the subject of the ticket.
- G. **Show More Info:** Click "Show More Info" button to view more information of the ticket. It contains the custom fields created by administrator. If there are no custom fields then there will not be any fields.

You can hide this custom information of the customer. Click "Show Less Information" button to hide this section of the information.

- Link Tickets: The link ticket section allows the agent to link multiple tickets with each other. In this, a parent ticket is linked with its subordinates tickets which treats like child tickets for the parent tickets. <u>Know more...</u>
- 6. **Messages:** It contains the complete list of messages sent by customer through email.

| Messages | 5 Notes 0 Activities 3 | 🖹 Add Note 🐟 Reply Via 🛛 🏹 🖸 | | | | |
|--|---|------------------------------|--|--|--|--|
| 🖵 System: o | utbound notification via whatsapp | 24 Sep, 2019, 17:25 | | | | |
| From | System | | | | | |
| То | Prashant Sinha | | | | | |
| Hello 15693 | 21683566I,Your ticket ID Re: NewDev-3:Comment has been closed by our Customer Service representative Pending. | | | | | |
| 🖵 System: o | itbound notification via whatsapp | 24 Sep, 2019, 17:25 | | | | |
| 🖸 Re: NewDev-3:comment 24 Sep. 2019, 16:52 | | | | | | |
| 🖵 System: o | System: Outbound notification via whatsapp 24 Sep, 2019, 16:51 | | | | | |
| 🖾 Re: NewDev-3:Comment 24 Sep, 2019, | | | | | | |

Figure: Message of Customer in Email Profile

Agent can perform the following operation on the message section.

1. **Read Message:** Agent can simply read the message sent in the email.

2. **Message count:** The message count Messages 1 represents the total number of the emails sent through the customer.

3. **Notes:** The notes count **Notes o** shows the total number of the notes which has been given on ticket of the customer.

4. **Activities:** The activities count shows the total number of the activities performed on the ticket.

5. **Export Tickets:** Export tickets option provides the feature to save all the tickets in CSV format to agent's system. Perform the following steps to export tickets.

- Click \Box icon to export all the email tickets of the customer.
- A pop-up opens up, which allows agent to download folder on specific location.

| > ·· | 5 V | Search Downle | pads | م (|
|---|---------------------|---------------|-------|-----|
| Organise 🔻 New folder | | | •== • | • |
| This PC ^ Name | Da | ate modified | Туре | |
| 3D Objects | No items match your | search. | | |
| Desktop | ···· , | | | |
| 🔮 Documents | | | | |
| 🕂 Downloads | | | | |
| h Music | | | | |
| Pictures | | | | |
| Videos | | | | |
| 🏪 Local Disk (C:) | | | | |
| Local Disk (D:) | | | _ | |
| | | | | |
| File <u>n</u> ame: 1558347802214_9_7_2109 | | | | |
| Save as type: WinRAR ZIP archive | | | | |

Figure: Export Email Tickets

- On the opened pop-up, provide the name of the file, if you want to change, it contains the default name of the file contains the date and time of the email ticket arrived at the system.
- Click "Save" button.

6. Add Note: Click Add Note icon to provide the note on the ticket. After clicking on the icon, following wizard opens up.

| Messages 1 Notes 2 Activities 0 | Add Note Reply Via | 7" 🛛 |
|--|---------------------------|------|
| Subject Testing Note | | |
| Description | | |
| This is the testing note. | Save V Cancel | |
| Topics to Cover in Manuals.txt (577 Bytes) | | |
| () Attach a file | | |

Figure: Enter Note

Private Note: When the agent wants to provide the note only for the personal use, then a private note can be applied. The private note is visible to all the agents and supervisors who are assigned in that campaign.

By default, a note is marked as private, until the status of the toggle button is not changed. For private note, enter the subject and description of the note and click "save" button.

```
The agent can click "Attach a file" link to upload any file with the note as well.
```

7. **Filters:** If there are more than one message send by the customer, then agent can filter the messages according to the need.

| 7 |
|---------------|
| All |
| Only Tickets |
| With Notes |
| With Activity |

Figure: Filter the Messages

Following filters are available. By default, "Only Tickets" filter will remain selected that will show only ticket messages and no notes will be displayed.

- All: It shows all the tickets and notes send by the customer.
- (Default) Only Tickets: It filter those messages which are considered as tickets.
- With Notes: It shows all the tickets with all notes provided. If the note is provided on any ticket, then agent has to apply this filter to view the note on the ticket. After the
- With Activity: It filter those messages on which some activity has been performed.

You have to select "All" or "With Notes" filter to show the notes.

8. **Access a Note:** Select "All" or "With Note" filter to access the notes. All the tickets and notes are visible as the collapsible sections.

| Messages 5 Notes 1 Activities 3 BAdd Note Reply Via V 🗹 | | | | | | |
|---|--------------------------------|-------------|-----------------------|--|--|--|
| AM3: Test Subject | Topics to Cover in Manuals.txt | 👤 👌 Private | Today, 15:02 🔅 | | | |
| Test Description of Note | | | | | | |
| System: Outbound notification via whatsapp | | | 24 Sep, 2019, 17:25 | | | |
| AM3: Status Changed | | | 24 Sep, 2019, 17:25 | | | |
| System: Outbound notification via whatsapp | | | 24 Sep, 2019, 17:25 | | | |
| Re: NewDev-3:Comment | | | 24 Sep, 2019, 16:52 🚦 | | | |

Figure: Ticket with the Note

Click icon to download the attached file with the note. A downloading pop-up will be displayed, through which the agent can save the attachments in its computer.

9. **Update and Delete a Note:** Click icon to update or delete the note.

All the agents and supervisor assigned in the same Interaction Campaign, can update and delete both public and private notes on the assigned ticket.




Figure: Options to Update or Delete the Note

It shows the following two options.

• **Update:** Click "Update" button to edit the note inline.

| Messages 1 Notes 3 Activities 0 | | | | Add Note 🔶 Reply Via | 7 0 |
|--|-------------------------------|----------|-----------|----------------------|--------------|
| B a1: Testing Note | Topics to Cover in Manuals.bt | <u>±</u> | D Private | | Today, 17:29 |
| | | | | | |
| This is the testing note. | | | | | |
| Topics to Cover in Manuals.txt (577 Bytes) | | | | | |
| Attach a file | | | | | |
| | | | | Cancel Update | |

Figure: Update Note

"Update" button only be visible once the agent changes the note. Click "Update" button to save the changes.

The agent can also attach or detach the attachments with the notes from here.

• **Delete:** Click it to delete the note. A confirmation pop-up is displayed.

If the note is deleted, then it cannot be retrieved in any manner. It will be deleted permanently.

The following screenshot shows the confirmation message before deleting a private note.

| Confirmation | |
|--|---------------|
| Are you sure you want to delete this private note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

Click "Delete" button to delete the note permanently, else click "Cancel" button.

10. **Reply:** Click icon to reply to the customer on the ticket. The actions on this icon depends upon the media profile type. Click "Reply via Email" to send the reply to the customer through email.



Figure: Reply on Email Ticket

Provide all the necessary details used while creating the email ticket and click "Send" button.

11. <u>Send Options</u>: Agent is now able to send and change the state of the ticket simultaneously, by just clicking on "Send" button and selecting the state of the ticket. The agent has to select the status of the agent manually. It will not be filled automatically.

Click clicon present adjacent to send button. It shows the complete list of state which has been configured by the administrator.




Figure: Send and change State of Ticket

Select the state and click send button. It changes the state and send the reply to customer simultaneously.

Click "Send & Close" button to send the reply and close the ticket simultaneously.

During the reply on the email ticket "RE" will not be prefixed to the email subject while replying to the customer's email through the ticket. As a result thereof, there will be only one email thread containing all email messages.

9.1.4 Identification of Email Tickets.

There are two following cases of Email tickets from which the ticket can be created.

• When the Email is sent by the agent then, the icon is displayed in front of the ticket. The icon shows that the email is sent by the agent.

➡→ customer mail : checking the email auto reply

Figure: Incoming Email being displayed with inbound icon

• When the Email is sent by the customer then, the icon is displayed in front of the ticket. The icon shows that the email is sent by the customer.

The following screenshot shows the identification of outgoing emails.

⇐ customer mail : checking the email auto reply

Figure: Outgoing Email being displayed with outbound icon

Following screenshot shows both incoming and outgoing emails.

| Home Knowledge Base | | | lurple Ticket 🗸 🗳 🏚 😑 | ✓ • Available ✓ ashu |
|---|------------------------------------|---------------|-----------------------|---|
| Dashboard Customers | ustomer M × | | > | Create Ticket |
| icket 1d 22087 customer mail : checking the | email auto reply | | | Escalate MSplit → Transfer ©Close Ticket |
| Customer Information | | | | CRM |
| Ticket Information | | | | NEW -1d18h R Resolution |
| | | | | |
| Campaign | Queue | Status | Priority | |
| Campeign Purple Ticket | Queue Purpte incoming mail only | Status NEW | • Low | ¥ |
| Purple Ticket Subject | Purple incoming mail only | | | |
| Purple Ticket Subject customer mail : checking the email auto reply | Purple incoming mail only | | | (Refresh) Save |
| Purple Ticket folgest customer mail : checking the email auto reply Messages 4 Notes 0 Activities | Purple incoming mail only | | • _ Low | (Refresh) Save |
| Purple Ticket Bulgest customer mail : checking the email auto reply Messages 4 Notes 0 Activities c - customer mail : checking the small auto reply | Purple incoming mail only | | • _ Low | Refresh Save ph Via T C 07.Jan, 2020, 16:27 0 07.Jan, 2020, 16:27 0 |
| Purple Ticket Subject | Purple incoming mail only | | • _ Low | (Refresh) Save phy Via V G 07 Jan, 2020, 1627 |

Figure: Messages in a Ticket

9.1.5 Attachments

The agent can attach the files while replying to the customer. The support of the attachments is present for the following areas.

- Replies through Email
- Public and Private Notes
- Manual Messages to Customers

9.1.6 <u>Acronyms</u>

The agents can now use the Acronyms in the messages in the following places.

- Facebook Comments
- Twitter Reply
- Note Description only.
- Reply via email in Chat
- Chat Window on Agent-side

Ameyo 4.81 GA

- In Email, Acronyms will work in Body of the Messages
- Closure Reason under Split, Merge, Close, and Transfer

Acronyms will not work in the following places.

- Manual Message while creating or modifying Ticket
- Subject in the Notes
- Subject in the Email

Know more: "Manage Acronyms" in Agent Console

At the time of manual mail or the reply to the customer, if any loop is detected which makes the system into the endless loop, then the agent will not be able to sent the email through Ameyo. An error template message will be displayed on the agent's console notifies about the same.

9.1.7 Handling the Email Server Error Messages and Retry Sending Policies in Ameyo

Ameyo introduces the Handling to manage the error messages thrown by the Email Provider Server of an email address and . The following four different policies have been introduced to handle such error messages.

- Default Retry: Select it to retry sending the email just after the failure. It's configuration code is "DEFAULT_ENTRY". "maxRetryCount" variable is used to define its value and its default value is 3.
- Rate Limit Retry: Select it to retry sending the email when retry rate limits of the server are breached. By default, the retry is tried to be attempted after 24 hours. It's configuration code is "RATE_LIMIT_RETRY". "rateLimitRetryTime" variable is used to define its value and its default value is 86,400 seconds (that is 24 hours).
- Progressive Retry: Select it to attempt the retry in the progressive intervals such as every 5 minutes, 10 minutes, 15 minutes, and 20 minutes. It's configuration code is "PROGRESSIVE_RETRY". "progressiveRetryInterval" variable is used to define its value and its default value is 300 seconds (that is 5 minutes).

4. **No Retry:** There are some error messages for which the retry sending should not be tried again. It's configuration code is "NO_RETRY".

These policies come preconfigured in Ameyo and apply automatically upon detecting their relevant error codes. For example, the following table illustrates the Gmail Error Codes and the corresponding Ameyo Email Error Handling Policy for them.

| Gmail Error Codes | Ameyo Email Error Handling Policy |
|------------------------------|-----------------------------------|
| UNIDENTIFIED_ERROR | DEFAULT_RETRY |
| ADDRESSING_ERROR | NO_RETRY |
| MAILBOX_ERROR | PROGRESSIVE_RETRY |
| MAIL_SYSTEM_ERROR | PROGRESSIVE_RETRY |
| NETWORK_ROUTING_ERROR | RATE_LIMIT_RETRY |
| MAIL_DELIVERY_PROTOCOL_ERROR | NO_RETRY |
| MESSAGE_CONTENT_ERROR | NO_RETRY |
| SECURITY_POLICY_ERROR | PROGRESSIVE_RETRY |
| NO_SUCH_PROVIDER | NO_RETRY |
| | PROGRESSIVE_RETRY |
| UNKNOWN_HOST | NO_RETRY |
| INTERNAL_ERROR | NO_RETRY |

9.1.8 Working of Policies with Default Configuration

The following will be the result of applying the default configuration using the above policies.

- All the errors corresponding to "Default Retry" Policy should get retried immediately.
- All the errors corresponding to "No Retry" Policy will not get retired.

- All the errors corresponding to "Rate Limit Retry" Policy should get retried after 24 hours.
- All the errors corresponding to "Progressive Retry" Policy should get retried at intervals of 30 minutes, 1 hour, and 1.5 hours.
- Same can be verified from "s_message_send_info" and "failed_message_send_info".

9.2 Chat Communication

The supervisor can communicate with customer through chat, and the working and features are similar for Supervisor as that of the agent. However, the Group Manager does not have the privileges to communicate through chat mode with customer, as the group manager is not allowed to work in interaction and chat campaigns.

The Chat Communication is available for the following mediums.

- Ameyo Web Chat
- <u>Facebook</u>
- <u>Twitter</u>
- WhatsApp for Business Chat
- Line Messenger
- Viber Messenger
- <u>Missed Chats</u>

The Administrator has to add the media profiles for the required platform. After the integration into media profile, whenever the customer sends a message through any medium, a ticket will be created that will be aligned with the same customer. The agent can also reply to that chat and communicate with the customer.

Whenever a customer sends a message using any of the above-configured chat messaging services, a new ticket will be created in the system.

Ameyo 4.81 GA

| Agent Name | Engineer | |
|------------|---|---|
| s. Ma | My name is "Test1". Test1 06:09 PM Leer | Hi Test1, Engineer, 06:10 PM How are you? Engineer, 06:11 PM What is your concern? Engineer, 06:12 PM Continue Chat |
| 0 | e | |

Figure: New Ticket through Chat

The agent just has to click on "Continue Chat" button to reply to the customer through the same chat service that is being used by the customer.

9.2.1 Displaying Name of Agent to the Customer

During the chat, the name of the agent will be displayed to the customer. If a chat is being transferred, then the name of the new agent will also be displayed.

9.2.2 Customer Name is Clickable

Name of the registered customer is clickable in the chat window. The agent can hover the mouse over the customer name being displayed in the header to view the external link icon and click it to view its details in a new tab.

| p <u>tina</u> ⊠ |
|---|
| Page title is 'parent site' |
| Incoming customer is from "Support" queue |
| tina has joined the chat |
| sfdfd |
| tina - Aug 21, 05:01 PM |
| sfdfd |
| tina - Aug 21, 05:01 PM |
| |
| |
| |
| 0 🙂 |
| |

Figure: Customer Name is clickable

After clicking the name of the customer, the following page opens in which all the details of the customer show in the CRM bar.

| AMEYO Home | Knowledge Base | Call Details | Abhi_IC+2 🗸 | A | 🗙 🖕 Available 🗸 🗸 AM3 | ~ |
|---------------------|---------------------------------------|------------------------------|---------------------|---------------------------|---------------------------------------|-------------------|
| test | | | CRM 📌 | 0000 | | L. |
| name | email | twitter | timezone | Edit | | % 11 |
| test | | test | | | | $\widehat{}$ |
| facebook | phone2 | phone3 | phone4 | | There are no calls waiting currently. | $\mathbf{\Theta}$ |
| test | | | | | There are no cans waring currently. | |
| phone5 | phone1 | | | | | |
| | 8900012190 | | | | | |
| | | | | | | |
| | | | | | | |
| ^ Ticket: □ Test | | x | | | | |
| Q ▼Fill Incoming cu | stomer is from "New_Chat_que queue | ue" | Search | ٩ ٩ + | | |
| | est has joined the chat | × 🇰 Date To 🗙 Dat | te Modified, 🔹 0 - | 0 v of 0 < > Close | | |
| test | | | | | | |
| test - Jul 18, 02:5 | 6 PM | | | | | |
| | | is no result. Please try a d | different criteria. | | | |
| | | 2:56 PM | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Send a me | | 8 | | | | |
| e send a me | 558yc | • | | | | |

Figure: Customer Details

All the operations on Chat ticket are already explained in Ticket Operation page. Know more...

9.2.3 Identifying and Linking Customers during Chat

available customer names are displayed on the bottom.

In the chat window, the customer can now be searched and linked directly. It would be the best way to identify the customers, especially those who are coming through a third-party integration like Smooch. The agent can click account icon, located on the top right corner of the chat window. The

| 🖵 Prince | mÞ | . × |
|--------------------------|---------|------------|
| Name | | |
| Prince | | |
| Email | | |
| samee.jain0209@gmail.cor | n | |
| Phone | | |
| 7865431209 | | |
| Chat Source | | |
| webchat | | |
| Prince | ശ | |
| ajit nain | S | Z |
| + Crea | ate New | Q |
| | | |
| | | |

Figure: Options to link the customer in chat

The agent can click "link" icon with the customer to link the chat to that customer.

| D Prince | mÞ | ÷ | × |
|--------------------------|---------|---|---|
| Name | | | |
| Prince Email | | | |
| samee.jain0209@gmail.com | 1 | | |
| Phone | | | |
| 7865431209 | | | |
| Chat Source webchat | | | |
| Prince | ശ | [| Z |
| ajit nain | ഗ | [| Z |
| + Crea | ite New | | ۹ |
| | | | |
| | | | |

Figure: Linked a Customer with the chat

The Agent can change the associated customer while on chat itself. Changing the customer associations on the chat can be done multiple times. However, the final customer would be one who have been selected by the agent at the time of disposing the chat after the chat disconnection.

If there are multiple customers found, then the agent has to select anyone of them through the drop-down menu. The notification is displayed on the screen whenever the customer information is updated.

9.2.4 Chat Transcript

There are several times when the customer wants the transcript of the chat, which he has initiated with the ameyo agent. In such cases, the customer has to click icon (present on the chat modal) to send the transcript of the chat to the email-id, which was registered by the customer while initiating the chat.

If the customer does not register the email-id, then the chat-transcript icon will not be visible on the chat modal.

Following screenshot shows the chat conversation of the agent and customer chat log.




Figure: Agent Chat Conversation

Figure: Customer Chat Conversation

The chat transcript, which is sent to the customer's registered email-id, contains both "text" and "images" used while having a chat. Following screenshot shows the chat-transcript send on the customer's registered email-id.

| | Your Chat Transcript Fri Jan 17 15:47 IST 2020 🗩 🔤 | ē | Z |
|---|--|-------------------|---------------------------------|
| - | Media Profile 3:48 PM (11 minutes ago) 5 to me → | Y 🛧 | : |
| | Hello, Here is a copy of the chat transcript you requested: | | |
| | Hello Chat Transcript Jan 17, 19:47 | a1 ay i heip y | Hello 15:47 YOU? 15:47 |
| | This is the testing of the chat transcript. Chat Transcript 15:47 | D | IONW 15:47 |
| | Thanks Chat Transcript 18:47 | 04:08 F | PM |
| | ← Reply → Forward | | |

Figure: Chat Transcript sent over Email

If the customer does not click the chat-transcript icon, then the transcript will not be sent over the The chat-transcript will only be sent, only after the agent dispose-of the chat.

9.2.5 Disposing the chat

After having the chat with the customer, the agent has to dispose off the chat. Click **"X"** icon on the chat box. The following screen comes up to dispose the chat.

Agent may receive any of the following disposition screens based upon the configurations.

| ₽ <u>Test</u> | •••• | - | × |
|---------------------------|------|---|---|
| | | | |
| Select a Disposition | | | ~ |
| 1 | | | D |
| Select a Disposition | | | |
| Already hungup | | | |
| Abrupt disconnection | | | |
| Echo | | | |
| Customer not able to hear | | | |
| Customer volume too low | | | |
| Agent volume too low | | | |
| Save and Dispose | e | | |

| □ <u>Test</u> | ••••> | • | × |
|----------------------|-------|---|---|
| | | | |
| Select a Disposition | | | ~ |
| 1 | | | |
| Select a Disposition | | | |
| Others | | | |
| Foreign Language | | | |
| Sale | | | |
| Sale | | | |
| telecom.issues | | | |
| Abrupt disconnection | | | |
| Save and Dispose | 2 | | |

Figure: Chat Dispose

Figure: Two level Disposition Selection

If the Administrator have configured "ACW Connected (in sec)" for Chat, then the idle chat session after this specific timeout value (given in seconds) will be disconnected and disposed of. To avoid such scenario, and in general, we recommend to dispose of the idle chat session within this ACW timeout duration.

9.2.6 Resizable Text-field of Chat Modal

The text field in the Ameyo Web Chat modal has been improved. It will have a constant height always, within which it will be auto-resizable. The default size of the text field will be there for up to two lines; however, it will be resized up to four lines. After four lines, a vertical scroll bar is displayed. Refer to the following screenshot of the chat modal at the customer's side.




Figure: Improved text field in Ameyo Web Chat Modal at the customer's side

This behavior remains the same for the Ameyo Web Chat modal at the agent's side also.




Figure: Improved text field in Ameyo Web Chat Modal at the agent's side

The following are other features of the Ameyo Web Chat Modal.

- Use the backspace key to erase the characters on the left side.
- Use "CTRL + Enter" key to enter into a new line in the text field. The new line inserted by the sender (customer or agent) will be visible as it is to the receiver (agent or customer).

When the agent copies the content from any source (such as a Website) that contains new lines and pastes in the Chat Modal, then the inclusion of newlines depends upon the source text format. All the browsers and even Websites follow different formats.

As most of the editors follow UTF-8 formatting, it is possible to control the behavior over there.

• Use "Enter" key to send the message. After sending the message, the text field will regain its original size of two lines.

9.2.7 Facebook Communication with Customer

The supervisor can communicate with customer using Facebook chat, and the working and features are similar for Supervisor as that of the agent. However, the Group Manager does not have the privileges to communicate with Facebook chat with customer, as the group manager is not allowed to work in interaction and chat campaigns.

Facebook is a third-party socializing application, which provides to communicate with different people. With Ameyo the customer can reach to the agent and tries to resolve its queries with the help of Facebook. There are two methods through which the customer can reach to Ameyo, Facebook Post and Facebook Messenger. Whenever the customer post any query on Facebook page or the customer directly sends a message to the organization through Facebook Messenger, a new ticket is created. All the operations can be performed on the Facebook ticket which can be performed on the normal ticket.

9.2.7.1 Receiving Ticket

Whenever a customer post any query on Facebook page of the organization or the customer directly sends a message through Facebook Messenger, a new ticket corresponding to the campaign and the queue will create. The agent can view the Facebook tickets on the dashboard and can reply on them as well.

Following two types of Facebook tickets can be received from the customer.

- Facebook Post
- <u>Chat through Facebook Messenger</u>

9.2.7.2 Identification of Facebook Tickets.

There are two following cases of Facebook tickets from which the ticket can be created.

• When the post is being raised by the customer on the page of organization's Facebook account, then the feel icon is displayed in front of the ticket. The icon shows that the ticket is raised through the Facebook post.

• When the customer started the chat through FB Messenger, then the icon is displayed in front of the ticket. The icon shows that the ticket is raised through the Facebook Messenger.

9.2.7.3 Reply on Facebook Post Ticket

Click on the Facebook ticket received from the customer. Following page opens up.

| AMEYO H | ome | Knowledge | Base | | | Omni Car | e+1 🂙 | <u>_</u> © | . (| |
|--------------------------------------|-----------|------------|----------------|----------------|---|----------|---------|------------|-------------------------------|---|
| < Dashboard | Custor | ners | ■ Please Res × | | | | > | Cr | eate Ticket | |
| Ticket Id:2632 Please | resolve | my querie | 5 | | | Escalate | ¶ Split | → Transfer | SClose Ticket | t |
| Ayush Khanna | | e 5 | | | | | | | CRM | |
| Ticket Informati | on | | | | | | | New | - 5d 19h FR First Response | |
| Campaign | | | Queue | Status | | Priority | | | | |
| Omni Care | | | Front Office | New | * | Low | | | Ψ | |
| Subject | | | | | | | | | | |
| Please resolve my o | queries | | | | | | | | | |
| | | | | Show More Info | | | | | | |
| | | | | | | | | Refresh | Save | |
| Messages 2 | Notes | 0 Activ | ities 1 | | | Add No | te 🔨 R | eply Via | 7 🛛 | |
| ■ Please resolve my qu | ieries | | | | | | | 06 Mar, 2 | 2020, 13:52 | • |
| f← Please resolve my qu | ieries | | | | | | | 06 Mar, 2 | 2020, 13:52 | |
| From Ayu | ish Khann | a | | | | | | | | |
| To Mo | neySure E | Bank, | | | | | | | | |
| Please resolve my o | queries | | | | | | | | | |
| | | | | | | | | I Like | Comment | |

Figure: Customer's Facebook Ticket

Following operations can be performed on the received Facebook ticket.

- 1. <u>**Basic operations:**</u> There are four basic operations which agent can perform on the tickets received from the customer.
 - A. **Escalate:** Enable the "Escalate" checkbox to escalate the ticket to the higher authority like the supervisor.

B. <u>Split</u>: It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | | × |
|--------------------------|------------|---|
| | | |
| Subject of the ticket 1* | | |
| | | _ |
| Subject of the ticket 2* | | |
| Reason* | | |
| | | |
| | | |
| | | |
| | Cancel Sav | e |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click ^{Split} icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".
- Provide the reason for the splitting of Ticket.
- C. **<u>Transfer</u>**: The transfer option lets the agent to transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 |
|---------------------------------------|----------------------|
| Select Queue to Transfer* Studio | ~ |
| Available Users Auto Assign On Use | rs |
| Transfer to None | ~ |
| Reason* | |
| Description | |
| (| Cancel Transfer |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click → Transfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues.
- Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.
- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Provide the agent's name, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for the transferring the Ticket.
- Click "Transfer" button to transfer the ticket.
- D. **<u>Close Ticket</u>**: Click "Close" ticket button to close the ticket. After clicking on the close ticket option, a pop-up comes up.

| Close Ticket | × |
|------------------------|--------------|
| Select State Closed | ~ |
| Closure Reason * | |
| Closure Reason | |
| | Cancel Apply |

Figure: Closing Ticket

- Select the status of the ticket from the drop-down menu of the state. Agent can select one of the states which are created under the closed state by the administrator.
- Provide the "Closure Reason" for which you are trying to close the ticket.
- Click "Apply" button.
- 2. <u>**Customer Information**</u>: The first section of the page contains the information of the customer. Agent can view or modify the information. <u>Know more...</u>
- 3. <u>View Customer Cards</u>: If more than one customer is created with the same information, then number of such customers with same information will be displayed with sicon. You can click this to view the customer cards.




Figure: Customer Cards

Here, the agent can click \square to view the Customer Information in a new tab. You can also click \square icon to link this customer with other customer having same information. If the customer is new and needs to create a new customer with the provided information, then click "Create New Customer" icon. After clicking the icon all the details will be automatically filled into the customer information tab. Fill all the information and click "Create" button to create new customer.

4. **<u>Ticket Information</u>**: It contains the information of the ticket which involves the following fields.

| Ticket Information | | | | | New - 5d 19h FR First Response |
|--|-----------------------|------------------|---|-----------------|-----------------------------------|
| Campaign Omni Care | Queue Front Office | Status New | Ŧ | Priority Low | Ŧ |
| Subject | | | | | |
| Please resolve my queries | | Show More Info 🔻 | | | |
| | | | | | Refresh Save |

Figure: Ticket Information

1. **First Response:** It shows the first response on the ticket. First response is the time is the time when the first response has been delivered to the customer. It shows on the right side of the ticket information bar.

2. **Campaign:** It contains the name of the campaign in which the ticket has been arrived.

3. **Queue:** It shows the queue name in which the ticket has been arrived.

4. **Status:** It shows the status of the ticket. You can change the ticket status from here. Select the status which you want to set.

5. **Priority:** It shows the priority of the ticket. Agent can change the priority of the ticket from here as well. Select the priority of the ticket from the drop-down menu.

6. **Subject:** It contains the subject of the ticket.

7. **Show More Info:** Click "Show More Info" button to view more information of the ticket. It contains the custom fields created by administrator. If there are no custom fields then there will not be any fields.

You can hide this custom information of the customer. Click "Show Less Information" button to hide this section of the information.

5. **Messages:** It contains the complete list of activities that are done on the ticket raised.

| Messages 4 Notes 0 Act | tivities 6 | Add Note | Reply Via | 7" 🛛 |
|---------------------------|------------|----------|-------------------------------|------------|
| f∻ mitch: Lam | | | 13 Jun, 2019 | 9, 12:03 🚦 |
| f → mitch: This is | | | 09 Apr, 2019 | 9, 18:35 📑 |
| f→ mitch: Too many | | | 25 Oct, 2018 | 8, 20:00 🚦 |
| f← Hi! This is test post. | | | 05 Oct, 2018 | 8, 13:41 🚺 |
| From Ayush Khanna | | | | |
| To MoneySure Bank, | | | | |
| Hi! This is test post. | | | | |
| | | | I Like C | omment |

Figure: Message Activities on Facebook Ticket

Agent can perform the following operation on the message section.

0. **Read Message:** Agent can simply read the messages sent through the facebook post.

1. **Message count:** The message count Messages 1 represents the total number of the activities done on the ticket raised by the customer.

2. **Notes:** The notes count **Notes o** shows the total number of the notes which has been given on ticket of the customer.

3. **Activities:** The activities count shows the total number of the activities performed on the ticket.

4. **Export Tickets:** Export tickets option provides the feature to save all the tickets in CSV format to agent's system. Perform the following steps to export tickets.

- Click icon to export all the tickets of the customer.
- A pop-up opens up, which allows agent to download folder on specific location.

| 💿 Save As | | | | | \times |
|--|------------------------|-------------------|----------------|--------|----------|
| $\leftarrow \rightarrow \land \uparrow \downarrow$ | > This PC ⇒ Downloads | ٽ ~ | Search Downloa | ids | Q |
| Organise 🔻 New | v folder | | | | ? |
| This PC | ^ Name | ^ | Date modified | Туре | |
| 3D Objects | | No items match yo | ur search. | | |
| E Desktop | | | | | |
| 🔮 Documents | | | | | |
| 👆 Downloads | | | | | |
| 👌 Music | | | | | |
| Pictures | | | | | |
| Videos | | | | | |
| 🏪 Local Disk (C:) | | | | | |
| 👝 Local Disk (D:) | ~ < | | | | > |
| | | | | | - |
| | 1558347802214_9_7_2109 | | | | ~ |
| Save as <u>t</u> ype: \ | WinRAR ZIP archive | | | | ~ |
| Hide Folders | | | <u>S</u> ave | Cancel | |

Figure: Export all Tickets

- On the opened pop-up, provide the name of the file, if you want to change, it contains the default name of the file contains the date and time of the Facebook ticket arrived at the system.
- Click "Save" button.

5. <u>Add Note</u>: Click <u>Add Note</u> icon to provide the note on the ticket. After clicking on the icon, following wizard opens up.

| Messages 5 Notes 0 Activities 3 | 🖺 Add Note i 🔨 Keply Via 💙 🖸 |
|--------------------------------------|------------------------------|
| Subject Test Subject | Mark as public |
| Description Test Description of Note | Cancel Save |

Figure: Enter Note

There are two type of notes which can be given.

• **Public Note:** When the agent wants to show the note to all the viewers of tickets, whether the users or the customer, then pubic note can be provided. The public note is visible to all the agents, supervisors assigned in that campaign and also to the customer.

However, currently there is no mechanism for customer to see the public note.

Toggle the Mark as public switch to provide the public note. After toggling the switch enter the subject and description of the note and click "save" button.

• **Private Note:** When the agent wants to provide the note only for the personal use, then a private note can be applied. The private note is visible to all the agents and supervisors who are assigned in that campaign.

By default, a note is marked as private, until the status of the toggle button is not changed. For private note, enter the subject and description of the note and click "save" button.

6. **<u>Filters</u>**: If there are more than one message send by the customer, then agent can filter the messages according to the need.




Figure: Filter the Messages

Following filters are available. By default, "Only Tickets" filter will remain selected that will show only ticket messages and no notes will be displayed.

- All: It shows all the tickets and notes send by the customer.
- (Default) Only Tickets: It filter those messages which are considered as tickets.
- With Notes: It shows all the tickets with all notes provided. If the note is provided on any ticket, then agent has to apply this filter to view the note on the ticket. After the
- With Activity: It filter those messages on which some activity has been performed.

You have to select "All" or "With Notes" filter to show the notes.

7. **Access a Note:** Select "All" or "With Note" filter to access the notes. All the tickets and notes are visible as the collapsible sections.

| Messages 2 Notes 1 Activities 1 | | 🖹 Add Note - 🦘 Reply Via | 7 🗹 |
|---------------------------------|---------|--------------------------|----------------|
| 🕒 keshav: Testing Note | Private | 1 | Foday, 11:06 📑 |
| This is the Testing Note. | | | |
| keshav: Ticket picked | | Yest | erday, 18:16 |
| Please resolve my queries | | 06 Mar, | 2020, 13:52 🚺 |
| f← Please resolve my queries | | 06 Mar, | 2020, 13:52 👎 |

Figure: Ticket with the Note

Click the note to access it. On the collapsible bar, Public label is displayed for a public note, whereas Private is displayed for a private note.

8. **Update and Delete a Note:** Click icon to update or delete the note.

All the agents and supervisor assigned in the same Interaction Campaign, can update and delete both public and private notes on the assigned ticket.

| | : |
|--------|---|
| Update | |
| Delete | |

Figure: Options to Update or Delete the Note

It shows the following two options.

• **Update:** Click "Update" button to edit the note inline.

| Messages 2 Notes 1 Activities 1 | | Add Note 🐟 Reply V | ia 🛛 🏹 🗹 |
|--|---------|--------------------|--------------------|
| 🗅 keshav: Testing Note | Private | | Today, 11:06 🚺 |
| This is the Testing Note. Updating the existing note | | Cancel Update | |
| keshav: Ticket picked | | ١ | Yesterday, 18:16 |
| ☞ Please resolve my queries | | 06 N | Mar, 2020, 13:52 🚺 |
| f← Please resolve my queries | | 06 N | Mar, 2020, 13:52 📑 |

Figure: Update Note

"Update" button only be visible once the agent changes the note. Click "Update" button to save the changes.

• **Delete:** Click it to delete the note. A confirmation pop-up is displayed.

If the note is deleted, then it cannot be retrieved in any manner. It will be deleted permanently.

The following screenshot shows the confirmation message before deleting a public note.

| Are you sure you want to delete this public note? | |
|---|---------------|
| | Cancel Delete |

Figure: Confirmation pop-up

The following screenshot shows the confirmation message before deleting a private note.

| Confirmation | |
|--|---------------|
| Are you sure you want to delete this private note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

Click "Delete" button to delete the note permanently, else click "Cancel" button.

9. **Reply:** Click icon to reply to the customer on the ticket. The actions on this icon depends upon the media profile type. Click "Comment" to comment the reply to the customer's Facebook post.

| Like | |
|---------|--|
| Comment | |

Figure: Reply on Facebook Post Ticket

Provide all the necessary details used while providing the comment on the customer's Facebook post. The agent can click "Like" option to like the post raised by the customer.

<u>Character Limit Restriction</u>: The character limit for the reply on Facebook post is 8000. That means, the agent can send the reply to the customer that contains maximum of 8000 characters.

10. **Send Options:** Agent is now able to send and change the state of the ticket simultaneously, by just clicking on "Send" button and selecting the state of the ticket.

Click is icon present adjacent to send button. It shows the complete list of state which has been configured by the administrator.




Figure: Send and change State of Ticket

Select the state and click send button. It changes the state and send the reply to customer simultaneously.

Click "Send & Close" button to send the reply and close the ticket simultaneously.

9.2.7.4 Reply on Facebook Messenger Ticket

Click on the Facebook ticket received through FB Messenger from the customer. Following page opens up.

| < Dashboard | Customers | 🕿 Rajnath Sin | × 🔳 रोहित सरदा | × ■Praveen G × | Ticket For × | | > Cr | eate Ticket |
|--|---------------------------|----------------------------------|----------------|-------------------|--|-----------------|-------------------------------|--------------------------------|
| Ticket Id:2515 Ticket | for chat: d498-5e | 56a2e2-dccf-8 | | | | Escalate Y | Split → Transfer | ⊗Close Ticket |
| Customer Info | ormation (Q | | | | | | | CRM |
| Ticket Information | ion | | | | | | New | - 13d 21h FR First Response |
| Campaign Omni Care Subject | | Queue Front Office | | Status New | v | Priority Low | | Ŧ |
| Ticket for chat: d49 | 98-5e56a2e2-dccf-8 | | | | | _ | | |
| | | | Sho | w More Info 👻 | | | | |
| | | | | | | | Refresh | Save |
| Messages 1 | Notes 0 Activ | vities 0 | | | | Add Note | Reply Via | 7" 🛛 |
| mitch: Ticket for ch | nat: d498-5e56a2e2-dccf-8 | | | | | | 27 Feb, 2 | 020, 13:00 |
| Customer Name Agent Name | Abdul A mitch | had | | Chat Initiated On | 2020-02-27 | 13:00 | | |
| | | s is Abdul Ahad nad, 12:55 PM | | | Sorry, I am unable to und ur query. I am transferri ne of my | | | |
| | | | | | Co | ontinue Chat | | |

Figure: Customer's Facebook Ticket

All the operations which the agent can perform on Facebook post ticket can be performed on the ticket raised through FB Messenger. <u>Know more...</u>

Reply: Click Continue Chat button to reply to the customer on the ticket. After clicking this button the chat with the customer starts and hence, the agent is able to continue chat to the customer.

After clicking "Continue Chat" button the following chat window is displayed.




Figure: Continue Chat Window

The agent can perform the following operations here.

- The agent can reply to the customer.
- The agent can send media files such as audio, video, pdf, docx, images and so on.
- The agent can view previous chats, by clicking "Load Previous Chats" button present at the chat window. By default, the previous chat will not be loaded. The agent has to click this button to view previous chats.

Except reply option, all other options are same that are described above.

9.2.7.5 <u>Attachment</u>

Image can be added as attachment while adding a Comment or Reply for Facebook Posts. Ameyo Users can upload one image. The maximum file size limit for the image is 4 MB.

| ust Logge 👻 UX UI Su | ut 🔹 🔁 🔽 | +5 🗸 🛕 | Multimedia_S+ | | Voicelogs More 🗸 | Reports \ | Workbench | Manage | | |
|---------------------------------|--------------------------|---------------------------|-----------------------|----------------|----------------------|-----------|---------------|------------|-----------------|----------------------------|
| | AS | Create Ticket | > | | | × | Hi, I Want 🤉 | ers 🕱 | Custome | ashboard |
| CRN No.344914 | Srajan Kumar | Escalate | | | | | oen a student | want to op | 60124779 Hi, I | .ket ld: 156035 |
| Liability INR 1,404.00 | Assets INR 198,900.00 | CRM | ٩ | 😝 7 (Search | +Create New Customer | | | | mar | Srajan Ku |
| ~ | Products | - 86d 20h R Resolution | | | | | | | ormation | Ticket Info |
| 1237 > | Credit Card | | Priority | | Status | | Queue | | | Campaign |
| INR 950,000.00 > | Saving Account | ÷ | Low | \$ | New | | Support | | Support | Multimedia_S |
| INR 20,000.00 > EMI Due Date | Home Loan | | | | | | | t | open a student | Subject Hi. I want to d |
| > | Offers | | | | Show More Info ~ | | | | | |
| | | afresh Save | Refr | | | | | | | |
| inen a student | Hi, I want to ope | | | | | | ctivities 7 | es 0 Ad | s 2 Note | Messages |
| | search for — his i want | skets - I | Add Note Only Ticke | Export Tickets | | | | | | |
| | 1 | 1:13 | 17 Jun, 2019, 14:13 | | | | | 3 | an: repyl@14:13 | f brya |
| | | | | | | | | 3 | repyl@14:1 | |
| | | Like Comment | 1 de La | | | | | | | |
| | | rune + comment | | | | | | | | |
| | | Line + Comment | 1010-00 | | | | | | one | Primary Pho |
| | | | | | | | | | one | Primary Pho |
| | | | | | | | | | one | Primary Pho |

Figure: Attachment Option in Facebook Reply

Supported Image Types for Attachments in Facebook Comment and Reply: .img, .png, .jpg, .jpeg, .tiff, .tif, .bmp, .ico

Support for Video Attachments is not available in Ameyo AppServer for Facebook as of now.

9.2.7.6 <u>Acronyms</u>

The agents can now use the Acronyms while commenting on the customer's post. The agent can use the acronyms that are being created. <u>Know more...</u>

9.2.8 Twitter Communication with Customer

The supervisor can communicate with customer using Twitter, and the working and features are similar for Supervisor as that of the agent. However, the Group Manager does not have the privileges to communicate with Twitter with customer, as the group manager is not allowed to work in interaction and chat campaigns.

Twitter is a third-party socializing application, which provides to communicate with different people. With Ameyo the customer can reach to the agent and tries to resolve its queries with the help of Twitter. There are two methods through which the customer can reach to Ameyo, Twitter tweet and Twitter Direct Messages (DM). Whenever the customer tweets any query on Twitter page or the customer directly sends a message to the organization through Twitter DM, a new ticket is created. All the operations can be performed on the Twitter ticket that can be performed on any normal ticket.

9.2.8.1 Receiving Ticket

Whenever a customer tweets any query on Twitter page of the organization or the customer directly sends a message through Twitter DM, a new ticket corresponding to the campaign and the queue will create. The agent can view the Twitter tickets on the dashboard and can reply on them as well.

Following two types of Twitter tickets can be received from the customer.

- <u>Twitter Tweets</u>
- Chat through Twitter DM

9.2.8.2 Identification of Twitter Tickets.

There are two following cases of Twitter tickets from which the ticket can be created.

- When the tweet is being raised by the customer on the page of organization's Twitter account, then the *icon* is displayed in front of the ticket. The icon shows that the ticket is raised through the Twitter tweet.
- When the customer started the chat through Twitter DM, then the icon is displayed in front of the ticket. The icon shows that the ticket is raised through the Twitter DM.

9.2.8.3 <u>Reply on Twitter Post Ticket</u>

Click on the Twitter ticket received from the customer. Following page opens up.

| AMEYO Home Knowledge Ba | se | | Omni Care+1 💙 | 🖉 🌲 💶 |
|---|---------------------------|-----------------|------------------------|----------------------------|
| < Dashboard Customers | ■@Moneysure × ■@Moneysure | × | > | Create Ticket |
| Ticket Id:2678 @moneysurebank Be a war | tior b | | | ↑Pick |
| Customer Information Q | | | | CRM |
| | | | Canc | el Create |
| timezone | phone1 | name sakshi | email | |
| bank_cm_no | phone2 | | | |
| Ticket Information | | | | New - 3d 23h A Assigned |
| Campaign Omni Care | Queue Front Office | Status New v | Priority Low | v |
| Subject @moneysurebank Be a warrior b | Show Mor | e Info v | | |
| | | | Ref | resh Save |
| Messages 2 Notes 0 Activiti | es 2 | | Add Note Reply | Via 🏹 🖄 |
| ♥+ mitch: Retweet @moneysurebank test | | | 13 | 3 Jun, 2019, 12:04 🚺 |
| To GautamS13272330 @moneysurebank test 101 | | | | |
| | | | * 1 | Reply ≓Retweet |
| ❤~ @moneysurebank test 101 | | | 13 | Aug, 2018, 00:59 |

Figure: Customer's Twitter Ticket

Following operations can be performed on the received Twitter ticket.

- 1. **Basic operations:** There are four basic operations which agent can perform on the tickets received from the customer.
 - A. **Escalate:** Enable the "Escalate" checkbox to escalate the ticket to the higher authority like the supervisor.

B. <u>Split</u>: It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | × |
|--------------------------|-----|
| | |
| Subject of the ticket 1* | |
| | |
| Subject of the ticket 2* | |
| Reason* | |
| | |
| | |
| | |
| Cancel | ave |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click ^{Split} icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".
- Provide the reason for the splitting of Ticket.
- C. **<u>Transfer</u>**: The transfer option lets the agent to transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 |
|-------------------------------------|----------------------|
| Select Queue to Transfer* Studio | ~ |
| Available Users | rs |
| Transfer to None | ~ |
| Reason* | |
| Description | |
| (| Cancel Transfer |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click → Transfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues.
- Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.
- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Provide the agent's name, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for the transferring the Ticket.
- Click "Transfer" button to transfer the ticket.
- D. **<u>Close Ticket</u>**: Click "Close" ticket button to close the ticket. After clicking on the close ticket option, a pop-up comes up.

| Close Ticket | × |
|------------------------|--------------|
| Select State Closed | ~ |
| Closure Reason * | |
| Closure Reason | |
| | |
| | Cancel Apply |

Figure: Closing Ticket

- Select the status of the ticket from the drop-down menu of the state. Agent can select one of the states which are created under the closed state by the administrator.
- Provide the "Closure Reason" for which you are trying to close the ticket.
- Click "Apply" button.
- 2. <u>**Customer Information**</u>: The first section of the page contains the information of the customer. Agent can view or modify the information. <u>Know more...</u>
- 3. <u>View Customer Cards</u>: If more than one customer is created with the same information, then number of such customers with same information will be displayed with sicon. You can click this to view the customer cards.




Figure: Customer Cards

Here, the agent can click \square to view the Customer Information in a new tab. You can also click \square icon to link this customer with other customer having same information. If the customer is new and needs to create a new customer with the provided information, then click "Create New Customer" icon. After clicking the icon all the details will be automatically filled into the customer information tab. Fill all the information and click "Create" button to create new customer.

4. **<u>Ticket Information</u>**: It contains the information of the ticket which involves the following fields.

| Ticket Information | | | | New - 5d 19h FR First Response |
|--|-----------------------|------------------|----------|-----------------------------------|
| Campaign Omni Care | Queue Front Office | Status New | Priority | Ţ |
| Subject | | | LOW | |
| Please resolve my queries | | | | |
| | | Show More Info Y | | |
| | | | | Refresh Save |

Figure: Ticket Information

1. **First Response:** It shows the first response on the ticket. First response is the time is the time when the first response has been delivered to the customer. It shows on the right side of the ticket information bar.

2. **Campaign:** It contains the name of the campaign in which the ticket has been arrived.

3. **Queue:** It shows the queue name in which the ticket has been arrived.

4. **Status:** It shows the status of the ticket. You can change the ticket status from here. Select the status which you want to set.

5. **Priority:** It shows the priority of the ticket. Agent can change the priority of the ticket from here as well. Select the priority of the ticket from the drop-down menu.

6. **Subject:** It contains the subject of the ticket.

7. **Show More Info:** Click "Show More Info" button to view more information of the ticket. It contains the custom fields created by administrator. If there are no custom fields then there will not be any fields.

You can hide this custom information of the customer. Click "Show Less Information" button to hide this section of the information.

5. **Messages:** It contains the complete list of activities that are done on the ticket raised.

| Messages 2 Notes 0 Activities 2 | Add Note 🐟 Reply Via | 7 🛛 |
|--------------------------------------|----------------------|----------|
| ♥ mitch: Retweet @moneysurebank test | 13 Jun, 2019 |), 12:04 |
| To GautamS13272330 | | |
| @moneysurebank test 101 | | |
| | ◆Reply 🛱 | Retweet |
| ♥ @moneysurebank test 101 | 13 Aug, 2018 | 8, 00:59 |
| | | |

Figure: Message Activities on Twitter Ticket

Agent can perform the following operation on the message section.

- 0. **Read Message:** Agent can simply read the messages sent through the Twitter post.
- 1. **Message count:** The message count represents the total number of the activities done on the ticket raised by the customer.

2. **Notes:** The notes count **Notes o** shows the total number of the notes which has been given on ticket of the customer.

3. **Activities:** The activities count shows the total number of the activities performed on the ticket.

4. **Export Tickets:** Export tickets option provides the feature to save all the tickets in CSV format to agent's system. Perform the following steps to export tickets.

- Click icon to export all the tickets of the customer.
- A pop-up opens up, which allows agent to download folder on specific location.

| 💿 Save As | | | | | Х |
|--|------------------------|-------------------|------------------|--------|---|
| $\leftarrow \rightarrow \land \uparrow \blacksquare$ | > This PC > Downloads | · · · · |) Search Downloa | ds | Q |
| Organise 🔻 Nev | w folder | | | · • | ? |
| This PC | ^ Name | ^ | Date modified | Туре | |
| 3D Objects | | No items match yo | our search. | | |
| 📃 Desktop | | | | | |
| Documents | | | | | |
| 👆 Downloads | | | | | |
| 👌 Music | | | | | |
| Pictures | | | | | |
| 📑 Videos | | | | | |
| 🏪 Local Disk (C:) | | | | | |
| 🕳 Local Disk (D:) | ~ < | | | | > |
| - | | | | | |
| | 1558347802214_9_7_2109 | | | | ~ |
| Save as <u>t</u> ype: | WinRAR ZIP archive | | | | ~ |
| ∧ Hide Folders | | | <u>S</u> ave | Cancel | |

Figure: Export all Tickets

- On the opened pop-up, provide the name of the file, if you want to change, it contains the default name of the file contains the date and time of the Twitter ticket arrived at the system.
- Click "Save" button.

5. <u>Add Note</u>: Click <u>Add Note</u> icon to provide the note on the ticket. After clicking on the icon, following wizard opens up.

| Messages 5 Notes 0 Activities 3 | 🖹 Add Note i 🔨 Keply Via 💙 🖸 |
|--------------------------------------|------------------------------|
| Subject Test Subject | Mark as public |
| Description Test Description of Note | Cancel Save |

Figure: Enter Note

There are two type of notes which can be given.

• **Public Note:** When the agent wants to show the note to all the viewers of tickets, whether the users or the customer, then pubic note can be provided. The public note is visible to all the agents, supervisors assigned in that campaign and also to the customer.

However, currently there is no mechanism for customer to see the public note.

Toggle the Mark as public switch to provide the public note. After toggling the switch enter the subject and description of the note and click "save" button.

• **Private Note:** When the agent wants to provide the note only for the personal use, then a private note can be applied. The private note is visible to all the agents and supervisors who are assigned in that campaign.

By default, a note is marked as private, until the status of the toggle button is not changed. For private note, enter the subject and description of the note and click "save" button.

6. **<u>Filters</u>**: If there are more than one message send by the customer, then agent can filter the messages according to the need.




Figure: Filter the Messages

Following filters are available. By default, "Only Tickets" filter will remain selected that will show only ticket messages and no notes will be displayed.

- All: It shows all the tickets and notes send by the customer.
- (Default) Only Tickets: It filter those messages which are considered as tickets.
- With Notes: It shows all the tickets with all notes provided. If the note is provided on any ticket, then agent has to apply this filter to view the note on the ticket. After the
- With Activity: It filter those messages on which some activity has been performed.

You have to select "All" or "With Notes" filter to show the notes.

7. **Access a Note:** Select "All" or "With Note" filter to access the notes. All the tickets and notes are visible as the collapsible sections.

| Messages 2 Notes 1 Activities 3 | | 🖹 Add Note 🐟 Reply Via 🛛 🏹 🖸 |
|---|-----------|------------------------------|
| 🕒 keshav: Testing Note | 🔁 Private | Today, 18:00 |
| This is the testing note | | |
| keshav: Ticket picked | | Today, 17:55 |
| mitch: Interaction unassigned from user mitch by null | | 04 Feb, 2020, 15:38 |
| 🛩 mitch: Retweet @moneysurebank test | | 13 Jun, 2019, 12:04 |
| mitch: Ticket picked | | 05 Oct, 2018, 13:44 |
| | | |

Figure: Ticket with the Note

Click the note to access it. On the collapsible bar, Public label is displayed for a public note, whereas Private is displayed for a private note.

8. **<u>Update and Delete a Note</u>:** Click icon to update or delete the note.

All the agents and supervisor assigned in the same Interaction Campaign, can update and delete both public and private notes on the assigned ticket.




Figure: Options to Update or Delete the Note

It shows the following two options.

• **Update:** Click "Update" button to edit the note inline.

| Messages 2 Notes 1 Activities 3 | | Add Note 🐟 Reply Via 🛛 🏹 🖸 |
|---|-----------|----------------------------|
| 🗅 keshav: Testing Note | D Private | Today, 18:00 |
| | | |
| This is the testing note. Updating the testing note. | | |
| | | Cancel Update |
| keshav: Ticket picked | | Today, 17:55 |
| mitch: Interaction unassigned from user mitch by null | | 04 Feb, 2020, 15:38 |
| ✓- mitch: Retweet @moneysurebank test | | 13 Jun, 2019, 12:04 |
| mitch: Ticket picked | | 05 Oct, 2018, 13:44 |

Figure: Update Note

"Update" button only be visible once the agent changes the note. Click "Update" button to save the changes.

• **Delete:** Click it to delete the note. A confirmation pop-up is displayed.

If the note is deleted, then it cannot be retrieved in any manner. It will be deleted permanently.

The following screenshot shows the confirmation message before deleting a public note.

| Confirmation | | |
|---|--------|--------|
| Are you sure you want to delete this public note? | | |
| | Cancel | Delete |

Figure: Confirmation pop-up

The following screenshot shows the confirmation message before deleting a private note.

| Confirmation | |
|--|---------------|
| Are you sure you want to delete this private note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

Click "Delete" button to delete the note permanently, else click "Cancel" button.

9. **<u>Reply</u>**: Click icon to reply to the customer on the ticket. The actions on this icon depends upon the media profile type. Click "Reply" to reply to the customer's Twitter tweet.

| Reply | |
|---------|--|
| Retweet | |

Figure: Reply on Twitter Tweet Ticket

Provide all the necessary details used while providing the reply on the customer's Twitter tweet.

| Messages 2 Notes 1 Activities 3 | | Add Note 🐟 Reply Via | 7 🛛 |
|---|---------|----------------------|------------|
| 🕒 keshav: Testing Note | Private | Toda | y, 18:00 🕕 |
| keshav: Ticket picked | | Toda | y, 17:55 |
| mitch: Interaction unassigned from user mitch by null | | 04 Feb, 202 | 0, 15:38 |
| ♥- mitch: Retweet @moneysurebank test | | 13 Jun, 201 | 9, 12:04 🔋 |
| To GautamS13272330 @moneysurebank test 101 | | ◆Reply □ | Retweet |
| Reply This is the reply to the customer's tweet. | | Cancel Send V | |
| mitch: Ticket picked | | 05 Oct, 201 | 8, 13:44 |
| ♥ ©moneysurebank test 101 | | 13 Aug, 201 | 8, 00:59 🔋 |

Figure: Reply on Twitter Tweet Ticket

The agent can click "Retweet" button to re-tweet the customer's tweet. It means that the tweet of the customer will retweeted on the organization's twitter page.

<u>Character Limit Restriction</u>: The character limit for the reply on Twitter tweet is 280. That means, the agent can send the reply to the customer that contains maximum of 280 characters.

10. **Send Options:** Agent is now able to send and change the state of the ticket simultaneously, by just clicking on "Send" button and selecting the state of the ticket.

Click \square icon present adjacent to send button. It shows the complete list of state which has been configured by the administrator.




Figure: Send and change State of Ticket

Select the state and click send button. It changes the state and send the reply to customer simultaneously.

Click "Send & Close" button to send the reply and close the ticket simultaneously.

9.2.8.4 <u>Reply on Twitter DM Ticket</u>

Click on the Twitter ticket received through Twitter DM from the customer. Following page opens up.


| < Dashboard | Customers | 🕿 Rajnath Sin | × 🔳 रोहित सरदा | × ≡Praveen G × | Ticket For × | > | Cr | eate Ticket |
|---|-------------------------|----------------------------------|----------------|-------------------|---|-----------------|----------------|--------------------------------|
| Ticket Id:2515 Ticket fo | or chat: d498-5e5 | 6a2e2-dccf-8 | | | | Escalate 🍄 Sp | plit →Transfer | ⊗Close Ticket |
| Customer Infor | mation Q | | | | | | | CRM |
| Ticket Informatio | 'n | | | | | | New | - 13d 21h FR First Response |
| Campaign Omni Care Subject Ticket for chat: d498 | 5-55-2-2 d-4 0 | Queue Front Office | | Status New | | Priority Low | | Ŧ |
| Ticket for chat: d496 | -3e30a2e2-0cc1-6 | | | | | _ | | |
| | | | Sh | ow More Info 👻 | | | | |
| | | | | | | | Refresh | Save |
| Messages 1 N | lotes 0 Activ | vities 0 | | | | 🖹 Add Note 🔹 | Reply Via | 7" 🛛 |
| mitch: Ticket for chat | t: d498-5e56a2e2-dccf-8 | | | | | | 27 Feb, 20 | 020, 13:00 |
| Customer Name Agent Name | Abdul A mitch | had | | Chat Initiated On | 2020-02-27 | 7 13:00 | | |
| | | : is Abdul Ahad aad, 12:55 PM | | | Sorry, I am unable to un ur query. I am transferri ne of my | | | |
| | | | | | C | ontinue Chat | | |

Figure: Customer's Twitter Ticket

All the operations which the agent can perform on Twitter post ticket can be performed on the ticket raised through Twitter DM. <u>Know more...</u>

Reply: Click Continue Chat button to reply to the customer on the ticket. After clicking this button the chat with the customer starts and hence, the agent is able to continue chat to the customer.

After clicking "Continue Chat" button the following chat window is displayed.





The agent can perform the following operations here.

- The agent can reply to the customer.
- The agent can send media files such as audio, video, pdf, docx, images and so on.
- The agent can view previous chats, by clicking "Load Previous Chats" button present at the chat window. By default, the previous chat will not be loaded. The agent has to click this button to view previous chats.

Except reply option, all other options are same that are described above.

9.2.8.5 <u>Attachment</u>

Image and Video can be added as attachment while replying to a tweet. Ameyo User can upload either up to 4 images or one video at a time. The maximum file size limit for an image is 5 MB, and its supported dimensions should be greater than or equal to 4x4 pixels and less than or equal to 8192x8192 pixels. The maximum file size limit for a video is 15 MB.

- Supported Image Types for Attachments in Twitter: .img, .png, .jpg, .jpeg, .webp,
 .bmp
- Supported Video Types for Attachments in Twitter: .mov, .mp4

9.2.8.6 <u>Acronyms</u>

The agents can now use the Acronyms while commenting on the customer's post. The agent can use the acronyms that are being created. <u>Know more...</u>

9.2.9 WhatsApp Communication with Customer

The supervisor can communicate with customer using WhatsApp chat, and the working and features are similar for Supervisor as that of the agent. However, the Group Manager does not have the privileges to communicate through WhatsApp with customer, as the group manager is not allowed to work in interaction and chat campaigns.

Whenever a message through WhatsApp is being sent or received from the registered or unregistered WhatsApp Number of a customer, a new ticket is created. All the operations can be performed on the WhatsApp ticket which can be performed on the normal ticket.

9.2.9.1 Send New WhatsApp Message to Customer

The agent is not able to initiate the chat through WhatsApp. The agent can only send the notifications to the unregistered customers. If the customer has replied to that notification then the agent can send the message to the customer. This same scenario is also applicable to the registered customers, that is, the agent can only send the notification to that customer. And after the reply of the customer the agent can start the chat.

However, the agent can start chat once the customer replied to the notification sent to the customer's registered number.

9.2.9.2 Receiving WhatsApp Message

Whenever a customer sends the message on WhatsApp to the organization, a new ticket corresponding to the campaign and the queue will create. The agent can view that WhatsApp tickets on the dashboard and can reply on them as well, if the ticket is assigned to that agent.

9.2.9.3 Identification of WhatsApp Tickets

When the ticket corresponding to the WhatsApp chat is created then, the icon is displayed in front of the ticket. The icon shows that the ticket is created using the WhatsApp message.

9.2.9.4 Reply on WhatsApp Ticket

Click on the WhatsApp ticket created after the chat with the customer. Following page opens up.

| < Dashboard Cust | omers Ticket For × Ticket For. | × Ticket For × Ticket For | X Ticket For X > | Create Ticket |
|--|---|---------------------------|--------------------------|-------------------------------------|
| Ticket ld:1554553729739 Ticke | t for chat: d489-5ca89b39-dccf-6 | | | 个Pick |
| Customer Information | on Q | | | CRM |
| | | | | Cancel Create |
| | | | | |
| timezone | phone1 | name WhatsApp User | email | |
| bank_crn_no | phone2 | | | |
| Ticket Information | | | | NEW - 336d 17h FR First Response |
| | | | | |
| Campaign Omni Care | Queue Front Office | Status New | Priority v Low | Ŧ |
| Subject | | | | |
| Ticket for chat: d489-5ca8 | 9b39-dccf-6 | | | |
| | | Show More Info | | |
| | | | | |
| | | | | Refresh Save |
| Messages 1 Notes | 0 Activities 1 | | Add Note | Reply Via 🛛 🏹 🖸 |
| B mitch: Ticket for chat: d489- | -Sca89b39-dccf-6 | | | 09 Apr, 2019, 18:45 |
| | | | 2010 01 00 10 15 | |
| Customer Name Agent Name | WhatsApp User mitch | Chat Initiated On | 2019-04-09 18:45 | |
| Agent Name | inten | | | |
| | | | | |
| | | | | |
| | Hi agent WhatsApp User, 06:41 PM | | | |
| | | We are trans | sferring you to our expe | |
| | | the are dans | rt. Bot, 06:41 PM | |
| | Loss has fee from to my hellow | | DOL, UO.47 PT1 | |
| | I am having issues in my battery WhatsApp User, 06:42 PM | | | |
| | | | Which type of battery? | |
| | | | mitch, 06:42 PM | |
| | | | | |
| | | | | |
| | | | Continue Chat | |
| | | | | |

Figure: Customer's WhatsApp Ticket

Following operations can be performed on the received WhatsApp ticket.

- 1. **<u>Basic operations</u>**: There are four basic operations which agent can perform on the tickets received from the customer.
 - A. **Escalate:** Enable the "Escalate" checkbox to escalate the ticket to the higher authority like the supervisor.
 - B. **Split:** It allows the agent to divide the ticket into two parts. The split feature can be used when there a single ticket contains multiple issues to be resolved by different teams or agents.

| Split Ticket | × | (|
|--------------------------|-------------|---|
| | | |
| Subject of the ticket 1* | | |
| | | |
| Subject of the ticket 2* | | |
| Reason* | | |
| | | |
| | | |
| | , | |
| | Cancel Save | |

Figure: Split Ticket pop-up

Perform the following steps to split any ticket.

- Click icon to split the ticket. A pop-up comes up.
- Provide the subject for "Ticket 1".
- Provide the subject for "Ticket 2".
- Provide the reason for the splitting of Ticket.
- C. **<u>Transfer</u>**: The transfer option lets the agent to transfer the ticket to another queue depends upon the requirement raised by the customer.

| Transfer Tickets | Tickets Selected : 1 |
|-------------------------------------|----------------------|
| Select Queue to Transfer* Studio | ~ |
| Available Users | rs |
| Transfer to None | ~ |
| Reason* | |
| Description | |
| (| Cancel Transfer |

Figure: Transfer Ticket pop-up

Perform the following steps to transfer any ticket.

- Click Transfer icon to split the ticket. A pop-up comes up.
- Select the Queue name from the drop-down list of Queues.
- Enable the "Available Users" checkbox to assign the ticket to any agent who is available at that moment.
- Enable the "Auto-assign On Users" checkbox to assign the ticket to any agent automatically by Ameyo.
- Select the user's name in "Transfer to" drop-down list, if you want to assign the ticket to any particular agent in the queue specified above.
- Provide the reason for the transferring the Ticket in "Reason" textbox.
- Click "Transfer" button to transfer the ticket.
- D. **<u>Close Ticket</u>**: Click "Close" ticket button to close the ticket. After clicking on the close ticket option, a pop-up comes up.

| Close Ticket | × |
|------------------------|--------------|
| Select State Closed | ~ |
| Closure Reason * | |
| Closure Reason | |
| | Cancel Apply |

Figure: Closing Ticket

- Select the status of the ticket from the drop-down menu of the "Select State". Agent can select one of the states which are created under the closed state by the administrator.
- Provide the "Closure Reason" for which you are trying to close the ticket.
- Click "Apply" button.
- 2. <u>**Customer Information**</u>: The first section of the page contains the information of the customer. Agent can view or modify the information. <u>Know more...</u>
- 3. <u>View Customer Cards</u>: If more than one customer is created with the same information, then number of such customers with same information will be displayed with sicon. You can click this to view the customer cards.

| Q 2 | | | | | | |
|---------------------|-------------------|---|--|--|--|--|
| Search Existing Cus | stomer | Q | | | | |
| SUGGESTED MATCHE | S: | | | | | |
| Manav | | Θ | | | | |
| # | ď | | | | | |
| % 9540592262 | ジ fdf66373a356ec. | | | | | |
| | | | | | | |
| Manav | Ø | Θ | | | | |
| # | ¶ | | | | | |
| S 9540592262 | 约 fdf66373a356ec. | . | | | | |
| abhishek.manav | | | | | | |
| or | | | | | | |
| Add as new customer | | | | | | |

Figure: Customer Cards

Here, the agent can click \square to view the Customer Information in a new tab. You can also click \square icon to link this customer with other customer having same information. If the customer is new and needs to create a new customer with the provided information, then click "Add as new Customer-+" icon. After clicking the icon all the details will be automatically filled into the customer information tab. Fill all the information and click "Create" button to create new customer.

4. <u>Ticket Information</u>: It contains the information of the ticket which involves the following fields.

| Ticket Information | | | | | NEW - 27d 20h FR First Response |
|---|-----------------------|----------------|---|-----------------|------------------------------------|
| Campaign Omni Care | Queue Front Office | Status New | Ŧ | Priority Low | ٣ |
| Subject Ticket for chat: d655-5e3ca4 | a0-dccf-24 | | | | |
| | | Show More Info | | | |
| | | | | | Refresh Save |

Figure: Ticket Information

- A. **Ticket State:** It shows the state of the ticket in which the ticket is opened with the agent.
- B. First Response: It shows the first response on the ticket. First response is the time is the time when the first response has been delivered to the customer. It shows on the right side of the ticket information bar.
- C. **Campaign:** It contains the name of the campaign in which the ticket has been arrived.
- D. **Queue:** It shows the queue name in which the ticket has been arrived.
- E. **Status:** It shows the status of the ticket. You can change the ticket status from here. Select the status which you want to set.
- F. **Priority:** It shows the priority of the ticket. Agent can change the priority of the ticket from here as well. Select the priority of the ticket from the drop-down menu.
- G. **Subject:** It contains the subject of the ticket.
- H. **Show More Info:** Click "Show More Info" button to view more information of the ticket. It contains the custom fields created by administrator. If there are no custom fields then there will not be any fields.

You can hide this custom information of the customer. Click "Show Less Information" button to hide this section of the information.

- 5. **Link Tickets:** The link ticket section allows the agent to link multiple tickets with each other. In this, a parent ticket is linked with its subordinates tickets which treats like child tickets for the parent tickets. <u>Know more...</u>
- Messages: It contains the complete list of messages sent by the customer through WhatsApp.

| Messages 3 Notes 0 | Activities 2 | | Add Note | Reply Via | 7 2 |
|------------------------------------|--|-------------------|--|--------------|-------|
| System: Outbound notification vi | ia whatsapp | | | 20 Nov, 2019 | 20:37 |
| System: Outbound notification vi | ia whatsapp | | | 20 Nov, 2019 | 20:19 |
| FON: Ticket for chat: d698-5dcc0ff | f-dccf-64 | | | 20 Nov, 2019 | 20:19 |
| Customer Name Agent Name | WhatsApp User ron | Chat Initiated On | 2019-11-20 20:19 | | |
| | Heksudvsbs WhatsApp User, 08:19 PM Transfer WhatsApp User, 08:19 PM | | Sorry, I am unable to understand yo ur query. I am transferring you to o ne of my colleagues. Bot, 08:19 PM | | |

Figure: Chat of Customer through WhatsApp in Message Section of Ticket

The message also contains the complete chat done over the WhatsApp in between the agent and customer.

Agent can perform the following operation on the message section.

- A. **Read Message:** Agent can simply read the chat of the agent and customer.
- B. **Message count:** The message count Messages 1 represents the total number of the fellow tickets on this same ticket.
- C. **Notes:** The notes count Notes of shows the total number of the notes which has been given on ticket of the customer.
- D. Activities: The activities count shows the total number of the activities performed on the ticket.
- E. **Export Tickets:** Export tickets option provides the feature to save all the tickets in CSV format to agent's system. Perform the following steps to export tickets.

- Click con to export all the WhatsApp tickets of the customer.
- A pop-up opens up, which allows agent to download folder on specific location.

| Save As | | | | | | | | × |
|---|----------|------------------|---|--------------|--------|--------------|-------|-----|
| $\leftarrow \rightarrow \cdot \cdot \uparrow$ | This | PC > Downloads | | | 5 v | Search Down | loads | Q |
| Organise 👻 New | w folder | r | | | | | | ? |
| This PC | ^ | Name | ^ | | D | ate modified | Туре | |
| 🗊 3D Objects | | | | No items mat | ch you | r search. | | |
| E. Desktop | | | | | | | | |
| Documents | | | | | | | | |
| 👆 Downloads | | | | | | | | |
| b Music | | | | | | | | |
| Pictures | | | | | | | | |
| Videos | | | | | | | | |
| 🏪 Local Disk (C:) | | | | | | | | |
| 👝 Local Disk (D:) | · · | (| | | | | | > |
| | | | | | | | | |
| File <u>n</u> ame: | | 7802214_9_7_2109 | | | | | | ~ |
| Save as <u>t</u> ype: | WinRA | R ZIP archive | | | | | | ~ |
| ∧ Hide Folders | | | | | | <u>S</u> ave | Cano | :el |

Figure: Export Tickets

- On the opened pop-up, provide the name of the file, if you want to change, it contains the default name of the file contains the date and time of the WhatsApp ticket arrived at the system.
- Click "Save" button.
- F. <u>Add Note</u>: Click <u>Add Note</u> icon to provide the note on the ticket. After clicking on the icon, following wizard opens up.

| Messages 5 Notes 0 Activities 3 | 🖹 Add Note 🔸 Reply Via 🛛 🏹 🖸 |
|---------------------------------|------------------------------|
| Subject | |
| Test Subject | Mark as public |
| Description | |
| Test Description of Note | Cancel Save |

Figure: Enter Note

There are two type of notes which can be given.

• **Public Note:** When the agent wants to show the note to all the viewers of tickets, whether the users or the customer, then pubic note can be provided. The public note is visible to all the agents, supervisors assigned in that campaign and also to the customer.

However, currently there is no mechanism for customer to see the public note.

Toggle the Mark as public switch to provide the public note. After toggling the switch enter the subject and description of the note and click "save" button.

• **Private Note:** When the agent wants to provide the note only for the personal use, then a private note can be applied. The private note is visible to all the agents and supervisors who are assigned in that campaign.

By default, a note is marked as private, until the status of the toggle button is not changed. For private note, enter the subject and description of the note and click "save" button.

G. <u>Filters</u>: If there are more than one message send by the customer, then agent can filter the messages according to the need.

| 7 | |
|---------------|--|
| All | |
| Only Tickets | |
| With Notes | |
| With Activity | |

Figure: Filter the Messages

Following filters are available. By default, "Only Tickets" filter will remain selected that will show only ticket messages and no notes will be displayed.

• All: It shows all the tickets and notes send by the customer.

- (Default) Only Tickets: It filter those messages which are considered as tickets.
- With Notes: It shows all the tickets with all notes provided. If the note is provided on any ticket, then agent has to apply this filter to view the note on the ticket. After the
- With Activity: It filter those messages on which some activity has been performed.

You have to select "All" or "With Notes" filter to show the notes.

H. <u>Access a Note</u>: Select "All" or "With Note" filter to access the notes. All the tickets and notes are visible as the collapsible sections.

| 🕒 keshav: Testing Note | Private | Today, 13:36 |
|--|---------|---------------------|
| This is the testing note for WhatsApp chat. | | |
| keshav: Ticket picked | | Today, 13:36 |
| FON: Ticket for chat: d456-5d010d75-dccf-245 | | 08 Aug, 2019, 10:22 |

Figure: Ticket with the Note

Click the note to access it. On the collapsible bar, 🖻 Public label is displayed

for a public note, whereas Private is displayed for a private note.

I. **<u>Update and Delete a Note</u>:** Click icon to update or delete the note.

All the agents and supervisor assigned in the same Interaction Campaign, can update and delete both public and private notes on the assigned ticket.

| Update | |
|--------|--|
| Delete | |

Figure: Options to Update or Delete the Note

It shows the following two options.

• **Update:** Click "Update" button to edit the note inline.

| Messages 1 Notes 1 Activities 0 | | 🖥 Add Note 🐟 Reply Via 🛛 🏹 🛛 |
|--|---------|------------------------------|
| 🗅 keshav: Testing Note | Drivate | Today, 13:36 |
| | | |
| This is the testing note for WhatsApp chat. | | |
| | | Cancel Update |
| Keshav: Ticket picked | | Today, 13:36 |
| FON: Ticket for chat: d456-5d010d75-dccf-245 | | 08 Aug, 2019, 10:22 |

Figure: Update Note

"Update" button only be visible once the agent changes the note. Click "Update" button to save the changes.

• **Delete:** Click it to delete the note. A confirmation pop-up is displayed.

If the note is deleted, then it cannot be retrieved in any manner. It will be deleted permanently.

The following screenshot shows the confirmation message before deleting a public note.

| Confirmation | |
|---|---------------|
| Are you sure you want to delete this public note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

The following screenshot shows the confirmation message before deleting a private note.

| Confirmation | |
|--|---------------|
| Are you sure you want to delete this private note? | |
| | Cancel Delete |

Figure: Confirmation pop-up

Click "Delete" button to delete the note permanently, else click "Cancel" button.

J. **<u>Reply</u>:** Click <u>Continue Chat</u> button to reply to the customer on the ticket. After clicking this button the chat with the customer starts and hence, the agent is able to continue chat to the customer.

After clicking "Continue Chat" button the following chat window is displayed.

| © <u>Jack</u> ■ | - | × |
|--------------------------|---|---|
| Load Previous Chats | | |
| Jack has joined the chat | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Send a message | | |
| | | |

Figure: Continue Chat Window

The agent can perform the following operations here.

- The agent can reply to the customer.
- The agent can send media files such as audio, video, pdf, docx, images and so on.
- The agent can view previous chats, by clicking "Load Previous Chats" button present at the chat window. By default, the previous chat will not be loaded. The agent has to click this button to view previous chats.

The reply option from here is bounded with the time frame provided by WhatsApp. After the expiry of this time, you cannot start WhatsApp chat from here. In such cases, the agent can reply to the customer through other mediums like calling, email, and so on.

For further information about WhatsApp communication, <u>click here</u>.

9.2.9.5 <u>Reply via WhatsApp Feature</u>

In "Reply Via" option, "WhatsApp" option has been added that will be available when WhatsApp is integrated into Ameyo Application Server.

| ^ | Messages 1 Notes 0 | Activities 0 | | | |
|---|-----------------------------|---|-------------------|--|--|
| | | | | ZExport Tickets 🗎 Add Note Only Tickets | Reply Via: |
| | mitch: Ticket for chat: d | 805-5dd6c17c-dccf-94 | | 09 Dec, 2019, 13:25 | f Facebook ✓ Twitter |
| | Customer Name Agent Name | Ayush Khanna mitch | Chat Initiated On | 2019-12-09 13:25 | Whats App Email |
| | | Hi Ayush Khanna, 01:24 PM Fgjju Ayush Khanna, 01:24 PM | | Hello Ayush Khanna I How may I help you? Bot, 01:24 PM Sorry, I am unable to understand your query. I am transferring you to one of my colleagues. Bot, 01:24 PM | |
| | | | | Continue Chat | |
| | | | | | |

Figure: Reply Via Options

If a Chat Campaign is not selected, then the above options will be disabled for all channels, and a message is displayed in the tooltip on the mouse hover.

9.2.9.6 Process

While sending the message, sendMessageAPI is used to check whether the 24-hour window is still active or not.

- <u>24-hour window is active</u>: If the 24-hour window is active, then the message will be sent. If the success response for the delivery is received, then the message will be displayed as delivered.
- **<u>24-hour window is expired</u>**: If the 24-hour window has expired, then the message will be failed to send, and there will be a failure callback with error 470.
 - If user initiated outbound messages are allowed: Use the message template configured for text message or attachment to send the agent's message content as an outbound message. During this action, the system will check the type of message to find out and select the suitable message template. For example, "image" template will be used for image, "text" template will be used for text, and so on.
 - If user initiated outbound messages are not allowed: It will be indicated that the message is failed to send, and a message is displayed to inform the agent. The chat input box will be disabled to prevent sending any more messages.
 - For any other errors: Show that the message failed to send.

9.2.9.7 If Not Configured

If the Administrator has neither configured the WhatsApp Outbound Notifications nor enabled the option to allow the Ameyo User to reply via WhatsApp even after 24 hours, then the textbox to send the messages will be disabled in the Chat modal.



Figure: Chat is disabled as the User is not allowed to continue chat after the 24-hour period

9.2.9.8 Normal Behavior

If the Administrator has configured WhatsApp Outbound Notifications as well as enabled the option to allow the Ameyo User to reply via WhatsApp even after 24 hours, then the textbox to send the messages will remain enabled in the Chat Modal.




Figure: Chat is enabled

9.2.9.9 FAQs

9.2.9.9.1 Can I send any message to any user at any time?

No.

If a user contacts an enterprise, the enterprise can respond with any type of message in the next 24 hours. This type of message is free.

But if the enterprise is contacting a user before the user sends a message or after more than 24 hours have passed, the enterprise can only send a message template. This is a paid notification.

Free-form text messages and media messages will not work outside this 24-hour window. They will result in a failure callback with error 470.

Reference: <u>https://developers.facebook.com/docs/whatsapp/faq#faq_304185363498132</u>

9.2.9.9.2 How do I handle cases where I need to send customer care response after 24h?

There may be cases where you need more time to handle a customer query and may only be able to respond after 24 hours. We recommend creating message templates to either:

- deliver the result to the user, or
- prompt the user to reply to activate the customer service window.

In both cases, please ensure you provide as much context to the message template as possible. For example:

- "Hello {{1}}, regarding the issue you reported earlier, we regret to inform you that {{2}}. Apologies for any inconvenience caused."
- We have updates regarding your ticket. Please respond back if you'd like to continue support."

Ameyo 4.81 GA

9.2.10 Missed Chats

There are often times when the customer initiated the chat in non-working hour or sometimes the agent failed to reply to the customer on-time, thus the customer left without getting any reply. In such cases, a missed chat is being recorded in the system. The agent can see such missed chats and also can reply to the customer. There are times when the missed chat can be recorded from already registered customer or sometimes new customer can also register for the missed chat.

A missed chat can be recorded in the following scenarios.

- 1. The customer messaged during Non-office hours or on holiday.
- 2. The agent is not free and the customer left chat after some time.
- 3. The customer sent the message and left chat without waiting for the reply.

Following screenshot shows the created missed chat ticket from the customer.

| | Home | Knowledge | e Base | | | New_Interact | ion+1 💙 | ۵ | | 3 ~ | Just Logg | ed 🗸 | al Y |
|------------------------------|---------------|----------------|--------------------------------|------------------------------|-------------------|--------------|----------------|------------------|-------------|-----------|---------------|---------|------------------------|
| < Dashboard | Cust | omers | ■Missed Cha × ■Misse | ed Cha × | | | | | | > | | Creat | e Ticket |
| Ticket Id: 3676 | Missed Cl | nat from: Ma | ac Ferrer | | | | | | | | | | ↑Pick |
| ✓ Customer | Informatio | on | | | | Θ | Search | | ٩ | | | CRM | |
| ∧ Ticket Infe | ormation | | | | | | | | | | | [| - 2d 22h A Assigned |
| Campaign New_Interac | tion | | | Queue Front_Office_new123 | Status New | | | Priorit V Low | | | | | Ŧ |
| Subject Missed Chat | t from: Mac | Ferrer | | | | | | | | | | | |
| | | | | | | | | | | | E | Refresh | Save |
| Messages | 1 N | otes 0 A | Activities 0 | | | | | | | | | | |
| | | | | | | | ZExport Ticke | ets 🖹 Add | Note Only | Tickets 👻 | | | |
| f Mis | ssed Chat fro | om: Mac Ferrer | | | | | | | | 15 May | (2020, 13:32 | | |
| Customer N Agent Nam | | | Mac Ferrer | | Chat Initiated On | 20 | 20-05-15 13:32 | | | | | | |
| | | | hello Mate Ferrer, GB 52 AM | | | | | | | | | | |
| | | | | | | | | Cor | tinue Chat | | | | |

Figure: Missed Chat Ticket

Perform the following steps to reply to the customer whose chat was missed.

 If missed chat is from the unknown customer, then create the customer for that chat, else if, the missed chat is from known customer, then the agent can link that customer to the already existing customer.

If the agent does not provide the customer information, then the agent will not be able to reply to that customer. It means that it is required to create the customer first.

- 2. Click "Create New Customer" option present in the customer details and provide the information about the customer.
- 3. If the customer is returning customer, that is, the customer is already existing in the system, then you can link that customer to the existing customer. The following screenshot shows the linking of the ticket.

| Customer Informatio | m (Q) 😑 | | | | CRM |
|--|----------------|------------------|----------|----------------------|--------------------------------|
| Ticket Information | Nimi | + 12 Ø | | New | - 13d 21h FR First Response |
| Campaign Omni Care Subject Ticket for chat: d498-5e56 | ■ 843939820 | Status | <u> </u> | Priority Low | * |
| | | Show More Info 👻 | | Refresh | Save |
| Messages 1 Notes | 0 Activities 0 | | | Add Note A Reply Via | ₹" 2 |
| f Missed Chat from: Nimi | i | | | | |

Figure: Linking Customer in Missed Chat

- Once the customer is created "Continue Chat" button is visible. The agent can click
 "Continue Chat" button to start the chatting with the customer.
- 5. After clicking "Continue Chat" button, the agent can continue chatting with the customer through chat wizard.

| a: 3676 Missed Chat from: Mac Ferrer | r | | Escalate 1 | | |
|--------------------------------------|--------------------------------------|-------------------|--|--|--|
| Messages 1 Notes 0 Activities 0 | | | | | |
| | | | 🗹 Export Tickets 📲 Add Note Only Tickets 👻 | | |
| f Missed Chat from: Mac Ferrer | | | 15 May, 2020, 1 | | |
| Lustomer Name Igent Name | Mac Ferrer | Chat Initiated On | 2020-05-15 13:32 | | |
| a1 - May 18, 1 | Hello 2-39 PM Hello 2-39 PM | | | | |

Figure: Continue Chat with Customer

9.3 Voice Communication

Voice Communication with the customer can be established through inbound calls in any Inbound (Interactive Voice Application) Campaign, Outbound Voice Campaign, and Predictive Voice Campaign.

Voice Communication can be established using any of the following ways. Click the links to know more about them.

- Voice Telephony Panel
- Inbound Call
- Outbound Call
 - Outbound Click to Call
 - Outbound Manual Dial Call
 - <u>Manual Preview Dial Call</u>
 - <u>Auto-dial Outbound Call</u>
 - <u>CTI Display</u>
 - <u>Call Control Functions</u>
 - <u>Schedule Callback</u>
 - <u>Call Details</u>

9.3.1 Voice Telephony Panel

All the functionalities of voice telephony panel for supervisor and group manager are similar as that of agent.

There are two types of telephony panels available in Ameyo.

9.3.1.1 Voice Telephony Panel for Soft-Phone

In order to make a call, the agent has to click button, a pop-up slides to the left at the top right corner.

Figure: Telephony Panel

The opened pop-up is the telephony panel for the Soft-Phone, which is used to dial the call to the customers. For the soft-phone selection, the agent has to select the soft-phone extension provided by the organization.

9.3.1.2 Voice WebRTC Telephony Panel

In order to make a call, the agent has to click button, a pop-up slides to the left at the top right corner.




Figure: Telephony Panel

The opened pop-up is the telephony panel for the WebRTC, which is used to dial the call to the customers.

Refer to the following pages.

- <u>Troubleshoot WebRTC Telephony Panel</u>
- Monitor Health of Calls made using WebRTC

9.3.1.2.1 Functions on Telephony Panel

<u>Searchable Fields of Telephony Panel</u>: It is quite normal for the agent to search the information of the customer before making a call. The agent can search the customer through the information which is present with the agent, and if that field is searchable. This feature is configurable and can be configured by the administrator at the time of campaign creation.

If the agent is staffed in the multiple campaigns, then the agent has to select the campaign in the Telephony Panel first.




Figure: Campaign Selection

After selecting the campaign, the user can click the search bar in the telephony panel to access the list of searchable fields. By default, only one field can be selected to conduct the search for the typed keywords.

| LR_ | Exhibit | ~ |
|------|---------------------|---|
| ~ | Search for customer | ٩ |
| Sear | rch within: | |
| Acc | ount Number | |
| CRN | Number | |
| Pho | ne 1 | |
| Twit | tter ID | |
| Face | ebook ID | |

Figure: Select Field in Telephony Panel

Ameyo 4.81 GA

Only the searchable fields set in the data table will be listed here. If the configuration is done at the backend about the searching keywords then the Ameyo User can select the fields in which the search has to be performed.




Figure: Select the Searchable Fields in the Telephony Panel

After selecting the fields, the Ameyo User can type any keyword and click "View" or "Call". If multiple customers are found for a single keyword result, then a modal is displayed in which the Ameyo User can select the required customer.

| Multiple Custo | omers Found | | | | × | |
|---|-------------|--------|--------|--------|----------------|--|
| Try searching a unique attribute to get fewer results | | | | | | |
| | name | phone1 | phone2 | phone3 | | |
| | Nadi | 94314 | | | ~ | |
| | Nadi | 97715 | - | - | ~ | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | Cancel |) Dial Custome | |

Figure: Multiple Results for a search

Click "View" to view the Customer Information page and click "Call" to access "Create and Dial" or Dial Only" options.

- Inbound Call
- Outbound Call
- <u>Call Control Functions</u>
- Attach Tickets with Call

9.3.2 Inbound Call

All the functionalities of Inbound call for supervisor and group manager are similar as that of agent.

Whenever the agent receives an incoming call or an outbound call assigned by the dialer, a pop-up appears on the screen that overrides all other tasks.

| | Home | Call Details | | | | Outbond+1 | • 🌲 | • | | Availab | le 🗸 | Administra | ator 🔻 |
|---------------------------|------------|-----------------|----------------------|-------------|--|-----------|---------|-----|----------|---------------|---------|------------|--------|
| Knowledge | Base Cu | ustomer Details | | | | _ | | | | | | | |
| Customer Information | | | | Accept Call | | | | | | 8888 ected | | | |
| CRM | | | | | There is an incoming call from 8888 321213. Campaign: InBound | for DNIS | | | Campaign | | InBound | | |
| CRIW | | | | | | | | | Queue | | qq | | |
| | IEYOI | CRMUTE | Basic Info | | Reject | Accept | 6 8888 | | | | +#) | | |
| | | | Personal Information | | | | | | | End | Call | | |
| Quick Disp | osition | | First Name | . Г | | Last | Name | | | | | | |
| Set Dispos | ition | | | : [| | | | : L | | | | | |
| Abrupt disc | connection | V | Middle Name | : [| | Salut | tation | : [| | | | | |
| Set Callbac | ck | | DOB | : [| | Com | pany | : [| | | | | |
| Self Call | | | Address | | | | | | | | | | |
| O Local TZ | | | | | | | | | | | | | |
| | Select CBK | Time | House No. | : [| | Stre | et | : [| | | | | |
| Custome | Select CBK | Time | Landmarks | : [| | City | | : [| | | | | |
| After | | | Zip | : [| | State | 2 | : [| | _ | | | |
| | ays Hrs | | Country | : [| | | | | | | | | |
| | Save & Dis | pose | Contact Details | | | | | | | | | | |
| | | | Home Phone | : [| | Offic | e Phone | : [| | | | | |

Figure: Call Notification

However, this Accept and Reject pop-up will not be available during the Auto-dial call and manual operations.

The Supervisor can click "Accept" to accept the incoming call, whereas the Supervisor can click "Reject" to reject the call.

This pop-up to accept or reject the call is not displayed when the user is performing manual operations such as dialing the calls manually.

After clicking accept, the call will be connected and the agent can communicate with the customer.

| | 5 Conn | 001 ected | | <u>} (</u> | | | | |
|--------------------|---|------------------|----------|------------|--|--|--|--|
| | Campaign: Inbound Campaign | | | | | | | |
| | | | | | | | | |
| Call Type: Inbound | | | | | | | | |
| П | * | +*** | <u>ए</u> | I. | | | | |
| | End 00:0 | | 1 | | | | | |
| You can attach | not attached wi this call to an e cket/lite ticket. 1 e. | xisting ticket o | | | | | | |
| | | Crea | te New ^ | | | | | |

Figure: Agent Communicating with the Customer on Incoming Call

Call Control Functions are discussed in <u>"Call Control Functions"</u> page.

Refer to <u>"CTI Display" Page</u> to know about the CTI Display with an inbound or outbound call.

The agent can add the notes during or after the call. Know more...

After the call the agent can dispose the call. Know more...

9.3.3 Outbound Call

There are following three ways to have an outbound call. Click the links to know more about them.

- <u>View Customer Information and Click to Call</u>
- Manual Dial Call
- Manual Preview Dial Call
- Auto Dial Call

9.3.3.1 View Customer Information and Click to Call

All the functionalities of Outbound calling for click to call for supervisor and group manager are similar as that of agent.

It is actually making the call through the customer information. Perform the following step.

1. In "Customers" Tab, click the customer that has a phone number. Its information is displayed in a new tab.

| Dashboard C | Eustomers | ●_bunny × | | | Campaign* | <u> </u> |
|-------------------|-----------|-----------------------|-----------------|---------------------|--------------------------------|----------|
| Customers | | | | | OutboundCampaign | × Ⅱ ∦ |
| balleballe | | | | | ✓ 9078563432 | |
| | | | | | View | Call |
| balleballe | | | | | | |
| name | | phone1 | email | | | |
| bunny | | 9078563432 prione2 | | | | |
| facebook | | phone2 | phone3 | | | |
| | | - | | | | |
| phone5 | | timezone | | | | |
| | | | | | | |
| | | | | | | |
| ♀ V Filter | | | | | Search | ٩ ٥ |
| All Media | ✓ All Tic | kets 🗸 🛗 Date From | × 🗰 Date To 🛛 🗙 | Date Modified, Desc | - 0 of 0 < > | + 🖻 |
| | | | | | | |
| | | | | | | |

Figure: Calling a Customer through Customer Information

- 2. Click the number. A pop-up slides from the left side that contains the Ameyo's telephony dialer.
- If there are multiple campaigns to facilitate outbound calls, the telephony dialer lists them and the agent has to select a campaign. After selecting the campaign, the call is connected and the dialer starts to dial the customer's number.




Figure: Calling a Customer

4. Once the customer answers the call, the agent can talk to the customer.




Figure: Ongoing Outbound Call

Ameyo 4.81 GA

Now, the Keypad will be replaced with the call control functions. <u>Know more...</u>

- 5. The agent can add the notes during or after the call. <u>Know more...</u>
- 6. After the call the agent can dispose the call. Know more...

9.3.3.2 Make a Manual Dial Call

All the functionalities of Outbound calling for Manual Dial for supervisor and group manager are similar as that of agent.

Perform the following steps to make a manual dial call.

1. In order to make a manual dial call, the agent has to click button, a small pop-up slides to left at the top right corner.

| ~ | Search for | customer | |) |
|---|------------|----------|------|---|
| | View | | Call | |
| | | | | Н |
| | | | | |
| | | | | |
| | | | | |

Figure: Manual Dial

2. If there are more than one campaign that supports the outbound calls, then agent has to select one the campaign first from which the call has to be made.

| Select a campaign to continue | Campaign* | <u>> </u> |
|-------------------------------|-------------------------------|---|
| | Select a campaign to continue | |
| OutboundCampaign | InboundCampaign | |
| | OutboundCampaign | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Figure: Campaign Selection

3. After selection of campaign, click 🛄 icon to show the numeric keypad.

| / | Search for | customer | | | | |
|--------------|------------|--------------|------|--|---------------------------|--|
| | 1 | 2 ABC | 3DEF | | | |
| 4 GHI | | 5jkl | 6ммо | | 6мло 9 _{WXYZ} | |
| 7 | PQRS | 8 TUV | | | | |
| | * | 0+ | # | | | |
| | View | | Call | | | |

Figure: Numeric Keypad

4. The agent can either type the number through keyboard or use this numeric keypad to punch the number.

- 5. After entering the number, the agent can click "Call" button to dial it.
- 6. If the number is registered, the customer information is displayed on the screen instantly.
- 7. If the number is not registered in the system, the following pop-up is displayed on the screen.

| Customer Not Found | × |
|--|----------------------------------|
| No customer exists for this phone number. Do you want to create a customer and dia | al? |
| | Cancel Dial only Create and Dial |

Figure: Calling Manually to a New Number

It contains the following two options.

• <u>Create and Dial</u>: Click it to create the customer first in the system and then dial the number.

| Home Call Detail | | | jai mata di+1 💙 | ٠ | N | 🗡 🔹 Available | | agent1 | |
|------------------------|-----------------------|--------|-----------------|-----------|----------|--|------|--------|----|
| K AMEYO B Create Custo | | | | | | Comming | | | L. |
| Customer Information | | | | | ^ | Campaign* OutboundCampaign | | ~ | 1 |
| name | phone1* 9874563201 | phone2 | phone3 | | | ✓ 9874563201 ✓ View | Call | | _ |
| phone4 | phone5 | email | facebook | | _ | | | | |
| twitter | timezone | | | | | | | | |
| | | | Cancel Refresh | Create an | d Dial | | | | |
| | | | | | | | | | |

Figure: Create and Dial

Here, you have to provide the following inputs.

- Name
- Phone 2
- Phone 3
- Phone 4

- Phone 5
- Timezone
- Twitter
- Facebook
- Email

After providing the inputs, click "Create and Dial" to save the customer details and dial the number. Before dialing, you have to select the campaign again.

- **Dial Only:** Click "Dial Only" to dial the call straightaway without saving the number with a new customer.
- 8. The call is connected and the dialer starts to dial the customer's number.




Figure: Calling a Customer

9. Once the customer answers the call, the agent can talk to the customer.

| | | I52345 ected | |
|--------------|--|-----------------|----------|
| | Campaign: (| Dutbound Ca | ampaiqn |
| | Queue: - | - | |
| | Call Type: | Manual Dial | |
| Ш | * | +== | 5 |
| | End 00:0 | | Ţ |
| This call is | not attached w | ith any ticket | |
| | this call to an e cket/lite ticket. e. | | |
| | | Crea | te New ^ |
| | | | |

Figure: Ongoing Outbound Call

Now, the Keypad will be replaced with the call control functions. Know more...

- 10. The agent can add the notes during or after the call. Know more...
- 11. After the call the agent can dispose the call. Know more...

In case of manual dial, the agent can create the customers, if they are not exist in the system.

It is not recommended to dial the call without creating the customer.

9.3.3.3 Preview Manual Dialing

All the functionalities of Outbound calling for Preview Manual Dial for supervisor and group manager are similar as that of agent.

Preview Manual Dialing enables the agents to first view the available information about the customer and provides a timeframe before dialing the customer. In this time-frame, the agent can also click "Call" to call the customer.

Perform the following steps to make a Manual Preview Dial call.

1. Click button, a small pop-up slides to left at the top right corner.

| ~ | Search fo | r customer | |) |
|----------|-----------|-------------------|------|---|
| | View | $\supset \subset$ | Call | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Figure: Manual Dial

2. If there are more than one campaign that supports the outbound calls, then agent has to select one the campaign first from which the call has to be made.

| Select a campaign to continue | Campaign* | <u>ر</u> |
|-------------------------------|-------------------------------|----------|
| - | Select a campaign to continue | |
| OutboundCampaign | InboundCampaign | 2 |
| | OutboundCampaign | - |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Figure: Campaign Selection

3. Click 🛄 icon to show the numeric keypad.

| / | Search for | customer | | |
|--------------|------------|--------------|-------------------|--|
| | 1 | 2 ABC | 3DEF | |
| 4 GHI | | 5jkl | 6 мNO | |
| 7 | PQRS | 8 TUV | 9 _{WXYZ} | |
| | * | 0+ | | |
| | View | | Call | |

Figure: Numeric Keypad

4. The agent can either type the number through keyboard or this numeric keypad to punch the number.

- 5. After entering the number, click button to view its information.
- 6. If the number is not registered in the system, an error message is displayed.

| م | MEYO | Home Knowl | edge Base | Call Details | | | | InteactionCa+2 💙 | · 🌲 | | 🌖 💙 💿 Available | | a1 🗡 |
|----------|-------------------|--------------------------|-------------------|---------------|---------------|---|-----------|------------------|-------------------------------|-----|------------------|------|----------|
| < Das | hboard | Customers | | | | | | | | | Campaign* | | <u> </u> |
| Q N | Filter | | | | | | | | | | OutboundCampaign | | × 11 |
| | All Med | ia V | All Tickets | | ✓ 🗰 Date From | × | 🗰 Date To | × Date Mod | ified, Desc | - | ✓ 9632145878 | Ĩ | |
| | | a2 Help us protect yo | u: Security advic | e from Google | NEW | | = | 1 | - 1d 23h FR First Response | Low | View | Call | |
| | X - | al new mail | | | NEW | | = | 1 | - 2d 18h FR First Response | Low | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | - 1 | | | - 11 |
| | | | | | | | | | | - L | | | _ |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 1 | O Cut | omer does not exist | | | × | | | | | | | | |
| | ⊗ ^{Cust} | onici doca not exist | | | | | | | | | | | |

Figure: Customer Does not Exist

In such a case, you can click "Call" button that provides you the options - "Create and Dial" and "Dial Only."

7. If the customer is available, its information is displayed on the screen. The timer runs that shows after how much time the call will be connected to the customer.

| shboard Customers | e Customer | | > | Create Ticket | \$ 9666885587 |
|-----------------------|----------------------|--------------------------|---------------------|---------------|--------------------------------------|
| tomers | Search | ۹ + 8 | | | lakhan19 |
| | | | | | Campaign: Voice outbound |
| Customer2Test | | | CRM (| ^ | Queue: |
| | | | | | Call Type: Preview |
| Customer2Test | | | | ✓Edit | 00:02 Remaining Time for AutoDial |
| name | phone1 | email | twitter | | |
| Customer2Test | 7489878979 | | | | Alternate Number |
| facebook | phone2 | phone3 | phone4 | | Phone Number 🛛 🗸 |
| | | | | | |
| phone5 | timezone | | | | Cancel Call |
| - | | | | | |
| ▼Filter | | | Search | ٩ ٩ | |
| All Media 🗸 All Ticke | ts 🗸 🏥 Date From X 🏥 | Date To × Date Modified, | De ▼ 0 - 0 of 0 < > | + 🗵 | |
| | | | | | |
| | | | | | |

Figure: Showing the Customer

If there is another number of the customer, then the agent can provide that number in the alternate number textbox of the telephony panel. The agent can either wait for the auto dialer to connect the call or click "Call" manually.
 The call is connected and the dialer starts to dial the customer's number.




Figure: Calling a Customer

Now, the Keypad will be replaced with the call control functions. Know more...

- 9. The agent can add the notes during or after the call. Know more...
- 10. After the call the agent can dispose the call. Know more...

9.3.3.4 Auto Dial

All the functionalities of Outbound calling for Auto Dial for supervisor and group manager are similar as that of agent.

In case of Auto Dial, the dialer throws the call to the agents and the agent is asked to accept or reject the call.




Figure: Outbound Call Sent by the Dialer.

Accept/Reject Pop-up will not available during manual operations.

As soon as the call is sent, the customer information is also displayed on the screen. If the customer is not registered already, the customer information fields will remain blank.

The agent has to perform the following steps here.

1. Click "Accept" to attend the call.

However it is not recommended, still the agent can click "Reject" to reject the call.

2. The call is connected. In case of "Progressive Dialing", the agent has to wait until the customer is connected. However in case of "Preview Dialing", the customer is already connected with the dialer and then the call is given to the agent, so the agent can start talking with the customer.

| | | 452345 lected | |
|--------------|---|------------------|----------|
| | Campaign: (| Outbound Ca | ampaiqn |
| | Queue: - | | |
| | Call Type: | Manual Dial | |
| П | * | +=== | U: |
| == | End 00:0 | Call 08:51 | • |
| This call is | s not attached w | ith any ticket | |
| | h this call to an e iicket/lite ticket. re. | | |
| | | Crea | te New ^ |
| | | | |

Figure: Calling a Customer

In case of Auto-dial Outbound Call with Preview, the agent gets sometime (fixed by the administrator) to go through the customer information. After that time, the call is connected. The agent can also click "Call" button before that to connect with the customer.

| | 9666885587 lakhan19 | | | | | |
|----------------------|--------------------------------------|--|--|--|--|--|
| | Campaign: Voice outbound | | | | | |
| | Queue: | | | | | |
| | Call Type: Preview | | | | | |
| | 00:02 Remaining Time for AutoDial | | | | | |
| | Alternate Number 🛛 🛛 🗸 | | | | | |
| | Cancel Call | | | | | |
| Figure: Preview Time | | | | | | |

Now, the Keypad will be replaced with the call control functions. <u>Know more...</u>

- 3. The agent can add the notes during or after the call. Know more...
- 4. After the call the agent can dispose the call. Know more...

9.3.4 CTI Display, Functions, and Operations

All the functionalities and operations of CTI Display for supervisor and group manager are similar as that of agent.

9.3.4.1 <u>Allowed Strings to be dialed</u>

There are several cases when the agent has to search the customer through the customer's number, name or any other string which the agent has with it. With the entered characters the Ameyo will search the customer's information who has anything related to the entered string. And, the agent can also dial that entered string of characters which may cause the issues to the call servers. But Ameyo does not allow the dialer to dial that entered string. In such cases, if the entered number has alphabets, then the "Dial only" button will remain disabled and hence, the call will not be dialed.

| Customer Not Found | × | • | dfg32343 | |
|--|----------------------------------|---|----------|------|
| No customer exists for this phone number. Do you want to create a customer and dial? | | | View | Call |
| | Cancel Dial only Create and Dial | | | |

Figure: Disabled "Dial Only" button

There are two types of calls and the operations present in Ameyo.

<u>Outbound Calls</u>: The calls which are dialed to the customer by the Ameyo agent.
 Following are the CTI display available for outbound Calls.

9.3.4.2 Call to Unregistered Number

In the outbound call, if the customer is not found, then a modal is displayed to create the customer in Ameyo. In the displayed modal, there are two buttons to click from:

| Customer Not Found | E X | 9874563210 View | Call | |
|--|---------------------------|--------------------|------|---|
| No customer exists for this phone number. Do you want to create a customer and dial? | | | | 1 |
| Cancel | Dial only Create and Dial | | | e |

Figure: Calling Modal for Unregistered Number

There are some cases when the customer name remains blank in a customer record. For example, the Ameyo User is leaving the customer name blank while creating a new customer. In such cases, the Telephony Panel will display "UNKNOWN" during the call.

 (Not Recommended) Dial Only: If you click "Dial Only" button, then the call to the customer is dialed, but the customer is not created, which is not recommended. However, you can create the customer if you want at the end of the call. In this case, only the number of the customer will be displayed on the CTI display.




Figure: "Dial Only" the call

• **Create and Dial:** In Ameyo Telephony Panel, the agent can click the "Create and Dial" button which allows the agent to create the customer and then dial

the call. The following screen comes up, where the agent can create the customer.

<u>Information about Primary Phone Number from Telephony Panel</u>: If Ameyo User is providing a number in Ameyo Telephony Panel and clicks "Create and Dial", then that phone number will be added automatically in that primary-key marked phone number field (such as "phone1").

| Knowled Create C | | | | ♥ 9874563210 | <u> </u> |
|----------------------|-----------------------|--------|----------------------------|---------------|----------|
| Customer Information | | | ~ | View Call | ×. |
| name | phone1* 9874563210 | phone2 | phone3 | | • |
| phone4 | phone5 | email | facebook | | |
| twitter | timezone | | | | |
| | | | | ● Web RTC 🛞 📶 | |
| | | Cano | el Refresh Create and Dial | | |

Figure: "Create and Dial" the call

Enter the details of the customer and click "Create and Dial" button.




Figure: Calling the created Customer

2. **Inbound Calls**: The calls which are landed into the Ameyo or dialed by the customer to the agent of Ameyo. Following are the CTI display available for inbound Calls.

9.3.4.3 Unknown Customer on Telephony Panel

There are certain cases, when the agent leave the customer's name column blank or any new customer calls to the agent. In such cases the "Unknown" is displayed as the name of the customer on telephony panel.




Figure: Unknown in Telephony Panel

9.3.4.4 <u>Call from the Phone Number of a Registered</u> <u>Customer</u>

If the customer is found for any inbound call, then "Customer Detail" page for that customer is displayed with CTI.

| Customers O Test | • Search Q + O | > Create Ticket | Pick Call Connected |
|---|--|---|--|
| Test | | CRM 🕶 🖯 🖯 🗑 🗑 | Campaign Inbound Query |
| whatsap Binessne militer_usensame phond ensal2 ensal2 ensal4 ensoet_nreasespr., d snee bek.on., no Tet - | fatebook_unervare - phoned - erval - ervoorb.dev.td - | 644 - phonel 480498/077 e-sall5 - fut,came - | The Control of the sector of t |
| Tickets | | (Search Q) (Q) + | |
| All Media V All Tickets V III 11/11/201 | 🖉 🗴 🖽 Date To 🛛 🗴 Date Modified, Desc | 1-5 ♥ of 5 ⇔ Closed Tickets | |
| Unassigned,Test New Ticket corresponding to call: d915 5d805026-voe-15 | 1 Internal Analyses | Low Ticketing Campaign Today Customer Queue Modified | |
| turn ashu, Test Now Tricket corresponding to call: d915 5d01025 voe-11 Now | 1 Restation | Low Ticketing Campaign Today Customer Queue Modinal | |

Figure: CTI pop-up from the Phone Number of a Registered Customer

9.3.4.5 Call from Unregistered Number

If the customer is not found for any inbound call, then CTI pop-up shows a blank Customer page. Here, the agent can register the details of the customer.

| < Dashboard | Customers | € Customer | Search | ۹ ا | Create Ticket | 9992550007 Connected | | | » | |
|------------------|-----------|---------------|---------|-------------------|-----------------------|---|----------------|-----------|--|---|
| No-Name | | | | | CRM 💀 😳 😳 😇 | Campaign Queue | In | bound Que | ery | * |
| | | | | | Cancel Create | П | * | +==, | ų. | |
| whatsapp | | timezone | | facebook_username | phone2 | | End C 00:00 | | Ţ | |
| twitter_username | | phone3 | | phone4 | phone1* 9992550007 | This call is no You can attach this new ticket/live tick here. | | | you can create a e call will appear | ī |
| email3 | | email2 | | email | email5 | | | Crea | ate New ^ | |
| email4 | | smooch_messer | nger_id | smooch_dm_id | full_name | | | | | |
| name | | bank_cm_no | | _ | | | | | | |

Figure: CTI pop-up for the new Customer

You can enter the details of the customer in the left panel of the CTI pop-up.

9.3.4.6 <u>CTI Display for Multiple Customers with Same</u> <u>Number</u>

In the case of Inbound Calls, the multiple customers having the same phone number (from which the call is being received) will be displayed in a pop-up. If the Ameyo CRM is not linked with Ameyo AppServer or if the customer is not registered in Ameyo CRM but in Ameyo System, then the "CustomerQuery" node will be used to resolve the customers.

| Call Details | | | | | VoiceForCX 🗸 | | · · | • Available | ~ | mary 🗸 |
|---|-----------------|-----------------|------------|-------------------|--------------|---------------|---------|---------------------------|------|------------------|
| Knowledge B Customer Det | Select Customer | | | | | × | | 123456 Connecte | | <u>,</u> , |
| CRM | | name | phone1 | email | | | Campaig | | test | |
| Input Area Size | ~ | test | 1234567890 | as@df.com | | ~ | п | * | +21. | ч (⁶ |
| Height: | | Pocket Hits | 1234567890 | noreply@getpocket | | ~ | | End Cal 00:00:2 | | r |
| CodeId: id | | Java Code Geeks | 1234567890 | newsletter@javaco | | ~ | | | | |
| SaveCode FetchCode | | test1 | 1234567890 | as@df.com | | ~ | | | | |
| Input Code: | | test2 | 1234567890 | | | ~ | | | | |
| <pre>var client = AmeyoClient.init(); client.request.api("getAllAgentQueueRequ null).then(successCallback).catch(failur</pre> | | test3 | 1234567890 | - | | ~ | | | | |
| nuccy - energouccoscurcoucky - curch (furcur | | aman | 1234567890 | aman@gmal.com | | ~ | | | | |
| | | ajit | 1234567890 | ajit@gmail.com | | ~ | | | | |
| | | Logan | 1234567890 | - | | ~ | | | | |
| | | _ | | | Cancel | Link Customer | 2 | | | |
| | | | | | | | | | | |
| RunCode Beautify | | | | | | | | | | |
| successCallback Result: | | | | | | | | | | |

Figure: Displaying the list of Multiple Customers with the same number

Sequence to display the columns in "Multiple Customers Found" is defined through the customized Agent Table Definition of the campaign. If any phone field is not mapped in Table Mapping at System-level, then it will not be clickable and will come in the customer details. For example, you have to map "phone number 1" customer field with "phone1" Table Definition Field.

The agent can select any customer and click "Link Customer" to link this call with the selected customer.

9.3.4.7 Call Failure

There are certain cases when due to some issues, the call could not be connected. It may occur due to any of the failure reason like either customer call leg is not connected, or Agent call leg is not connected. If the customer call leg does not gets connect, there may be the provider related issues or its due to the certain general reasons which are notified to the agents by Ameyo. And, if the customer call leg does not get connect then the reason for that call failure is listed on the notification panel of the Ameyo in the notification bar. This helps the agent to know what the problem regarding the call was.





Figure: Call Failure Reason Notification

All the notifications are also sent to the supervisors and the administrators also.

9.3.4.8 Number Masking

If number masking is enabled in any voice campaign, then the customer name and the number in masking format is displayed on the telephony panel to the agent.





9.3.5 Call Control Functions

All the functionalities of Call Control Functions for supervisor and group manager are similar as that of agent.

As soon as a call is placed, telephony panel will pop up containing telephony buttons which are used for call control.




Figure: Call Screen

9.3.5.1 Attach Tickets to Call

The User can create and attach the tickets during the call in Telephony Panel. Know more...

9.3.5.2 Call Hold/Talk

While on live calls, the agent can put the customer call on hold by clicking button. When a call is on hold, both parties will not be able to hear each other. Only music will be played to the caller and the total time for which the call is on hold is displayed on the panel. The agent can unhold(resume) the call by clicking 🔛 button.

9.3.5.3 Call Mute

On the live calls, the agent can put the customer's call on mute by clicking button. When the call is on mute, then customer is not able to hear the voice of agent, but agent can hear all the voices of customer.

The agent can resume the muted call by clicking the same button again.

9.3.5.4 Conference

Call Conferencing allows to add guests to a call. A guest can be another agent, a field executive, a manager or a Supervisor. If you would like to add one or more guests to the call

for a conference call, click button with the caller on line.

9.3.5.4.1 (Licensable) Confer a Call to a User or Supervisor

If the agent wishes to make a conference call to another user or supervisor, the agent may take the user or supervisor over conference call by using this confer option. If you want to see the complete list of the users, then ask about the same from your administrator, as this feature is licensable.




Figure: Call Conferencing with User

- 1. Only the names of the logged in users will reflect, who are available to take the calls with their User role. The user role will be seen only for the supervisors.
- 2. Put the customer call on hold by clicking **"HOLD**" button and click **"CONFER"** button.
- 3. Agent can select the name of the person with whom he/she wants to confer a call from the "user" list. During this process, the customer call would be on hold.
- 4. Agent can unhold the customer by clicking **"UNHOLD"** button and it will be a threeway conference call with new agent and the caller.
- 5. The agent can disconnect conference call by clicking **"End Conference"** button.
- 6. The agent can give the ownership to the other user while on the conference call by clicking button. The primary agent can come out of the call by disposing the call.
- 7. The primary agent can remove the added user from the conference call by clicking



8. The conference button also shows the total duration of the call for which the call has been on conference.

9.3.5.4.2 Confer a Call to an External Number

The agent can do a conference call with the external customer by entering the telephone number on the dialing pad.

- Agent will put the customer call on hold by clicking "HOLD" button and click "CONFER" button.
- 2. Enter the phone number to transfer the call to in the box labeled **"PHONE"**. After entering the phone number, click **"Confer To Phone"** button.
- 3. Once the call gets connected, agent can explain the use case to the new user. During this process, customer call is on hold.
- 4. Agent can unhold the customer by clicking **"UNHOLD"** button and it will be a threeway conference call with new user and the caller.
- 5. The agent can disconnect conference call by clicking **"End Conference"** button.

6. The primary agent can remove the added user from the conference call by clicking

button.




Figure: Call Conferencing with External Number

9.3.5.4.3 Confer a Call to IVR

If agent wants to facilitate any payment over IVR or to capture customer's feedback, then he/she can take the call to local IVR in conference.

- Agent will put the customer call on hold by clicking "HOLD" button and click "CONFER" button.
- Agent needs to select the local IVR from the drop-down menu and click "Confer with local IVR" button.
- 3. Both customer and agent will be in conference with local IVR and both the parties will be able to hear the prompts of IVR (as per configured IVR flow).
- 4. Customer can enter the required inputs on IVR as per agent instruction or IVR prompts.




Figure: Call Conferencing with Local IVR

The agent cannot transfer the call to the IVR; however the call can be conferenced to the IVR by agent.

9.3.5.5 Call Transfer

If an agent wants to transfer a call, then he/she needs to click on the (TRANSFER) button. The agent will be able to select from the multiple options for call transfer.

- 1. Transfer to User
- 2. Transfer to Phone
- 3. Transfer to IVR
- 4. Transfer to Campaign
- 5. Transfer to Queue

9.3.5.5.1 (Licensable) Transfer a call to User or Supervisor (Warm Transfer)

A warm transfer is when agent will transfer the customer call to another agent or supervisor by giving him/her some background information about the caller. If you want to see the complete list of the users, then ask about the same from your administrator, as this feature is licensable.

For transferring the call to external user follow the below steps:

- 1. Only the names of the logged in users will reflect, who are available to take the calls.
- Agent will put the customer call on hold by clicking on "HOLD" button and then click on "TRANSFER" button. However, the agent can directly transfer the call without making the customer on hold, but it is not recommended to do so.
- 3. Agent can choose anyone of the user from the available list. While transferring the call, the agent can see the user role of the supervisor, so that the supervisor can be easily recognized by the agent. Once call is connected to new user, agent can give the customer details (required information) to the new user. During this process, customer call is on hold.
- 4. New user will unhold the call by clicking on the "UNHOLD" button and it will be a threeway conference call with new user, the caller and agent himself.
- 5. Agent can hang up from the conference call by clicking on the "End Call" button. The caller will then be on call with the new user.




Figure: Call Transfer to User

9.3.5.5.2 Transfer a call to external number (Warm Transfer)

A warm transfer is when agent will transfer the customer call to external number by giving him/her some background information about the caller. For transferring the call to external user follow the below steps:




Figure: Call Transfer to External

- Agent will put the customer call on hold by clicking on "HOLD" button and then click on "CONFER" button.
- 2. Enter the phone number to transfer the call to in the box labeled "PHONE". After entering the phone number, click the "Confer To Phone" button.
- Once the call gets connected, agent can explain the use case to the external party. During this process, customer call is on hold.
- 4. External party will unhold the call by clicking on the "UNHOLD" button and now there will be a three-way conference call with new user, the caller and agent itself.

- 5. The agent can give the ownership to the external party while on the conference call by clicking button. The primary agent can come out of the call by disposing the call.
- 6. The primary agent can remove the external party from the conference call by clicking



9.3.5.5.3 Transfer a Call to IVR

If agent wants to facilitate any payment over IVR or to capture customer's feedback, then he/she can take the call to local IVR in conference.




Figure: Call Transfer to IVR

 The Agent will put the customer call on hold by clicking on "HOLD" button and then click on "TRANSFER" button.

- 2. The Agent needs to select the IVR from the drop down and call will be transferred to the selected IVR.
- 3. Customer can enter the required inputs on IVR as per IVR prompts.

9.3.5.5.4 Transfer a call to Campaign

There are cases when customer wants to talk regarding a particular concern for which there is a separate campaign, in that case agent can use transfer to "Campaign" option.

- The Agent will put the customer call on hold by clicking on "HOLD" button and then click on "TRANSFER" button.
- 2. The Agent needs to select the "campaign" name from the dropdown list, after which the call will be transferred to any available agent in the selected campaign.

9.3.5.5.5 Transfer a call to another Queue (of same campaign)

This option can be used by agent if customer has by mistake selected the wrong queue in the IVR, for example IVR has queue of sales, support and general queries and customer called in for support however in error he/she selected sales queue in the IVR so, agent can re-route the call to correct queue by following below steps. This option is applicable for inbound campaigns only.

- 1. **"HOLD"** button and then click on **"TRANSFER"** button.
- 2. The Agent needs to select the queue name from the drop-down list and select the appropriate queue in which the call needs to be transferred.

If the supervisor has configured "ACW Timeout (in sec)" for Connected and Not Connected Calls, then the calls (after disconnection) will be disposed off automatically after the expiry of this timeout value. To avoid such scenario, and in general, we recommend to dispose of the disconnected calls within this duration.

9.3.5.5.6 <u>Add Notes</u>

The agent can add the notes during or after the call. Enter your note in the "Add note" textbox of the telephony panel. If you want to provide the note during the call, then click the

disposition button and then enter the note. Once you dispose the call, the note will automatically be saved and can be seen on the call details page.

| | | | Connected |
|---|------------------------------|--------------|--------------------|
| | 8453 | 3434 | |
| | In Tra | nsfer | |
| | | | |
| | Campaign: C | Outbound | Campaign |
| | Queue: - | - | |
| | Call Type: N | /lanual Di | al |
| Ш | * | + | 5 |
| | End 00:0 | | • |
| Disposition | | \mathbf{e} | 23452345345 |
| | | | 00:06:23 |
| Disposition | | | |
| | | | |
| Select a Disp | osition | | · · |
| Quick Disp | | | |
| | osition | | |
| · · · | | | Sala |
| · · · | osition Language | | Sale |
| Foreign l | | Agent v | Sale volume too |
| Foreign l Abrupt di | anguage | Agent v | |
| Foreign l Abrupt di | anguage | Agent v | |
| Foreign I Abrupt di Already Add Note | anguage sconnec hungup | | rolume too |
| Foreign I Abrupt di Already Add Note | anguage sconnec hungup | | |
| Foreign I Abrupt di Already Add Note | anguage sconnec hungup | | rolume too |
| Foreign I Abrupt di Already Add Note | anguage sconnec hungup | | olume too |
| Foreign I Abrupt di Already Add Note | anguage sconnec hungup | | rolume too |

Figure: Adding the Call Note During the Call

9.3.5.5.7 Call Disposition

After completing the call, the two-level call dispositions are displayed in the telephony panel.

| Disposition 00:04 | \sim | 4818 |
|----------------------|---------|----------|
| Select a Disposition | | ~ % |
| 1 | | |
| Select a Disposition | | |
| Others | | |
| Foreign Language | | |
| Sale | | |
| Sale | | |
| telecom.issues | | |
| Abrupt disconnectio | n | |
| Save And Dispose | Dispose | And Dial |
| | | |

Figure: Dispositions of a Manual Preview Outbound Call

The agent has to select the disposition through the drop-down menu or select any of the onscreen displayed quick dispositions, as no disposition is selected there by-default. Until the agent do not select the disposition, the "Dispose" button remains unavailable to click.

Agent may receive any of the following disposition screens based upon the configurations.

| Disposition 2345 00:04 | Disposition 🐢 00:04 |
|--------------------------------|-------------------------------|
| Select a Disposition | Select a Disposition |
| | |
| Select a Disposition | Select a Disposition |
| Foreign Language | Others |
| Sale | Foreign Language |
| Abrupt disconnection | Sale |
| Agent volume too low | Sale |
| Already hungup | telecom.issues |
| Callback | Abrupt disconnection |
| Save And Dispose Oispose And I | Save And Dispose Olispose And |

Figure: Single Level Disposition

Figure: Two level Disposition Selection

It contains the following two option of buttons.

- **Save and Dispose:** Click it to dispose the ticket associated with the call using the selected disposition.
- (Licensable) Dispose and Dial: Click it to dispose the current call ticket and continue to make a manual dial call. It shows a textbox at the bottom of telephony panel.

It is a licensable feature, so contact your administrator about the license of the same.

| 🔵 Web R | TC | | ۲ (|
|----------------------|------------|----------|-----|
| Disposition 00:04 | ~ | 23452345 | |
| 00:04 | | | |
| Sale | | ~ | 10 |
| Quick Disposition | | | - |
| Foreign Language | Sal | e | |
| Abrupt disconnec | Agent volu | me too | |
| Already hungup | | | |
| Add Note | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Save And Dispose | Dispose A | nd Dial | |
| Phone Number | × | | |
| Call | | | |
| Call | | | |
| | | | |

Figure: Continue to Manual Dial after Disposing Current Call

After entering the number, click "Call" to dispose the current call with the selected disposition and make a new outbound call with manual dial.

9.3.5.5.8 Restrict the Users to dispose the call from Telephony Panel and Allow them to dispose it from CRM only

If the administrator has configured and restrict the disposition of the call from the telephony panel, then the agent will not be able to dispose the call from Telephony Panel. In this case, the agents have to dispose the call through CRM only.

As soon as the call is ended, the telephony panel will not slide out to the left side from the right bar.

When the agent tries to dispose of the call in the telephony panel, then an error message is displayed.

| AMEYO Home Call De | etails | | KK_inbound | × 🐥 | <u> </u> | | Available | ✓ kk. | _exec ~ |
|---|-----------------------|---|------------|-------------------------|----------|-------------------|----------------------|-------------|----------------------|
| Knowledge B Customer Customer Information | | | | | - | | Connected |) | <u>ی</u> ۱۱ ۱۷ |
| name | phone1* 2345678760 | | phone2 | | pho | Campaign Queue | KK_inbo | ound | <u>^</u> |
| phone4 | phone5 | | email | | face | | End Call 00:00:05 | ए क | |
| twitter | timezone | | age | | _ | | Ple | ase dispose | from CRM |
| | | | | | - L | | | | |
| | | | | | | | Refre | esh Upda | ate |
| CRM | | | | | | | | | ^ |
| | Basic Info | | 6 23456787 | 60 | | | 2 | kk_exec | Â |
| Quick Disposition | Personal Information | | | | | | | | |
| Set Disposition Abrupt disconnection | First Name | : | | Last Name Salutation | : [| |] | | |
| Set Callback | DOB | : | | Company | : [| | | | |

Figure: Disposition of Call is disabled in Telephony Panel

If the disposition is restricted at the telephony panel but can be done at CRM, then the "ACW Timer" is displayed in the tooltip of the phone icon in the right panel after the call disconnection (since the telephony panel is not shown to the agent). When the agent disposes of the call from the CRM, then an inline message is displayed on the page.

| AMEYO Home Call Details | | KK_inbound 🗸 | ۰ | Sector | o Available | ∽ kk_ex | (ec |
|-------------------------|------------------------|--------------|-----------|----------------------------|-------------|----------------|-----|
| nowledge B Customer | | | | | | ACW Time 00: | 02 |
| Customer Information | | | | | | / | ~ |
| name | phone1* 68465126126 | phone2 | | phone3 | | | _ |
| phone4 | phone5 | email | | facebook | | | _ |
| twitter | timezone | age | | | | | |
| | | | | | | | |
| | | | | | Cancel | Refresh Create | |
| CRM | | | | | | ^ | |
| | Basic Info | 6846512612 | 26 | | | 🧏 kk_exec | ^ |
| End Call Successfull | ×ation | | | | | | |
| Cat Dianasitian | First Name : | | Last Name | : | | | |

Figure: Disposed of the Call from CRM

If the disposition is disabled from the telephony panel, then Dispose and Dial will also be performed through CRM.

Callback and call notes are understood in the normal disposition operation through the telephony panel only.

9.3.5.6 Create and Attach Tickets during Call

All the functionalities of create and attach tickets during call for supervisor and group manager are similar as that of agent.

Ameyo introduces the feature to create and attach new tickets, or attach the existing tickets to the call. A new option is provided to create the new tickets in the telephony panel, whereas the options are provided to attach the existing tickets on the Dashboard, in Ticket Details Page, and in the list of tickets at Customer Information Page. It also shows the attached tickets.

The agent is able to create the tickets of the voice calls. The call ticket can either be created at the time of call or after the call while disposing it.

The agent can perform the following operation from here.

9.3.5.6.1 Attach Tickets to Call

"Create New" ticket option will be available in the telephony panel even when either no ticket is created and attached to this call or a ticket is already attached. During the call, Ameyo User can browse the Workbench, or the list of tickets in any Customer Information page, or a Ticket Detail Page to link the current call with the existing tickets or lite tickets. Tickets attached to the call will appear in the telephony panel.

If the ticket is not attached to any call, then the following message is displayed over "Create New" link.

This call is not attached with any ticket.

You can attach this call to an existing ticket or you can create a new ticket/lite ticket. Tickets attached to the call will appear here.

| | Second Ash Connected | > |
|---|---|----------------------------|
| Campaign | GA_OUT_NE | w |
| Queue | | |
| | *# | 2 |
| | End Call 00:00:06 | Ţ |
| 1) This call is not at | tached with any ticket | |
| You can attach this o create a new ticket/li call will appear here. | all to an existing ticket ve ticket. Tickets attac | or you can hed with the |
| | Cres | te New ^ |

Figure: "Create New" option in the Telephony Panel

In the Dashboard, Customer Information Page, and Ticket Detail Page, an option to attach the ticket with the current call has been added. The user can either open a ticket, or attach a ticket through Dashboard, or create a new ticket through Telephony Panel. The attached tickets will be displayed at the bottom of the Telephony Panel.

| 3) v • A | vailable v 860 Ash Connected | Supervisor V |
|---------------------|---------------------------------------|--------------|
| Campaign | GA_OUT_N | |
| Queue | | |
| II | *# | ٣ |
| | End Call 00:00:10 | Ţ |
| This call is attach | ed with the following | tickets: |
| Ticket correspond | ing to call: d170-5ddc | :c & |
| | | |
| | | |
| | - | eate New ^ |

Figure: Ticket attached to a call

Multiple tickets can be attached to a call.

| | Second Se | |
|---------------------|--|-------|
| Campaign | GA_OUT_NEV | v |
| Queue | | |
| 11 | *** | ピ |
| | End Call 00:01:42 | r |
| This call is attach | ed with the following tic | kets: |
| Ticket correspond | ing to call: d170-5ddc | R |
| Ticket correspond | ing to call: d170-5ddc | X |
| Ticket correspond | ing to call: d170-5ddc | R |

Figure: Attached Multiple Tickets

A message of Voice source type will be created in the tickets, which has been attached to the call. The Call Notes and Voicelogs of a call will be stored in all tickets, which has been attached to that call.

The user can either close the attached tickets during the call or after disposing of the call.

9.3.5.6.2 Create and Attach New Ticket to the Call

The agent is able to create the tickets of the voice calls. The call ticket can either be created at the time of call or after the call while disposing it. Click "Create New" button to create the new ticket. There are the following two types of the tickets which the agent can create.

| This call is not attached with any t | icket | | | | | |
|--|--------------|--|--|--|--|--|
| You can attach this call to an existing t create a new ticket/lite ticket. Tickets a will appear here. | | | | | | |
| | Create New ^ | | | | | |
| | New Ticket | | | | | |
| Lite Ticket | | | | | | |

Figure: Create Ticket Selection

• **New Ticket:** Click "New Ticket" option to create a new ticket for that voice call. The option to create a new ticket is displayed on the page. Provide the information and Message with which you want to create the new ticket.

| | Home | Knowledge Base | Call Det | tails | | InteactionCa+2 💙 | | | - ~ | Availat | ole 🗸 | | |
|---------------------------------|---------------|---------------------|------------|----------------|----------|------------------|---|----------|--|------------------------------------|-----------------------------------|---------------------------------|----|
| Dashboard Tickets > Create | | tomers 🔳 🤇 | Create Tic | × | | | | | | | 2145879 nected | | } |
| Tickets / Create | e neket | | | | | | | _ | Campaig | n Ou | tboundCan | naign | |
| Customer Ir | nformation | ı | | | | | | | Queue | | | ipuidi | |
| ∧ Create Ticke | et | | | | | | | | П | * | *2 | U | |
| Media | | | | | | | | | | | I Call D2:16 | Ţ | |
| Voice | | | ~ | | | | | | | / | | | 1 |
| Campaign | | | | Queue | Priority | | | Sta | This call is | not attached v | vith any ticket | | |
| InteactionCampa | aign | | ~ | Select a queue | V Low | | ~ | <u>N</u> | You can attach create a new t will appear he | this call to an icket/lite ticket. | existing ticket Tickets attach | or you can led with the call | |
| Send By | | | ~ | | | | | | | | | | -1 |
| Voice | | | | | | | | 1 | | | Cre | ate New ^ | _ |
| Subject | ding to call | l: d931-5e12cca3-vc | . 11 | | | | | | | | | | |
| neker correspon | ioning to can | 1. 0551-56120085-90 | | | | | | | | | | | |
| Message | | | | | | | | | | | | | |
| Message | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Attach a file | | | | | | | | | | | | | |
| | | | | | | | | | | | Can | cel Save | |

Figure: Provide the Message for New Ticket

After providing the information to create the ticket, click "Save" button present at the right bottom of the page. <u>Know more...</u>

• <u>Lite Ticket</u>: Lite ticket are the tickets lies in closed state. Select "Lite Ticket" option to create the lite ticket in closed state. <u>Know more...</u> about closed tickets.



Figure: Lite Ticket is created

9.3.5.6.3 Case of Attaching Lite Tickets with Calls

Lite Tickets cannot store the comments added in the Telephony Panel in "Notes" section. Lite tickets will be disposed of with the call itself. The dCall Notes can be added and the Voicelogs of the Call will be attached in the Lite Tickets. Lite tickets are created in "Close" state itself.

9.3.5.6.4 Detach the Tickets

In the Dashboard, Ticket Detail Page, Customer Information Page, and Telephony Panel, the user can detach the tickets from the call. Whenever a ticket is detached from a call, then the Call Notes and Voicelogs of that call will not be stored on that ticket. Instead of it, the following message is stored as an activity in the detached ticket.

A call with CRT < > was detached from this ticket by <Agent>.

The attachment and detachment of tickets remains consistent and synchronized in Dashboard, Ticket Detail Page, Customer Information Page, and Telephony Panel.

9.3.5.6.5 Call Transfer or Call Conference Case in the same Queue of same Interaction and same Voice Campaigns

In the case of transfer or confer to user in the same queue or transfer to the same queue of both Voice Campaign and Ineraction Campaign, both the Ameyo Users can view each other tickets. If the call is not disposed of, then both agents could see the ticket attachment or detachment in the Telephony Panel. In case of call transfer, if the call has not been disposed of, then both agents will receive if detaches its ticket with notifications the other agent the call. Even if the call has been disposed of by the transferor agent, still the receiver agent will be able to detach those tickets during the call that are attached by the transferor agent.

9.3.5.6.6 Call Transfer or Call Conference in the different Queues of the same Interaction Campaigns and same or different Voice Campaigns

Tickets attached or created by both Campaigns will be listed in the telephony panel. And on click, the ticket will be opened as per the visibility configurations. The Visibility Configuration can be configured at system-level, campaign-level, and queue-level.

9.3.5.6.7 Call Transfer or Call Conference in the different Interaction Campaigns and same or different Voice Campaigns

Tickets of the different Interaction campaign will not be listed in the Telephony Panel.

9.3.6 Schedule Callback

All the functionalities to schedule a callback for supervisor and group manager are similar as that of agent.

The schedule callback feature helps us to callback customers for further follow-up

| Dispo 00:04 | sition | ~ | 234534 |
|----------------|-------------------|------------------|--------------|
| Dispos | sition | | |
| Callba | ack. | | ~ |
| | Self Callback | | |
| Sche | dule on : | | |
| () s | pecify Date | | |
| | dd/MM/yyyy | / 🕓 hl | h:mm |
| ⊖ s | pecify Time | | |
| | | | |
| | Days | Hours | Minutes |
| Sche | dule on a specifi | c phone number : | |
| | Existing Num | bers | |
| | 234534 | | ~ |
| | Alternate Nu | mber | |
| 0 | | | |
| Add No | ote | | |
| | | | |
| | | | |
| | | | |
| Save | And Dispo | se Disp | ose And Dial |

Figure: Schedule Callback

1. If any caller requests for a callback then the agent disposes the call as callback and the callback will be scheduled accordingly.

- 2. In order to schedule a callback in Ameyo system the agent needs to select the "callback" value from the disposition drop down.
- 3. In case agent wants to schedule a self callback i.e, the callback should only be routed to him/her and not to any other random user in the campaign then check the "Self Callback" option, else uncheck this option to route the scheduled callback to any available user in the campaign.

| Disposition 00:28 | ~ | | 234534 |
|------------------------|-------------|------------|--------|
| Disposition | | | |
| Callback | | | ~ |
| Self Callback | | | |
| Schedule on : | | | |
| Specify Date | | | |
| 17/10/2019 | × 🕓 | 04:44 PM | × |
| O Specify Time | | | |
| | | | |
| Days | Hours | Minut | es |
| Schedule on a specific | phone numbe | r: | |
| Existing Numb | ers | | |
| 0 234534 | | | ~ |
| Alternate Num | ber | | |
| | | | |
| | | | |
| Add Note | | | |
| | | | |
| | | | |
| | | | |
| Save And Dispos | se D | ispose And | Dial |

Figure: Callback Scheduled

- Agent can either schedule a callback for a specific date, select the radio button "Specify date" and choose the date from calendar option and time from the provided Hrs and Mins clock.
- 5. Or agent can select the "Specify time" radio button to schedule the callback for the specified date and time.
- 6. The agent can specify the number on which the call has to be made, that is, if the call has to be made on the same number dialed currently, then select "Existing Numbers" radio button, else select "Alternate Number" and provide the alternate number.
- 7. Click "Save And Dispose" button to schedule the callback.

The scheduled call backs for an agent are displayed in "Call Back" tab of "Call Details".

The supervisor and group manager can view the scheduled callbacks from Callbacks tab in Voice Campaign.

| AMEYO Home Knowledge | Base Call Details | InteactionCa+3 🎽 🗍 | 💶 💶 👻 🔹 Available | ~ a1 |
|------------------------------|--------------------------------------|--------------------|-------------------|--------------|
| all Details | | | Call Back | Call History |
| OutboundCampaign × 02/01/202 | 0 12:00 AM - 02/01/2020 11:59 PM 🛛 🗙 | | | |
| Call Back List(2) | | | | T |
| Customer Number | Scheduled Time | Added On | Actions | |
| 9874563210 | 2020-01-02 18:50 | 2020-01-02 18:44 | Reschedule | |
| 9856321047 | 2020-01-02 18:55 | 2020-01-02 18:45 | Reschedule | |
| | | | | |

Figure: Callback Tab

If the agent is not available or the status is not set to available at the time of callback, then the system automatically retries the call after the time duration configured by supervisor. If the agent calls the customer manually, then the scheduled callback will not remove from the list of callbacks and system will dial the call on its scheduled time. <u>Know more...</u>

There are several cases when the agent gets transfer to another campaign. In such cases, all the callbacks scheduled by or for that agent will not be taken into consideration or nontraceable. But, the supervisor can assign those callbacks to the assigned agent and hence, the agent can use his callbacks.

9.3.7 Callback Notification

1. An agent can view its upcoming callbacks by clicking icon (if same is configured by supervisor) and can wrap the existing call accordingly.

The notification for the upcoming callback time depends upon the configured time from supervisor.

2. Information related to scheduled callbacks will be shown at the top of the screen. It contains the name, and number of the customer and date and time for the scheduled callback.



Figure:Callback Notification Pop-up

9.3.8 Call Details

Through "Call Details" tab, the agent can view its upcoming callbacks and can also fetch the call history. Itn contains the following two sub-tabs.

- Callbacks
- Call History

The Call Details tab (including Call History and Callbacks both) is not present for the Supervisor and Group Manager here. However, the Call Details tab is present in Manage menu of Voice campaigns of supervisor and group manager. Click the following links to know more.

- <u>Call History tab for Supervisor</u>
- <u>Call History ftabor Group Manager</u>
- Callback tab for Supervisor
- Callback tab for Group Manager

9.3.8.1 <u>Callbacks</u>

This tab shows the callbacks scheduled for the agent at system level (for all campaigns).

| | | Call Back | Call History |
|-------------------------------------|------------------------------------|---|--|
| AM - 02/01/2020 11:59 PM $\ \times$ | | | |
| | | | T |
| Scheduled Time | Added On | Actions | |
| 2020-01-02 18:50 | 2020-01-02 18:44 | Reschedule | |
| 2020-01-02 18:55 | 2020-01-02 18:45 | Reschedule | |
| | Scheduled Time 2020-01-02 18:50 | Scheduled Time Added On 2020-01-02 18:50 2020-01-02 18:44 | Scheduled Time Added On Actions 2020-01-02 18:50 2020-01-02 18:44 Reschedule |

Figure: Call Back Tab

The agent can click "Filter" to apply the filters.

| Campaign | Time | |
|----------------|---------------|--------------------|
| Testoutbound | Today | |
| TestInbound | OTomorrow | |
| ◯ TeatParallel | Custom Range | |
| | From | |
| | To | |
| | Phone Number | |
| | 🔵 Start With | O Ends With |
| | C Exact Match | Any Occurance |
| | Enter Number | |
| | | Clear Filter Apply |

Figure: Call Back Filters

The agent can filter the call details with the following filters.

- 1. **<u>Campaign</u>**: Select the campaign from which the agent wants to filter the call details. It contains only those campaigns in which the agent is assigned.
- 2. <u>Time</u>: Provide the time range for which the agent wants to filter the call details. The agent can choose the time from the available following filters.
 - **Today:** It shows all the call-back details of the same day.
 - **Tomorrow:** It shows the scheduled call-back details of the next coming day.
 - <u>Custom Range</u>: It shows all the scheduled call-backs of the provided range of the date. Once you select the date, the present time is selected automatically.

| Campaign Inbound outbound | | Time Today Tomorrow Custom Range From Erom | | | | | | | | | | | | | |
|---------------------------------|---------------|---|----|----|----|-------|----|--|---------------|----|----|-----|----|----|-----|
| | « (| د 2020 Mar که « د 2020 | | | |)20 M | ar | | > 20 | | | | | | |
| | М | Т | W | Т | F | S | s | | м | Т | W | Т | F | S | S |
| | 24 | 25 | 26 | 27 | 28 | 29 | 1 | | 24 | 25 | 26 | 27 | 28 | 29 | 1 |
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| | 16 | 17 | 18 | 19 | 20 | 21 | 22 | | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | 23 | 24 | 25 | 26 | 27 | 28 | 29 | | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| | 30 | 31 | 1 | 2 | | 4 | 5 | | 30 | 31 | 1 | 2 | 3 | 4 | 5 |
| | Time 12:31 | | | | | | | | Time 12:31 | | | Cle | ar | D | one |

Figure: Date and Time Range Picker

- 3. **Phone Number:** Provide the specific phone number for which the agent wants to filter the scheduled call-back. Following are the filters present to see all the call-backs.
 - **Start With:** It lets you to search the call details of the phone number while providing its initial few digits of the phone number.
 - **Exact Match:** It lets the agent to search the call details of the customer whose phone number is provided as it is.
 - **Ends With:** It lets you to search the call details of the phone number while providing its last few digits of the phone number.
 - **Any Occurrence:** It lets the agent to search for all the details of the phone numbers whose few digits are provided.

Ameyo <mark>4.81 GA</mark>

Select the Campaign name, Time of the callback or the phone number to get the list of the callback. Click "Apply" button.

Click "Clear Filter" to clear the filter and to view the default list of all callbacks.

Agent can see only his callback list. The agent is not allowed to watch the other agent's scheduled callbacks.

9.3.8.1.1 Click to Dial Callback

There are cases when the agent will not be present at seat at the scheduled callback time or the agent has to call early from the defined time to the customer whose callback is scheduled.

In such cases, the agent can click is to dial the call directly from the callback page. It helps and save the time of the agent.

After clicking a number, the agent will be redirected to "Workbench" tab from "Callback" tab and a CTI pop-up is displayed.

If the call is ongoing, then an error message will be displayed when the agent clicks on the number to dial it.

As soon as a number is dialed in "Callback" tab through Click to Dial or another method, it will be removed from Callback list even if it was dialed before its scheduled time.

If the customer name is not filled or left blank, then at the time of the callback the telephony panel will display "UNKNOWN" as the customer name.

9.3.8.1.2 Reschedule Callback

Agent can reschedule the date and time of his callbacks at any time. Perform the following steps to reschedule the callback.

- 1. Select the callback from the list of the callbacks.
- 2. Click Reshedule button.
- 3. A pop-up comes up in which you have to provide the date and time of the callback.
- 4. Enter the date in *"dd:mm:yyyy"* format.

| eschedule Callback for 9874653216 | | | > |
|---|---|-------------|-------------------|
| Date* | | Time* | |
| 28/09/2019 | × | () 01:27 PM | × |
| Why do you want to reschedule this callback?* | | | |
| Enter the rescheduling reason here. | | | |
| | | | O |
| | | | 35/300 |
| | | | Reschedule Cancel |

Figure: Reschedule the Callback

- 5. Select the Time from the clock and then click "OK" button.
- 6. Enter the reason for which you are rescheduling the call.
- 7. Click "Reschedule" button.

The call is successfully rescheduled. The agent can check the same from the callback list.

9.3.8.1.3 Delete Callback

Click icon to delete the scheduled callback.

A pop-up comes up in which you have to enter the reason. Reason is mandatory to enter, otherwise the callback will not delete. Click "Delete" button to delete the file otherwise click "Cancel".

| Delete Callback for 123456 | × |
|--|----|
| Are you sure you want to delete this callback? This cannot be undone. | |
| Why do you want to delete callback?* | |
| Reason to delete the callback | |
| | |
| | |
| | |
| Cancel Delet | te |

Figure: Delete pop-up

9.3.8.2 Call History

Call History Tab shows the history of calls made or received by the agent.

| | | | | | | Call B | ack | Call History |
|---------|--------------------------------|---------------|----------------------|------------------------|----------------------|------------------|----------|--------------|
| l De | tails | | | | | Call b | dCK | Call History |
| all Det | ails List(9) | | | | | | | ٣ |
| | Customer Number | Queue Name | Disposition | Call ID | Call Type | Time | Duration | Listen |
| | 09876543 | | wrap.timeout | d700-5f0ec9c5-vcall-20 | outbound manual dial | 2020-07-15 20:04 | 00:00:00 | • |
| ~ | 23452345345 | | Already hungup | d700-5f0ec9c5-vcall-15 | outbound manual dial | 2020-07-15 19:02 | 00:34:26 | •) |
| This | is the testing note with the O | utbound call. | | | | | | |
| | 98757 | | wrap.timeout | d700-5f0ec9c5-vcall-14 | outbound manual dial | 2020-07-15 18:57 | 00:06:22 | •) |
| | 23452345 | | wrap.timeout | d700-5f0ec9c5-vcall-13 | outbound manual dial | 2020-07-15 18:40 | 00:15:31 | •) |
| | 3465 | | Foreign Language | d700-5f0ec9c5-vcall-12 | outbound manual dial | 2020-07-15 18:35 | 00:05:02 | •) |
| | 3245645 | | Abrupt disconnection | d700-5f0ec9c5-vcall-11 | outbound manual dial | 2020-07-15 18:34 | 00:00:29 | •) |
| | 456346 | | wrap.timeout | d700-5f0ec9c5-vcall-9 | outbound manual dial | 2020-07-15 15:44 | 00:00:02 | ۲ |
| | 334563 | | Already hungup | d700-5f0ec9c5-vcall-8 | outbound manual dial | 2020-07-15 15:38 | 00:00:02 | •) |
| | 234523454325 | | Foreign Language | d700-5f0ec9c5-vcall-6 | outbound manual dial | 2020-07-15 15:37 | 00:00:02 | • |

Figure: Call History

Call History is shown in terms of the following attributes.

- 1. **Customer Number:** It shows the customer number on which call was made or from which call was received.
- 2. **Queue Name:**It shows the queue name in which call was received.

- 3. **Disposition:** It shows the user disposition with which the respective call was disposed (only case of connected calls).
- 4. **Time:** It shows the date and time at which the inbound call came or at which the outbound call was dialed.
- 5. **Duration:** It shows the total call duration of the respective call.
- Listen: It shows the voice recording of the call. For connected calls, recording is played and agent can listen to that call and also he can download that voice log by clicking on (download) symbol, For, non-connected logs, it will not play any recording.



Figure: Play Call Recording

The agent can download the voicelogs of the searched phone number from the listen pop-up. Click the download icon and the pop-up to save the voicelog will come.

| 📀 Save As | | | | | Х |
|--|---------------|---------------|------------------|--------|--------|
| ← → × ↑ 🔄 > This PC > Download | s → rhel rpms | ~ Ū | Search rhel rpms | | Q |
| Organise 🔻 New folder | | | | | ? |
| This PC Name | ^ | Da | ate modified | Туре | |
| 3D Objects | No iten | ns match your | search. | | |
| E. Desktop | | - | | | |
| Documents | | | | | |
| 🖶 Downloads | | | | | |
| 👌 Music | | | | | |
| E Pictures | | | | | |
| Videos | | | | | |
| 🏪 Local Disk (C:) | | | | | |
| Local Disk (D:) | | | | | > |
| | | | | | |
| File <u>n</u> ame: 9988776655_a1_2019-09-1 | 16-19-25-08 | | | | ~ |
| Save as type: MP3 Format Sound | | | | | \sim |
| ∧ Hide Folders | | | <u>S</u> ave | Cancel | |

Figure: Download Call Recording

Provide the download location and you may change the name of the downloading file as well from here. The default name of the voicelog is the phone-number of the customer followed by the agent name and the time of the call.

The downloading pop-up depends upon the browser's settings.

9.3.8.2.1 <u>Call Notes</u>

The notes which are given by the agent at the time of the calls are known as call notes. The agent can view these notes along with the details of that call. Click is icon to view the call notes of that call.

The agent can filter for the calls in which the call notes are given through filters option.

| | Customer Number | Queue Name | Disposition | Call ID | | | | |
|--------|--|------------|----------------|------------------------|--|--|--|--|
| | 09876543 | | wrap.timeout | d700-5f0ec9c5-vcall-20 | | | | |
| ~ | 23452345345 | | Already hungup | d700-5f0ec9c5-vcall-15 | | | | |
| 🖹 This | This is the testing note with the Outbound call. | | | | | | | |

Figure: Filter Call Notes

9.3.9 Filter

The agent can click "Filter" button to filter the list of call history.

| mpaign * | Dispositions | Time * | |
|---|--|-----------------------------|--|
| Outbound Custom1_outbound gaurav_inbound gaurav_Outbound k: | Sale Callback Already hungup Abrupt disconnection Echo | Yesterday Custom Range From | |
| Attribute Select an Attribute 🛛 🗸 | Operator Select an operator Val | ue + | |

Figure: Call History Filters

Select the filter and click "Apply". Click "Clear Filter" to clear the filter and to view the default list of callbacks.

The agent can filter the call details with the following filters.

- 1. **Campaign:** Select the campaign from which the agent wants to filter the call details. It contains only those campaigns in which the agent is assigned.
- 2. **Disposition:** Select the disposition for which you want to filter the call detail history.
- 3. **<u>Time</u>**: Provide the time range for which the agent wants to filter the call details. The agent can choose the time from the available following filters.
 - **Today:** It shows all the call-back details of the same day.
 - **Tomorrow:** It shows the scheduled call-back details of the next coming day.
 - <u>Custom Range</u>: It shows all the scheduled call-backs of the provided range of the date. Once you selected the date, the present time is also selected as the default time.

| Campaign * | Dispositions | | Time | * | | | | | | | | | | | |
|--|---|--|------|----|-------|-----|----|------|---------------|----|----|-------|-----|----|---------------|
| Inboundoutbound | Please select a campaign to view options | Today Yesterday Custom Range From 24/03/2020 12 : 39 | | | | | | | | | | | | | |
| | | « (| | 20 | 020 N | lar | | > >> | « (| | 2 | 020 N | lar | | > » |
| Attribute Based | | м | т | W | т | F | S | s | м | т | w | т | F | S | s |
| Please select a | | | 25 | 26 | 27 | 28 | 29 | 1 | 24 | | | | | | 1 |
| | | | 3 | 4 | 5 | 6 | 7 | 8 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| | | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| | | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| | | 30 | 31 | 1 | | | 4 | 5 | 30 | 31 | 1 | 2 | 3 | 4 | 5 |
| | | Time 12:39 | | | | | | | Time 12:39 | | | | | | |
| | | | | | | | | | | | | Cle | ar | D | one |

Figure: Date and Time Range Picker

- 4. <u>Attribute Based:</u> Agent can select the attribute based upon the defined filterable field in the table creation. Perform the following steps to filter through attribute based filters.
 - Select the campaign in which attribute based filter, that is, the filterable fields are mapped.
 - Now, in attribute based filter section, select the attribute type, which is the column name which is mapped as filterable field in campaign by the administrator.
 - Select the operator type through which you want to filter the calls. It contains the following three operators.
 - A. **Contains:** It filter the calls which contains the provided input in their values.
 - B. **Equals:** Selecting "Equals" as the operator will filter the calls which have the exact match to the applied content.

- C. **Not Equals:** Selecting "Not Equals" as the operator will filter the calls which do not have the match to the applied content.
- D. **Starts with:** It will filter those content, in which the entered attribute is starts with.
- E. **Ends with:** It will filter those content, in which the entered attribute is ends with.
- Now, enter the value for which you want to filter the calls in the values column.

| Campaign * | | Dispositions | | Time * | |
|--|----------------|--|---|--|-------------|
| inboundReg Outbound Custom1_ou gaurav_inbo gaurav_Outt hi | itbounc und | Foreign La Sale Callback Already h Abrupt dis Echo | | Today Yesterday Custom Range From 12/12/2019 00 : 00 | |
| Attribute phone1 | ~ | Operator Contains | ~ | Value 9865 | - |
| Attribute phone1 | ~ | Operator Equals | ~ | Value 98657421305 | - + |
| | | | | Clear F | ilter Apply |

Figure: Attribute based Filter content

You can provide multiple attributes to search the content, by clicking "+" icon, or click "-" icon to delete the provided attribute based filter.

10. Agent Account Menu

To access the Agent Menu, click on the Agent name icon at the top-right of the screen.




Figure: Agent Account Menu

Last Login Date-Time: It shows the last login date and time of the agent. It helps the agent to recognize that when he loggedin to the Ameyo.

The Agent can perform the following operations from the Menu tab:

 <u>Change Extension</u>: This option allows the Agent to change his Extension on which he was working previously. To change the Extension, click on the "Change Extension" button and the pop-up to change the Extension will come then, select the Extension which you want to select.

| Extension Selection | | × |
|---------------------|---|-------------|
| Select Extension | ~ | |
| | | Cancel Next |

Figure: Change Extension Pop-up

 Change Campaign: Through this option, the Agent is able to change the Campaign. To change the campaign, click Change Campaign button and then select the campaign which you want to select from the pop-up. It also allows you to select multiple campaigns at the same time.

| Campaign Selection | | | | | × |
|--------------------|---|----------------|--------------|---------------------------------------|------|
| Ticket Campaign | ~ | Voice Campaign | Blended ~ | Chat Campaign Select Chat Campaign | ~ |
| IC | × | InBound | × | Cancel | Save |

Figure: Change Campaign Pop-up

 Change Password: This option allows the Agent to change his account's password. Click on the "Change Password" button and provide your current password, then type new password two times to validate it.

| Change Password | × |
|------------------|---------------|
| | |
| Current Password | |
| Write Here | |
| | |
| New Password | |
| Write Here | |
| | |
| Confirm Password | |
| Write Here | |
| Write Here | |
| | Cancel Submit |

Figure: Change Password Pop-up

4. <u>Manage Acronyms</u>: This option allows the agent to see the list of the campaign Acronyms which was created at the campaign level by a Supervisor.

| Acronyms | | | × |
|-----------------------------|----------------------------|------------------|--------|
| Create New | | | |
| Short Term Write Acronym | Full Term Write Acronym | | |
| | | | Create |
| Self Acronyms | | < 0-0 of 0 > | |
| Short Term | Full Term | Action | |
| | | | |
| Campaign Acronyms | | < 1-1 of 1 > | |
| Campaign Name | Short Term | Full Term | |
| IC | CA | Campaign Acronym | |

Figure: Acronyms

On this page, the agent can create his acronyms which are only visible to him, and he can use them only.

Perform the following steps to create the Self-Acronyms.

- A. Enter the short term in "Short Term" text area.
- B. Provide the full name corresponding to the short term in the "Full Term" text area.
- C. Click "Create" button.

Agent can delete his created acronyms but he does not have the option to edit them.

Select an acronym and click \square icon to delete it. A confirmation pop-up comes up.

| Confirmation | × |
|---|--------|
| Are you sure you want to delete Acronym ? | |
| | No Yes |

Figure: Delete Acronyms

Click "Yes" to confirm the deletion process else click "No".

The campaign level acronyms cannot be deleted from here. They can only be managed by the supervisor.

5. <u>Keyboard Shortcuts</u>: This feature allows the Ameyo agent to see the list of keyboard shortcuts, through which the work of the agent can be reduced. Click "Keyboard Shortcuts" option from the list. The following modal is displayed.

| Keyboard Shortcuts(9) × | |
|---------------------------|------------------------------|
| Action | Shortcut |
| Hold/Unhold phone | Alt + H |
| Confer | Alt + C |
| Transfer | Alt + T |
| Mute/Unmute phone | Alt + M |
| End Call | Alt + E |
| Dispose | Alt + D |
| Auto-Call status toggle | Alt + 1 |
| Auto-Ticket status toggle | Alt + 2 |
| Open Menu | Alt + ? |
| Enable Shortcut | [Alt + ?] to view menu again |

Figure: Keyboard Shortcut Modal

Following are the actions for which the shortcuts are listed in this modal:

4.

- Hold/Unhold Phone: Press the "Alt" key and "H" key together to access this shortcut.
- **Confer:** Press the "Alt" key and "C" key together to confer any call.
- **Transfer:** Press "Alt" and "T" key together to transfer any call.
- **Mute/Unmute Phone:** Press "Alt" and "M" key together to mute or unmute any ongoing call.
- End Call: Press "Alt" and "E" key together to end the call.
- **Dispose:** Press "Alt" and "D" key together to dispose of any call.
- **Auto-Call Status Toggle:** Press "Alt" and "1" key together to change the status of the auto-call.
- **Auto-Ticket Status Toggle:** Press "Alt" and "2" key together to change the status of the auto-ticket assignment.
- **Open Menu:** Press "Alt" and "?" keys together to open the keyboard shortcut modal.

Click switch to disable the Keyboard Shortcuts.

Click switch to enable the Keyboard Shortcuts. By default, they are enabled for every user.

The above shortcuts can not be customised, they are fixed.

5. Send Error Logs: It is a feature provided by the Ameyo to send the errors which occurred at the time of work. Click on the "Send Error Logs" button and the pop-up with the screenshot will arrive. Provide a description of that screenshot and enable "Include Screenshot" (optional) to attach the Screenshot with the error. After then click on the Send button to send that screenshot to the server. This will help the Administrator to resolve the error.

| Send error logs 0 | × |
|---|-------------|
| Issue description | |
| Enter the description of the Error. | |
| | C |
| ✓ Include screenshot | |
| Meeting Name Apple Market Name Apple Market Apple < | |
| No. Orac 11 8 No. 0 | |
| (wingp | |
| × ■ ■ Berlin Berlin Berlin belief | |
| háðfrægsfaarlere - háðfðasindu - | |
| 100, Jan 9, | |
| | |
| | Cancel Send |

Figure: "Send Error Logs" Option

6. **Logout:** Click "Logout" to logout from the Ameyo. Once you click logout, all the services will stop, and agent redirects again to the login page.

Logout option will be disabled when the user is either on the call or having the conversation with customer over the chat. Logout option will only be available after the conversation will be terminated and call or chat will be disposed successfully.

 Last Login: It shows the last date and time of the agent when the account has been logged in by agent.

11. Logout from Ameyo

The agents are supposed to logout from the Ameyo application once their respected shift is completed. Agents need to click on their name (top right corner) to access a menu..




Figure: Logout from Ameyo

Click "Logout" to logout from the system.